CORRECTED VERSION

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 29 November 2001 (29.11.2001)

PCT

(10) International Publication Number WO 01/089364 A3

(51) International Patent Classification⁷: 21/04, C12N 5/10, 5/22, 15/00

C07H 21/02,

(21) International Application Number: PCT/US01/16822

(22) International Filing Date: 23 May 2001 (23.05.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 09/576,989

23 May 2000 (23.05.2000) U

(71) Applicant (for all designated States except US): WASH-INGTON UNIVERSITY [US/US]; One Brookings Drive, St. Louis, MO 63130 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): RICE, Charles M., III [US/US]; 7316 Colgate Avenue, University City, MO 63130 (US). BLIGHT, Keril, J. [US/US]; 4355 Maryland Avenue, St. Louis, MO 63108 (US).

(74) Agents: KASTEN, Daniel, S. et al.; Howell & Hafer-kamp, L.C., Suite 1400, 7733 Forsyth Blvd., St. Louis, MO 63105-1817 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

(88) Date of publication of the international search report: 23 January 2003

(48) Date of publication of this corrected version:

10 July 2003

(15) Information about Correction: see PCT Gazette No. 28/2003 of 10 July 2003, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: HCV VARIANTS

(57) Abstract: HCV variants are described. The variants include polynucleotides comprising non-naturally occurring HCV sequences and HCV variants that have a transfection efficiency and ability to survive subpassage greater than HCV that have wild-type polyprotein coding regions. Expression vectors comprising the above polynucleotides and HCV variants are also described, as are the provision of cells and host cells comprising the expression vectors. Methods for identifying a cell line that is permissive for infection with HCV are also provided, as are vaccines comprising the above polynucleotides in a pharmaceutically acceptable carrier. Additionally, methods for inducing immunoprotection to HCV in a primate are described, as are methods for testing a compound for inhibiting HCV replication.





1

HCV VARIANTS

Background of the Invention

Reference to Government Grant

This invention was made with government support under Public Health Service Grants CA 57973 and AI 40034. The government has certain rights in this invention.

Background of the Invention

10 (1) Field of the Invention

The invention relates to materials and methodologies relating to the production and use of hepatitis C virus (HCV) variants. More specifically, HCV variants are provided that are useful for diagnostic, therapeutic, vaccines and other uses.

15 (2) Description of the Related Art

Brief general overview of hepatitis C virus

After the development of diagnostic tests for hepatitis A virus and hepatitis B virus, an additional agent, which could be experimentally transmitted to chimpanzees [Alter et al., Lancet 1, 459-463 (1978); Hollinger et al., Intervirology 10, 60-68 (1978); Tabor et al.,

- Lancet 1, 463-466 (1978)], became recognized as the major cause of transfusion-acquired hepatitis. cDNA clones corresponding to the causative non-A non-B (NANB) hepatitis agent, called hepatitis C virus (HCV), were reported in 1989 [Choo et al., Science 244, 359-362 (1989)]. This breakthrough has led to rapid advances in diagnostics, and in our understanding of the epidemiology, pathogenesis and molecular virology of HCV (For review, see Houghton et al., Curr Stud Hematol Blood Transfus 61, 1-11 (1994); Houghton (1996), pp. 1035-1058
- in FIELDS VIROLOGY, Fields et al., Eds., Raven Press, Philadelphia; Major et al.,

 Hepatology 25, 1527-1538 (1997); Reed and Rice, pp. 1-37 in HEPATITIS C VIRUS,

 Reesink, Ed., Karger, Basel; Hagedorn and Rice (1999), THE HEPATITIS C VIRUSES,

Springer, Berlin). Evidence of HCV infection is found throughout the world, and the prevalence of HCV-specific antibodies ranges from 0.4-2% in most countries to more than 14% in Egypt [Hibbs et al., J. Inf. Dis. 168, 789-790 (1993)]. Besides transmission via blood or blood products, or less frequently by sexual and congenital routes, sporadic cases, not associated with known risk factors, occur and account for more than 40% of HCV cases [Alter et al., J. Am. Med. Assoc. 264, 2231-2235 (1990); Mast and Alter, Semin. Virol. 4, 273-283 (1993)]. Infections are usually chronic [Alter et al., N. Eng. J. Med. 327, 1899-1905 (1992)], and clinical outcomes range from an inapparent carrier state to acute hepatitis, chronic active hepatitis, and cirrhosis which is strongly associated with the development of hepatocellular carcinoma.

5

10

35

Although interferon (IFN)-\alpha has been shown to be useful for the treatment of a minority of patients with chronic HCV infections [Davis et al., N. Engl. J. Med. 321, 1501-1506 (1989); DiBisceglie et al., New Engl. J. Med. 321, 1506-1510 (1989)] and subunit vaccines show some promise in the chimpanzee model [Choo et al., Proc. Natl. Acad. Sci. USA 91, 1294-1298 (1994)], future efforts are needed to develop more effective 15 therapies and vaccines (See, e.g., Tsambiras et al., 1999, Hepatitis C: Hope on the Horizon, Hepatitis C Symposium of 37th Annual Meeting of the Infectious Diseases Society of America, reviewed at http://www.medscape.com/medscape/cno/1999/IDSA/Story.cfm?story_id=913). The considerable diversity observed among different HCV isolates [for review, see Bukh et al., 20 Sem. Liver Dis. 15, 41-63 (1995); Fanning et al., 2000, Medscape Gastroenterology 2:mgi6558.fann], the emergence of genetic variants in chronically infected individuals [Enomoto et al., J. Hepatol. 17, 415-416 (1993); Hijikata et al., Biochem. Biophys. Res. Comm. 175, 220-228 (1991); Kato et al., Biochem. Biophys. Res. Comm. 189, 119-127 (1992); Kato et al., J. Virol. 67, 3923-3930 (1993); Kurosaki et al., Hepatology 18, 25 1293-1299 (1993); Lesniewski et al., J. Med. Virol. 40, 150-156 (1993); Ogata et al., Proc. Natl. Acad. Sci. USA 88, 3392-3396 (1991); Weiner et al., Virology 180, 842-848 (1991); Weiner et al., Proc. Natl. Acad. Sci. USA 89, 3468-3472 (1992)], and the lack of protective immunity elicited after HCV infection [Farci et al., Science 258, 135-140 (1992); Prince et al., J. Infect. Dis. 165, 438-443 (1992)] present major challenges towards these goals. 30

Molecular Biology of HCV

Classification. Based on its genome structure and virion properties, HCV has been classified as a separate genus in the flavivirus family, which includes two other genera: the flaviviruses (e.g., yellow fever (YF) virus) and the animal pestiviruses (e.g., bovine viral

3

diarrhea virus (BVDV) and classical swine fever virus (CSFV)) [Francki et al., Arch. Virol. Suppl. 2, 223 (1991)]. All members of this family have enveloped virions that contain a positive-strand RNA genome encoding all known virus-specific proteins via translation of a single long open reading frame (ORF).

5

10

15

20

25

30

35

Structure and physical properties of the virion. Studies on the structure and physical properties of the HCV virion have been hampered by the lack of a cell culture system able to support efficient virus replication and the typically low titers of infectious virus present in serum. The size of infectious virus, based on filtration experiments, is between 30-80 nm [Bradley et al., Gastroenterology 88, 773-779 (1985); He et al., J. Infect. Dis. 156, 636-640 (1987); Yuasa et al., J. Gen. Virol. 72, 2021-2024 (1991)]. Initial measurements of the buoyant density of infectious material in sucrose yielded a range of values, with the majority present in a low density pool of < 1.1 g/ml [Bradley et al., J. Med. Virol. 34, 206-208 (1991)]. Subsequent studies have used RT/PCR to detect HCV-specific RNA as an indirect measure of potentially infectious virus present in sera from chronically infected humans or experimentally infected chimpanzees. From these studies, it has become increasingly clear that considerable heterogeneity exists between different clinical samples, and that many factors can affect the behavior of particles containing HCV RNA [Hijikata et al., J. Virol. 67, 1953-1958 (1993); Thomssen et al., Med. Microbiol. Immunol. 181, 293-300 (1992)]. Such factors include association with immunoglobulins [Hijikata et al., (1993) supra] or low density lipoprotein [Thomssen et al., 1992, supra; Thomssen et al., Med. Microbiol. Immunol. 182, 329-334 (1993)]. In highly infectious acute phase chimpanzee serum, HCVspecific RNA is usually detected in fractions of low buoyant density (1.03-1.1 g/ml) [Carrick et al., J. Virol. Meth. 39, 279-289 (1992); Hijikata et al., (1993) supra]. In other samples, the presence of HCV antibodies and formation of immune complexes correlate with particles of higher density and lower infectivity [Hijikata et al., (1993) supra]. Treatment of particles with chloroform, which destroys infectivity [Bradley et al., J. Infect. Dis. 148, 254-265 (1983); Feinstone et al., Infect. Immun. 41, 816-821 (1983)], or with nonionic detergents, produced RNA containing particles of higher density (1.17-1.25 g/ml) believed to represent HCV nucleocapsids [Hijikata et al., (1993) supra; Kanto et al., Hepatology 19, 296-302 (1994); Miyamoto et al., J. Gen Virol. 73,715-718 (1992)].

There have been reports of negative-sense HCV-specific RNAs in sera and plasma [see Fong et al., Journal of Clinical Investigation 88:1058-60 (1991)]. However, it seems unlikely that such RNAs are essential components of infectious particles since some sera with high infectivity can have low or undetectable levels of negative-strand RNA [Shimizu et al., Proc. Natl. Acad. Sci. USA 90: 6037-6041 (1993)].

4

The virion protein composition has not been rigorously determined, but HCV structural proteins include a basic C protein and two membrane glycoproteins, E1 and E2.

HCV replication. Early events in HCV replication are poorly understood. A hepatocyte receptor may be CD81, which binds the E2 envelope glycoprotein (Peleri et al., 1998, Science 282:938-41). The association of some HCV particles with beta-lipoprotein and immunoglobulins raises the possibility that these host molecules may modulate virus uptake and tissue tropism.

5

35

Studies examining HCV replication have been largely restricted to human patients or experimentally inoculated chimpanzees. In the chimpanzee model, HCV RNA is detected in 10 the serum as early as three days post-inoculation and persists through the peak of serum alanine aminotransferase (ALT) levels (an indicator of liver damage) [Shimizu et al., Proc. Natl. Acad. Sci. USA 87: 6441-6444 (1990)]. The onset of viremia is followed by the appearance of indirect hallmarks of HCV infection of the liver. These include the appearance of a cytoplasmic antigen [Shimizu et al., (1990) supra] and ultrastructural changes in 15 hepatocytes such as the formation of microtubular aggregates for which HCV previously was referred to as the chloroform-sensitive "tubule forming agent" or "TFA" [reviewed by Bradley, Prog. Med. Virol. 37: 101-135 (1990)]. As shown by the appearance of viral antigens [Blight et al., Amer. J. Path. 143: 1568-1573 (1993); Hiramatsu et al., Hepatology 16: 306-311 (1992); Krawczynski et al., Gastroenterology 103: 622-629 (1992); Yamada et al., Digest. Dis. Sci. 38: 882-887 (1993)] and the detection of positive and negative sense 20 RNAs [Fong et al., (1991) supra; Gunji et al., Arch. Virol. 134: 293-302 (1994); Haruna et al., J. Hepatol. 18: 96-100 (1993); Lamas et al., J. Hepatol. 16: 219-223 (1992); Nouri Aria et al., J. Clin. Inves. 91: 2226-34 (1993); Sherker et al., J. Med. Virol. 39: 91-96 (1993); Takehara et al., Hepatology 15: 387-390 (1992); Tanaka et al., Liver 13: 203-208 (1993)], hepatocytes appear to be a major site of HCV replication, particularly during acute infection 25 [Negro et al., Proc. Natl. Acad. Sci. USA 89: 2247-2251 (1992)]. In later stages of HCV infection the appearance of HCV-specific antibodies, the persistence or resolution of viremia, and the severity of liver disease, vary greatly both in the chimpanzee model and in human patients (Fanning et al., supra). Although some liver damage may occur as a direct consequence of HCV infection and cytopathogenicity, the emerging consensus is that host 30 immune responses, in particular virus-specific cytotoxic T lymphocytes, may play a more dominant role in mediating cellular damage.

It has been speculated that HCV may also replicate in extra-hepatic reservoir(s). In some cases, RT/PCR or *in situ* hybridization has shown an association of HCV RNA with peripheral blood mononuclear cells including T-cells, B-cells, and monocytes [reviewed in

5

Blight and Gowans, Viral Hepatitis Rev. 1: 143-155 (1995)]. Such tissue tropism could be relevant to the establishment of chronic infections and might also play a role in the association between HCV infection and certain immunological abnormalities such as mixed cryoglobulinemia [reviewed by Ferri et al., Eur. J. Clin. Invest. 23: 399-405 (1993)], glomerulonephritis, and rare non-Hodgkin's B-lymphomas [Ferri et al., (1993) supra; Kagawa et al., Lancet 341: 316-317 (1993)]. However, the detection of circulating negative strand RNA in serum, the difficulty in obtaining truly strand-specific RT/PCR [Gunji et al., (1994) supra], and the low numbers of apparently infected cells have made it difficult to obtain unambiguous evidence for replication in these tissues in vivo.

5

10

15

20

25

30

35

Genome structure. Full-length or nearly full-length genome sequences of numerous HCV isolates have been reported [see, e.g., Lin et al., J. Virol. 68: 5063-5073 (1994a); Okamoto et al., J. Gen. Virol. 75: 629-635 (1994); Sakamoto et al., J. Gen. Virol. 75: 1761-1768 (1994); Trowbridge et al, Arch Virol. 143:501-511 (1998); Chamberlain et al, J. Gen. Virol. 78:1341-1347 (1997); and citations within Davis, Am. J. Med. 27:21S-26S]. HCV genome RNAs are ~9.6 kilobases (kb) in length (Figure 1) and consist of a 5' nontranslated region (5' NTR), a polyprotein coding region consisting of a single long open reading frame (ORF), and a 3' NTR. The 5' NTR is 341-344 bases long and highly conserved. The length of the long ORF varies slightly among isolates, encoding polyproteins of about 3010 to about 3033 amino acids.

The 3' NTR can be divided into three domains. The first (most 5') domain shows considerable diversity both in composition and length (28-42 bases). Recent work by Yanagi et al. [Proc. Natl. Acad. Sci. USA 96:2291-2295(1999)] demonstrate that this region is not necessary for virus replication. The second domain is consists of a variable length polypyrimidine region of poly(A) (in at least HCV-1, type 1a [Han et al., Proc. Natl. Acad. Sci. USA 88:1711-1715 (1991)]) or poly(U-UC) (see Chen et al., Virology 188:102-113 (1992); Okamoto et al., J. Gen. Virol. 72:2697-2704 (1991); Tokita et al., J. Gen. Virol. 66:1476-83 (1994)]. The third domain, at the extreme 3' end of the genome, is a highly conserved, novel RNA element of about 98 nucleotides, which is necessary for efficient initiation of viral RNA replication [see, e.g., U.S. Patent No. 5,874,565 and U.S. Patent Application No. 08/811,566 (Now U.S. Patent No.); Kolykhalov et al., J. Virol. 70: 3363-3371 (1996); Tanaka et al., Biochem. Biophys. Res. Comm. 215: 744-749 (1996); Tanaka et al., J. Virol. 70:3307-12 (1996); Yamada et al., Virology 223:255-261 (1996); Cheng et al. J. Virol. 73:7044-7049]. This domain and the polypyrimidine regions appear to be critical for infectivity in vivo [Yanagi et al., Proc. Natl. Acad. Sci. USA 96:2291-2295 (1999)].

6

Translation and proteolytic processing. The highly conserved 5' NTR sequence contains multiple short AUG-initiated ORFs and shows significant homology with the 5' NTR region of pestiviruses [Bukh et al., Proc. Natl. Acad. Sci. USA 89: 4942-4946 (1992); Han et al., (1991) supra]. A series of stem-loop structures that interact with host factors are present. These structures interact with host factors to initiate polyprotein synthesis through an internal ribosome entry site (IRES) allowing efficient translation initiation at the first AUG of the long ORF [Honda et al., J. Virol 73:4941-4951 (1999); Tang et al., J. Virol. 73:2359-2364(1999); Psaridi et al., FEBS Lett. 453:49-53 (1999)]. Some of the predicted features of the HCV and pestivirus IRES elements are similar to one another [Brown et al., (1992) supra]. The ability of this element to function as an IRES suggests that HCV genome RNAs may lack a 5' cap structure.

5

10

15

20

25

30

35

The organization and processing of the HCV polyprotein (Figure 1) appears to be most similar to that of the pestiviruses. At least 10 polypeptides have been identified and the order of these cleavage products in the polyprotein is NH2-C-E1-E2-p7-NS2-NS3-NS4A-NS4B-NS5A-NS5B-COOH. As shown in Figure 1, proteolytic processing is mediated by host signal peptidase and two HCV-encoded proteinases, the NS2-3 autoproteinase and the NS3-4A serine proteinase [see Rice, In "Fields Virology" (B. N. Fields, D. M. Knipe and P. M. Howley, Eds.), Vol. pp. 931-960. Raven Press, New York (1996); Shimotohno et al., J. Hepatol. 22: 87-92 (1995) for reviews]. C is a basic protein that serves as the viral core or capsid protein; E1 and E2 are virion envelope glycoproteins; p7 is a hydrophobic protein of unknown function that is inefficiently cleaved from the E2 glycoprotein [Lin et al., (1994a) supra; Mizushima et al., J. Virol. 68: 6215-6222 (1994); Selby et al., Virology 204: 114-122 (1994)]. NS2-NS5B are nonstructural (NS) proteins which function in viral RNA replication complexes. Their functions have been identified as follows: NS2 is a metalloprotease; NS3 is a protease/helicase that contains motifs characteristic of RNA helicases and that has been shown to possess an RNA-stimulated NTPase activity [Suzich et al., J. Virol. 67, 6152-6158 (1993)]; NS4A is a co-factor for NS3; NS4B is of unknown function; NS5A interacts with cellular factors to transcriptionally modulate cellular genes and promote cell growth [Ghosh et al., J. Biol. Chem. 275:7184-7188] and provide IFNa resistance; and NS5B is a replicase that contains the GDD motif characteristic of the RNA-dependent RNA polymerases of other positive-strand RNA viruses.

Virion assembly and release. This process has not been examined directly, but the lack of complex glycans, the ER localization of expressed HCV glycoproteins [Dubuisson et al., J. Virol. 68: 6147-6160 (1994); Ralston et al., J. Virol. 67: 6753-6761 (1993)] and the absence of these proteins on the cell surface [Dubuisson et al., (1994) supra; Spaete et al.,

7

Virology 188: 819-830 (1992)] suggest that initial virion morphogenesis may occur by budding into intracellular vesicles. Thus far, efficient particle formation and release has not been observed in transient expression assays, suggesting that essential viral or host factors are absent or blocked. HCV virion formation and release may be inefficient, since a substantial fraction of the virus remains cell-associated, as found for the pestiviruses. Extracellular HCV particles partially purified from human plasma contain complex N-linked glycans, although these carbohydrate moieties were not shown to be specifically associated with E1 or E2 [Sato et al., Virology 196: 354-357 (1993)]. Complex glycans associated with glycoproteins on released virions would suggest transit through the trans-Golgi and movement of virions through the host secretory pathway. If this is correct, intracellular sequestration of HCV glycoproteins and virion formation might then play a role in the establishment of chronic infections by minimizing immune surveillance and preventing lysis of virus-infected cells via antibody and complement.

5

10

Genetic variability. As for all positive-strand RNA viruses, the RNA-dependent RNA polymerase of HCV (NS5B) is believed to lack a 3'-5' exonuclease proof reading 15 activity for removal of misincorporated bases. Replication is therefore error-prone, leading to a "quasi-species" virus population consisting of a large number of variants [Martell et al., J. Virol. 66: 3225-3229 (1992); Martell et al., J. Virol. 68: 3425-3436 (1994)]. This variability is apparent at multiple levels. First, in a chronically infected individual, changes in the virus population occur over time [Ogata et al., (1991) supra; Okamoto et al., Virology 190: 20 894-899 (1992)]; and these changes may have important consequences for disease. A particularly interesting example is the N-terminal 30 residue segment of the E2 glycoprotein, which exhibits a much higher degree of variability than the rest of the polyprotein [for examples, see Higashi et al., Virology 197, 659-668. 1993; Hijikata et al., (1991) supra; Weiner et al., (1991) supra]. There is accumulating evidence that this hypervariable region, 25 called hypervariable region 1 (HVR1), perhaps analogous to the V3 domain of HIV-1 gp120, may be under immune selection by circulating HCV-specific antibodies [Kato et al., (1993) supra; Taniguchi et al., Virology 195: 297-301 (1993); Weiner et al., (1992) supra. In this model, antibodies directed against this portion of E2 may contribute to virus neutralization and thus drive the selection of variants with substitutions that permit escape from 30 neutralization. This plasticity suggests that a specific amino acid sequence in the E2 hypervariable region is not essential for other functions of the protein such as virion attachment, penetration, or assembly. Genetic evolution of HVR1 within the first 4 months of infection has been correlated with the ability of a particular strain of the virus to cause chronic infection [Farci et al., Science 288:339-344 (2000)]. 35

Genetic variability may also contribute to the spectrum of different responses observed after IFN- α treatment of chronically infected patients. Diminished serum ALT levels and improved liver histology, which usually correlates with a decrease in the level of circulating HCV RNA, is seen in ~40% of those treated [Greiser-Wilke et al., J. Gen. Virol. 72: 2015-2019 (1991)]. After treatment, approximately 70% of the responders relapse. In some cases, after a transient loss of circulating viral RNA, renewed viremia is observed during or after the course of treatment. While this might suggest the existence or generation of IFN-resistant HCV genotypes or variants, further work is needed to determine the relative contributions of virus genotype and host-specific differences in immune response.

Sequence comparisons of different HCV isolates around the world have also revealed enormous genetic diversity [reviewed in Bukh et al., (1995) supra]. Because of the lack of biologically relevant serological assays such as cross-neutralization tests, HCV types (designated by numbers), subtypes (designated by letters), and isolates are currently grouped on the basis of nucleotide or amino acid sequence similarity. Worldwide, HCV has been classified into six major genotypes and more than 50 subtypes [Purcell, Hepatology 26:11S-14S (1997)]. Those of greatest importance in the U.S. are genotype 1, subtypes 1a and 1b (see below and Bukh et al., (1995) supra for a discussion of genotype prevalence and distribution). Amino acid sequence similarity between the most divergent genotypes can be a little as ~50%, depending upon the protein being compared. This diversity has important biological implications, particularly for diagnosis, vaccine design, and therapy.

HCV RNA replication. By analogy with other flaviviruses, replication of the positive-sense HCV virion RNA is thought to occur via a minus-strand intermediate. This strategy can be described briefly as follows: (i) uncoating of the incoming virus particle releases the genomic plus-strand, which is translated to produce a single long polyprotein that is probably processed co- and post-translationally to produce individual structural and nonstructural proteins; (ii) the nonstructural proteins form a replication complex that utilizes the virion RNA as template for the synthesis of minus strands; (iii) these minus strands in turn serve as templates for synthesis of plus strands, which can be used for additional translation of viral protein, minus strand synthesis, or packaging into progeny virions. Very few details about HCV replication process are available, due to the lack of a good experimental system for virus propagation. Detailed analyses of authentic HCV replication and other steps in the viral life cycle would be greatly facilitated by the development of an efficient system for HCV replication in cell culture.

Many attempts have been made to infect cultured cells with serum collected from HCV-infected individuals, and low levels of replication have been reported in a number of

cells types infected by this method, including B-cell [Bertolini et al., Res. Virol. 144: 281-285 (1993); Nakajima et al., J. Virol. 70: 9925-9 (1996); Valli et al., Res. Virol. 146:285-288 (1995)]. T-cell (Kato et al., Biochem. Biophys. Res. Commun. 206:863-9 (1996); Mizutani et al., Biochem. Biophys. Res. Comm. 227:822-826; Mizutani et al., J. Virol. 70: 7219-7223 (1996); Nakajima et al., (1996) supra; Shimizu and Yoshikura, J Virol, 68: 8406-5 8408 (1994); Shimizu et al., Proc. Natl. Acad. Sci USA, 89: 5477-5481 (1992); Shimizu et al., Proc. Natl. Acad. Sci. USA, 90: 6037-6041 (1993)], and hepatocyte [Kato et al., Jpn. J. Cancer Res., 87: 787-92 (1996); Tagawa, J. Gastoenterol. and Hepatol., 10: 523-527 (1995)] cell lines, as well as peripheral blood monocular cells (PBMCs) [Cribier et al., J. Gen. Virol., 76: 2485-2491 (1995)], and primary cultures of human fetal hepatocytes [Carloni et al., Arch. 10 Virol. Suppl. 8: 31-39 (1993); Cribier et al., (1995) supra; Iacovacci et al., Res. Virol., 144: 275-279 (1993)] or hepatocytes from adult chimpanzees [Lanford et al., Virology 202: 606-14 (1994)]. HCV replication has also been detected in primary hepatocytes derived from a human HCV patient that were infected with the virus in vivo prior to cultivation [Ito et al., J. Gen. Virol. 77: 1043-1054 (1996)] and in the human hepatoma cell line Huh7 following 15 transfection with RNA transcribed in vitro from an HCV-1 cDNA clone [Yoo et al., J. Virol., 69: 32-38 (1995)]. The reported observation of replication in cells transfected with RNA derived from the HCV-1 clone was puzzling, since this clone lacks the required terminal 3'NTR sequence downstream of the homopolymer tract (see below), and because a number of unusual observations were reported (see the background section of U.S. Patent Application 20 No. 08/811,566 (Now U.S. Patent No. ____)). The most well-characterized cell-culture systems for HCV replication utilize a B-cell line (Daudi) or T-cell lines persistently infected with retroviruses (HPB-Ma or MT-2) [Kato et al., (1995) supra; Mizutani et al., Biochem Biophys Res. Comm., 227: 822-826 (1996a); Mizutani et al., (1996) supra; Nakajima et al., (1996) supra; Shimizu and Yoshikura, (1994) supra]; Shimizu, Proc. Natl. Acad. Sci. USA, 25 90: 6037-6041 (1993)]. HPBMa is infected with an amphotropic murine leukemia virus pseudotype of murine sarcoma virus, while MT-2 is infected with human T-cell lymphotropic virus type I (HTLV-I). Clones (HPBMa10-2 and MT-2C) that support HCV replication more efficiently than the uncloned population have been isolated for the two T-cell lines HPBMa and MT-2 [Mizutani et al. J. Virol. (1996) supra; Shimizu et al., (1993) supra]. However, the 30 maximum levels of RNA replication obtained in these lines or in the Daudi lines after degradation of the input RNA is still only about 5 x 10⁴ RNA molecules per 10⁶ cells [Mizutani et al., (1996) supra; Mizutani et al., (1996) supra] or 10⁴ RNA molecules per ml of culture medium [Nakajima et al., (1996) supra]. Although the level of replication is low, long-term infections of up to 198 days in one system [Mizutani et al., Biochem. Biophys. Res. 35

Comm. 227: 822-826 (1996a)] and more than a year in another system [Nakajima et al., (1996) supra] have been documented, and infectious virus production has been demonstrated by serial cell-free or cell-mediated passage of the virus to naive cells.

However, efficient replication of an HCV clone comprising the essential conserved terminal 3' NTR sequence had not been observed until the work described in co-pending application 08/811,566, now U.S. Patent No._____, also reported in Kolykhalov et al., Science 277:570 (1997), which describes an infectious clone of an isolate of the H strain (type 1a). HCV clones of other subtypes are now known. See, e.g., Yanagi et al., Virology 262:250-263 (1999) and Yanagi et al., Virology 244:161-172 (1998). While RNA transcripts of these clones are able to infect chimpanzees, cell cultures with these clones only support replication of the virus poorly if at all.

As described in U.S. Patent Application No. 08/811,566 (Now U.S. Patent No.____) (see, e.g., Figure 2 therein) many variations of a functional clone are possible. These include full length or partial sequences where a foreign gene is inserted. The foreign gene can include, e.g., a reporter gene such as β-galactosidase or luciferase, or a gene encoding a selectable marker such as neo, DHFR, or th. In a specific example disclosed therein, the neo gene is operably linked to an internal ribosome entry site (IRES), in order for infected cells to be selected by neomycin or G418 resistance. In this way, presence of replicating HCV RNA in essentially all surviving cells is assured. Additionally, the HCV polyprotein coding region of these clones can be deficient in some or all of the structural genes C, E1 and E2. Thus, replicons can be created without the production of virions. By combining the structural genedeficient construct with a selectable marker such as neo, an efficiently replicating replicon system can be created that can be used to study HCV replication and for other purposes.

Examples of the replicons disclosed in U.S. Patent Application No. 08/811,566 (Now U.S. Patent No.____) is provided in Lohmann et al., Science 285:110-113 (1999). In that work, DNA clones of HCV replicons of genotype 1, subtype 1b were constructed. Features of those replicons that are not wild-type HCV features are: a polyprotein coding region lacking the genes encoding the HCV structural proteins; an EMCV IRES immediately 5' to the polyprotein region; and a neo gene immediately 3' to the 5' NTR (and the HCV IRES), where the 5' end of the HCV C protein gene is fused to the 5' end of the neo gene. When Huh-7 cells were transfected with RNA transcripts of these clones, 6 to >60 G418-resistant colonies arose per experiment. Although the number of cells treated was not specified, about $10^6 - 10^7$ cells are normally treated in experiments of this type. Therefore, it is believed that the transfection efficiency, as measured by G418-resistant colonies/total treated, was less than .01% in those studies.

11

Controls in the Lohmann et al. work included in-frame deletions of the active site of the NS5B polymerase. Although care was taken to remove template DNA from the control transcripts, several G418-resistant control colonies arose. Still, the number of G418-resistant control colonies that arose was much less than the colonies arising from the cells transfected with the replicons containing the wild-type NS5B.

5

10

15

20

25

30

When the G418-resistant colonies were subpassaged, most could not be maintained. Out of more than 303 G418-resistant colonies from non-control replicon treatments, 9 (<3%) could be subpassaged to establish stable cell lines. Replicons established in infected cell lines were sequenced. Although each replicon had a number of amino acid substitutions, the substitutions were scattered throughout the polyprotein coding region. Therefore, there were no mutations that were consistently in one area of the polyprotein coding region, and it was concluded that the establishment of the nine cell lines was not due to adaptive mutations in those replicons. This contention was experimentally tested by transfection/reconstitution experiments that did not provide evidence for adaptive changes.

Despite the advances described above, more efficient HCV-infected cell systems are needed for the production of concentrated virus stocks, structural analysis of virion components, evaluation of putative antiviral therapies including vaccines and antiviral compounds, and improved analyses of intracellular viral processes, including RNA replication. Thus, there is a need for various types of HCV clones that can be used for any of the above purposes. There is also a need to characterize HCV with respect to regions of the genome that might contribute to more efficient *in vitro* or *in vivo* replication and virion production.

Summary of the Invention

Thus, a primary object of the present invention has been to provide DNA encoding non-naturally occurring HCV that is capable of replication.

A related object of the invention is to provide genomic RNA from the above DNA. Still another object of the invention is to provide attenuated HCV DNA or genomic RNA suitable for vaccine development, which can invade a cell and replicate but cannot propagate infectious virus.

Another object of the invention is to provide *in vitro* and *in vivo* models of HCV infection and RNA replication for testing anti-HCV (or antiviral) drugs, for evaluating drug resistance, and for testing attenuated HCV viral vaccines.

12

An additional object of the invention is to provide replicating HCV replicons. These replicons do not encode structural proteins but may encode a foreign protein such as a reporter gene or a selectable marker.

Still another object of the invention is to provide adaptive replicons, with increased ability to establish replication in continuous or primary cell lines.

5

10

15

20

25

30

35

Briefly, therefore, the inventors have succeeded in discovering methods of creating replicating HCV variants, including variants with adaptive mutations in HCV that improve their ability to establish RNA replication in culture to create continuous cell lines. These HCV variants and the cell lines that harbor them are useful for studying replication and other HCV characteristics. The cell lines are also useful for developing vaccines and for testing compounds for antiviral properties.

Thus, in some embodiments, the present invention is directed to a polynucleotide comprising a non-naturally occurring HCV sequence that is capable of productive replication in a host cell, or is capable of being transcribed into a non-naturally occurring HCV sequence that is capable of productive replication in a host cell. The HCV sequence comprises, from 5' to 3' on the positive-sense nucleic acid, a functional 5' non-translated region (5' NTR); one or more protein coding regions, including at least one polyprotein coding region that is capable of replicating HCV RNA; and a functional HCV 3' non-translated region (3' NTR). In preferred embodiments of these polynucleotides, the 5' NTR is an HCV 5' NTR, the polynucleotide comprises at least one IRES selected from the group consisting of a viral IRES, a cellular IRES, and an artificial IRES, and the polyprotein coding region is an HCV polyprotein coding region.

In certain aspects of these embodiments, the above polynucleotides further comprise an adaptive mutation. The adaptive mutation can be such that the polynucleotide has a transfection efficiency into mammalian cells of greater than 0.01%; more preferably greater than 0.1%; even more preferably, greater than 1%; still more preferably greater than 5%, may be about 6%. The adaptive mutations can be such that the polynucleotide is capable of replication in a non-hepatic cell, for example HeLa cells. The adaptive mutations can also cause the polynucleotide to have attenuated virulence, wherein the HCV is impaired in its ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.

In some embodiments of the above described adaptive mutants, the polyprotein region comprises an NS5A gene that is not a wild-type NS5A gene. Preferably, the NS5A gene comprises a mutation. The mutation is preferably within 50 nucleotides of an ISDR or includes the ISDR; more preferably the mutation is within 20 nt of the ISDR, or includes the

ISDR. Examples of these adaptive mutations are those that encode an amino acid sequence change selected from the group consisting of Ser (1179) to Ile, Arg (1164) to Gly, Ala(1174) to Ser, Ser(1172) to Cys, and Ser(1172) to Pro of SEQ ID NO:3. Other adaptive mutations include a deletion of at least a portion of the ISDR, and may comprise the entire ISDR. In a particular embodiment, the adaptive mutation comprises a deletion of nucleotides 5345 to 5485 of SEQ ID NO:6.

5

10

15

20

25

30

13

In some embodiments of the invention polynucleotides, the HCV polyprotein coding region encodes all HCV structural and nonstructural proteins. In other embodiments, the polyprotein coding region is incapable of making infectious HCV particles, making the HCV variant a replicon. Preferably the inability to make HCV particles is due to a deletion in the structural protein coding region. Some embodiments of these replicons further comprise a foreign gene operably linked to a first IRES and the HCV polyprotein coding region operably linked to a second IRES. Preferably, the replicon comprises a genotype 1 HCV sequence, most preferably subtype 1b. Preferred foreign genes in these replicons are selectable markers or reporter genes. In other preferred replicon embodiments, the first IRES is an HCV IRES, the foreign gene is a neo gene, and the second IRES is a EMCV IRES. Examples of the above replicons include SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:22 and SEQ ID NO:25. The above replicons also preferably comprise an adaptive mutation, including any of the adaptive phenotypes previously described, including increased transfection efficiency, replication in a non-hepatic cell including HeLa cells, and attenuated virulence, and further comprising any of the adaptive mutations previously described, such as the various NS5A mutations and deletions previously described.

The polynucleotides of the present invention can be in the form of RNA or DNA. Preferred embodiments of the polynucleotides are SEQ ID NOs:5-13 and 22-25, the complements thereof, and the RNA equivalents of the sequences or their complements. In certain embodiments, the polynucleotides are capable of productive infection in a chimpanzee upon intrahepatic injection.

The present invention is also directed to expression vectors comprising DNA forms of any of the above polynucleotides, operably associated with a promoter. Additionally, the invention is directed to cells comprising the above expression vectors as well as host cells comprising any of the polynucleotides described above. The host cells are preferably mammalian cells, more preferably human cells. The host cells are preferably hepatocytes, T-cells, B-cells, or foreskin fibroblasts; most preferably hepatocytes. Certain adaptive mutants can also replicate in HeLa cells. The host cells can be within a non-human mammal capable

14

of supporting transfection and replication of the HCV RNA, and infection when the HCV RNA encodes a virus particle. A preferred non-human mammal is a chimpanzee.

In additional embodiments, the present invention is directed to methods for identifying a cell line that is permissive for RNA replication with HCV. The method includes the steps of contacting a cell in tissue culture with an infectious amount of the above-described polynucleotides, and detecting replication of HCV variants in cells of the cell line.

5

10

15

20

25

30

The present invention is also directed to a method for producing a cell line comprising replicating HCV. The method includes the steps of (a) transcribing the above-described expression vector to synthesize HCV RNA; (b) transfecting a cell with the HCV RNA; and (c) culturing the cell.

Additionally, the present invention is directed to a vaccine. The vaccine includes any of the above-described polynucleotides, in a pharmaceutically acceptable carrier. In related embodiments, the present invention is directed to a method of inducing immunoprotection to HCV in a primate. The method includes administering the vaccine to the primate.

In further embodiments, the present invention is directed to a method of testing a compound for inhibiting HCV replication. The method includes the steps of (a) treating the above described host cells with the compound; and (b) evaluating the treated host cell for reduced replication, wherein reduced HCV replication indicates the ability of the compound to inhibit replication.

In additional embodiments, the present invention is directed to a method of testing a compound for inhibiting HCV infection. The method comprises treating a host cell with the compound before, during or after infecting the host cell with any of the invention polynucleotides.

In still other embodiments, the present invention is directed to an HCV variant that has (a) transfection efficiency greater than 0.01%, as determined by replication-dependent neomycin resistance, or (b) greater ability of initial colonies of cells transfected with the variant to survive subpassage than wild-type HCV genotype 1, subtype 1b. The HCV variant also has, from 5' to 3' on the positive-sense nucleic acid, a functional HCV 5' non-translated region (5'NTR) comprising an extreme 5'-terminal conserved sequence; an HCV polyprotein coding region; and a functional HCV 3' non-translated region (3'NTR) comprising a variable region, a polypyrimidine region, and an extreme 3'-terminal conserved sequence. In preferred embodiments, the transfection efficiency is greater than 0.1%; in more preferred embodiments, greater than 5%. In the most preferred embodiments, the transfection efficiency is about 6%.

15

The variants can have any of the characteristics of the polynucleotides described above. However, preferred variants comprise the NS5A mutation or deletion described for the polynucleotides above.

Among the several advantages achieved by the present invention are the provision of polynucleotides comprising non-naturally occurring HCV sequences; the provision of HCV variants that have a transfection efficiency and ability to survive subpassage greater than HCV forms that have wild-type polyprotein coding regions; the provision of expression vectors comprising the above polynucleotides and HCV variants; the provision of cells and host cells comprising the above expression vectors, the provision of methods for identifying a cell line that is permissive for RNA replication with HCV; the provision of vaccines comprising the above polynucleotides in a pharmaceutically acceptable carrier; the provision of methods for inducing immunoprotection to HCV in a primate; and the provision of methods for testing a compound for inhibiting HCV replication.

Brief Description of the Drawings

FIGURE 1. HCV genome structure, polyprotein processing, and protein features. At the top is depicted the viral genome with the structural and nonstructural protein coding regions, and the 5'and 3' NTRs, and the putative 3' secondary structure. Boxes below the genome indicate proteins generated by the proteolytic processing cascade. Putative structural proteins are indicated by shaded boxes and the nonstructural proteins by open boxes. Contiguous stretches of uncharged amino acids are shown by black bars. Asterisks denote proteins with N-linked glycans but do not necessarily indicate the position or number of sites utilized. Cleavage sites shown are for host signalase (*), the NS2-3 proteinase (curved arrow), an the NS3-4A serine protease (*).

25

30

35

5

10

15

20

FIGURE 2. Strategies for expression of heterologous RNAs and proteins using HCV vectors. At the top is a diagram of the positive-polarity RNA virus HCV, which expresses mature viral proteins by translation of a single long ORF and proteolytic processing. The regions of the polyprotein encoding the structural proteins (STRUCTURAL) and the nonstructural proteins (REPLICASE) are indicated as lightly-shaded and open boxes, respectively. Below are shown a number of proposed replication-competent "replicon" expression constructs. The first four constructs (A-D) lack structural genes and would therefore require a helper system to enable packaging into infectious virions. Constructs E-G would not require helper functions for replication or packaging. Darkly shaded boxes indicate heterologous or foreign gene sequences (FG). Translation initiation (aug) and termination signals (trm) are indicated

by open triangles and solid diamonds, respectively. Internal ribosomes entry sites (IRES) are shown as boxes with vertical stripes. Constructs A and H illustrate the expression of a heterologous product as an in-frame fusion with the HCV polyprotein. Such protein fusion junctions can be engineered such that processing is mediated either by host or viral proteinases (indicated by the arrow).

FIGURE 3. Structure of HCVrep1bBartMan. Two versions of this infectious replicon were constructed as described in Example 1. The first, HCVrep1bBartMan/AvaII, has a AvaII restriction site in the variable domain of the 3' NTR that is not present in the 3' NTR of wild-type HCV subtype 1b. The second variant, HCVrep1bBartMan/Δ2U's, has 32, rather than the wild-type 34, U's in the longest stretch of contiguous U's in the polypyrimidine domain of the 3' NTR. The "GDD→AGG" designation shows the inactivating mutation in the non-replicating replicons that were used as polymerase-minus controls in Example 1.

15 FIGURE 4. Generation of G418-resistant cell clones. At the top is a diagram of the HCVrep1bBartMan replicons as described in Figure 3. The middle text summarizes the steps used to isolate the adaptive mutants, which are further described in Example 1. The bottom chart summarizes several characteristics of some of the replicons isolated as described in the Example.

20

5

10

FIGURE 5. Synthesis of HCV-specific RNA and proteins. Figure 5A illustrates actinomycin D-resistant RNA replication of four adaptive replicons as further described in the Example. Figure 5B illustrates the immunoprecipitation of ³⁵S-labeled HCV-specific proteins of three adaptive replicons as further described in Example 1.

25

- FIGURE 6. Detection of NS3 in G418-resistant cell clones. Monolayers of cells transfected with various replicons as indicated were immunostained with an anti-NS3 antibody. Patterns of staining were similar to cells stained from an infected liver.
- FIGURE 7. Nucleotide and amino acid changes in the NS5A coding region of HCV.

 Nucleotide and amino acid changes in a portion of the NS5A coding region of seven adaptive clones are indicated.
- FIGURE 8. G418-resistant colonies generated after electroporation of replicon RNAs into
 Huh7 cells. The ability of an adaptive replicon (Replicon I) to establish colonies after

17

transfection into Huh7 cells (middle) is compared to the original replicon HCVrepBartMan/AvaII (left) and the same adaptive replicon, but with an inactivating mutation in the polymerase gene (right).

- 5 FIGURE 9. Structures of HCV replicons and full-length HCV RNAs. The adaptive replicon 5'NTR-EMCV has the 5'NTR fused directly to the EMCV IRES upstream of NS3. Another adaptive replicon, HCVrep/NS2-5B has the non-structural protein, NS2, upstream of NS3. A full-length HCV cDNA clone, HCV FL, was assembled. Also, a bicistronic derivative, HCV FL-neo, was assembled where the 5'NTR is fused to the neomycin phosphotransferase gene and the EMCV IRES is upstream of the HCV open reading frame. In both full-length clones, the open reading frame comprises the structural and non-structural regions, from capsid to NS5B. In addition, all of the replicons and full-length HCV RNAs comprise the mutation coding for Ser to Ile substitution at position 1179 of SEQ ID NO:3, in NS5A.
- 15 FIGURE 10. RNA replication of replicons and full-length HCV RNAs. The HCV replicons and full-length HCV RNAs shown in FIGURE 9 are replication competent.

Detailed Description of the Invention

Definitions

25

30

35

20 Various terms are used herein, which have the following definitions:

As used herein, "HCV polyprotein coding region" means the portion of a hepatitis C virus that codes for the polyprotein open reading frame (ORF). This ORF may encode proteins that are the same or different than wild-type HCV proteins. The ORF may also encode only some of the functional proteins encoded by a wild-type polyprotein coding region. The proteins encoded therein may also be from different isolates of HCV, and non-HCV proteins may also be encoded therein.

The phrase "pharmaceutically acceptable" refers to molecular entities and compositions that are physiologically tolerable and do not typically produce an allergic or similar untoward reaction, such as gastric upset, dizziness and the like, when administered to a human. Preferably, as used herein, the term "pharmaceutically acceptable" means approved by a regulatory agency of the Federal or a state government or listed in the U.S. Pharmacopoeia or other generally recognized pharmacopoeia for use in animals, and more particularly in humans. The term "carrier" refers to a diluent, adjuvant, excipient, or vehicle with which the compound is administered. Such pharmaceutical carriers can be sterile liquids, such as water and oils, including those of petroleum, animal, vegetable or synthetic

18

origin, such as peanut oil, soybean oil, mineral oil, sesame oil and the like. Water or aqueous solution saline solutions and aqueous dextrose and glycerol solutions are preferably employed as carriers, particularly for injectable solutions. Suitable pharmaceutical carriers are described in "Remington's Pharmaceutical Sciences" by E.W. Martin.

The phrase "therapeutically effective amount" is used herein to mean an amount sufficient to reduce by at least about 15 percent, preferably by at least 50 percent, more preferably by at least 90 percent, and most preferably prevent, a clinically significant deficit in the activity, function and response of the host. Alternatively, a therapeutically effective amount is sufficient to cause an improvement in a clinically significant condition in the host.

5

10

15

20

25

30

35

The term "adjuvant" refers to a compound or mixture that enhances the immune response to an antigen. An adjuvant can serve as a tissue depot that slowly releases the antigen and also as a lymphoid system activator that non-specifically enhances the immune response (Hood et al., *Immunology, Second Ed.*, 1984, Benjamin/Cummings: Menlo Park, California, p. 384). Often, a primary challenge with an antigen alone, in the absence of an adjuvant, will fail to elicit a humoral or cellular immune response. Adjuvants include, but are not limited to, complete Freund's adjuvant, incomplete Freund's adjuvant, saponin, mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil or hydrocarbon emulsions, keyhole limpet hemocyanins, dinitrophenol, and potentially useful human adjuvants such as BCG (bacille Calmette-Guerin) and Corynebacterium parvum. Preferably, the adjuvant is pharmaceutically acceptable.

In a specific embodiment, the term "about" or "approximately" means within 20%, preferably within 10%, and more preferably within 5% of a given value or range.

The term "virus infection" as used herein, refers to the usual way that wild-type virus particles become established in host cells. This generally includes binding to the host cell, uptake, delivery to the cytosol or nucleus, and initiation of replication.

The term "transfection" as used herein, refers to the infection of a cell with a polynucleotide. The polynucleotide can be DNA or RNA. A preferred method of transfecting a cell with an HCV polynucleotide is with replication competent RNA. Delivery to permissive cells can be facilitated by electroporation, charged liposomes, high salt, DE dextran, etc. Replication competent RNAs can also be launched in cells after transfection of DNA such as plasmids or DNA viruses that have been appropriately engineered to provide transcription initiation and termination signals. The transfected RNAs can represent full-length genome RNAs capable of initating a complete replication cycle (including production of progeny virus), or they may be defective lacking one or more RNA elements or proteins essential for virion production but not RNA replication. The latter RNAs, which are lacking

19

in the ability to produce a virion, will be referred to generally herein as "replication competent RNAs", "RNA replicons" or "replicons".

As used herein, the term "subpassage" connotes the transfer of a colony from one vessel of media to another vessel of media. Examples of vessels of media include dishes, bottles or test tubes with solid or liquid growth media. Unless otherwise indicated, "subpassage" means the transfer of a colony of HCV-transfected cells from a vessel of media where the newly transfected cells were plated to a vessel of media where the colony is isolated.

The term "authentic" is used herein to refer to an HCV polynucleotide, whether a DNA or RNA, that provides for replication and production of functional HCV proteins, or components thereof. The authentic HCV polynucleotides of the present invention are capable of replication and may be infectious, e.g., in a chimpanzee model or in tissue culture, to form viral particles (i.e., "virions"). An authentic HCV polynucleotide of the present invention may also be a "replicon", such that it is incapable of producing the full complement of structural proteins to make a replication competent infectious virion. However, such replicons are capable of RNA replication. Thus, the authentic HCV polynucleotides exemplified in the present application contains all of the virus-encoded information, whether in RNA elements or encoded proteins, necessary for initiation of an HCV RNA replication cycle. The authentic HCV polynucleotides of the invention include modifications described herein, e.g., by site-directed mutagenesis or by culture adaptation, producing a defective or attenuated derivative, or an adaptive variant. Alternatively, sequences from other genotypes or isolates can be substituted for the homologous sequence of the specific embodiments described herein. For example, an authentic HCV nucleic acid of the invention may comprise the adaptive mutations disclosed herein, e.g., on a recipient plasmid, engineered into the polyprotein coding region of a functional clone from another isolate or genotype (either a consensus region or one obtained by very high fidelity cloning). In addition, the HCV polynucleotide of the present invention can include a foreign gene, such as a gene encoding a selectable marker or a reporter protein.

30 General Description

5

10

15

20

25

35

The practice of the present invention will employ, unless otherwise indicated, conventional techniques of cell culture, molecular biology, microbiology, recombinant DNA, and immunology, which are within the skill of the art. Such techniques are explained fully in the literature. See, e.g., Ausubel et al. (ed.) (1993) "Current protocols in molecular biology. Green Publishing Associates, New York; Ausubel et al. (1995), "Short Protocols in Molecular

Biology", John Wiley and Sons; Joseph Sambrook et al. (1989), "Molecular Cloning, A Laboratory Manual", second ed., Cold Spring Harbor Laboratory Press; the series, METHODS IN ENZYMOLOGY (Academic Press, Inc.); *Animal Cell Culture* [R.I. Freshney, ed. (1986)]; Lau, ed. (1999), HEPATITIS C PROTOCOLS, Humana Press, New York; and *Immobilized Cells And Enzymes* [IRL Press, (1986)]; all of which are incorporated by reference.

The present invention is directed to variants of hepatitis C virus (HCV) and methods for producing the variants. As used herein, an HCV variant is a non-naturally occurring HCV sequence that is capable of productive replication in a host cell. The genetic sequence of these variants may comprise insertions, deletions, or base mutations from wild type HCV sequences. As further discussed *infra*, the variants may be produced by genetic engineering, by methods known to the skilled artisan (see, e.g., U.S. Patent Application No. 08/811,566 (Now U.S. Patent No.____); Lohmann et al., *Science* 285:110-113(1999)). Alternatively, as further discussed *infra*, the variants may also be produced by culture selection methods, or a combination of culture selection and genetic engineering.

The variants are in the form of DNA or RNA and can be incorporated into any useful form of those compounds, for example in extrachromosomal DNA that replicates in a microorganism such as *E. coli* or yeast. Included among these are plasmids, phage, BACs, YACs, etc. RNA and virions comprising the variant are also envisioned as within the scope of the invention. The variants of the present invention can also be in the form of cassettes for insertion into a DNA cloning vector. The HCV RNAs are envisioned to be complementary to any HCV DNA disclosed herein. An infectious HCV RNA is a positive strand RNA created from the negative strand template of the HCV DNA clone of the invention.

The variants of the present invention are not narrowly limited to any particular virus subtype. Thus, any particular component of the variant, or the entire variant, may be from any HCV subtype. Preferred subtypes are 1a and 1b, due to the widespread occurrence, as well as the large amount of knowledge available for those two subtypes. However, the use of any other genotype or subtype, as would be considered within the skill of the art, is envisioned as within the scope of the invention. These subtypes include, but are not limited to, any subtypes within genotypes HCV-1, HCV-2, HCV-3, HCV-4, HCV-5, and HCV-6. Moreover, since HCV lacks proofreading activity, the virus itself readily mutates, forming mutant "quasi-species" of HCV that are also contemplated as useful for the present invention. Such mutations are easily identified by sequencing isolates from a subject, as detailed herein or in U.S. Patent Application No. 08/811,566 (Now U.S. Patent No._____). It would be expected that the methods and compositions disclosed herein are useful for any known

21

subtype or quasi-species, or any subtype or quasi-species not now known but that is discovered in the future.

The HCV variants of the invention include a 5'-NTR conserved sequence, which generally comprises the 5'-terminal sequence GCCAGCC, and which may have additional bases upstream of this conserved sequence without affecting functional activity of the HCV nucleic acid. In a preferred embodiment, the 5'-GCCAGCC includes from 0 to about 10 additional upstream bases; more preferably it includes from 0 to about 5 upstream bases; more preferably still it includes 0, one, or two upstream bases. In specific embodiments, the extreme 5'-terminal sequence may be GCCAGCC; GGCCAGCC; UGCCAGCC;

AGCCAGCC; AAGCCAGCC; GAGCCAGCC; GUGCCAGCC; or GCGCCAGCC, wherein the sequence GCCAGCC is the 5'-terminus of SEQ ID NO:1. However, the scope of the HCV variants of the invention encompasses any functional HCV 5' NTR, whether now known or later discovered.

The HCV variants of the invention also include a 3' NTR that comprises a polypyrimidine region as is known in wild-type HCV. These polypyrimidine regions are known to comprise, on the positive-strand HCV RNA, a poly(U)/poly(UC) tract or a poly(A) tract. However, the polypyrimidine region of the present invention may also include other polypyrimidine tracts that are not now known but are later found to be functional in infectious HCV. As is known in the art, the polypyrimidine tract may be of variable length: both short (about 75 bases) and long (133 bases) are effective, although an HCV clone containing a long poly(U/UC) tract is found to be highly infectious. Longer tracts may be found in naturally occurring HCV isolates. Thus, an authentic HCV nucleic acid of the invention may have a variable length polypyrimidine tract.

15

20

25

30

35

The 3' NTR also comprises, at its extreme 3' end, the highly conserved RNA element of about 98 nucleotides known in the art, and as described in, e.g., U.S. Patent No. 5,874,565, U.S. Patent Application No. 08/811,566 (Now U.S. Patent No. _____), and U.S. Patent No. 5,837,463. In a specific aspect, the 3'-NTR extreme terminus is RNA homologous to a DNA having the sequence 5'-TGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCC GCATGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCTGATCATGT-3' (SEQ ID NO:2). However, the scope of the invention is meant to encompass HCV variants with any HCV 3' NTR that allows virus replication, whether the sequence is now known or later

The HCV variants of the present invention also include a polyprotein coding region sufficient to allow replication of the HCV RNA. Thus, the polyprotein coding region may be

discovered. Included are 3' NTRs that do not comprise a variable region.

deficient in functional genes encoding the full complement of the HCV structural genes C, E1 and E2. In addition, the polyprotein coding region may comprise deletions, insertions, or mutations that do not occur in wild-type HCV strains. Further, the polyprotein coding region may be chimeric, such that some of the genes encoded therein are from analogous regions of another virus, as discussed *infra*.

The HCV variants encompassed by the present invention include variants that do not produce virus particles. These variants, which may be termed "replicons", lack the ability to produce a fully functional complement of the structural proteins C, E1 and E2. The inability to produce the functional structural protein component of the HCV virus may be conferred by deletion of the genes encoding one, two, or all three of these proteins. Alternatively, a deletion of a small portion of the coding sequence of one of the structural proteins, or a mutation in a critical region of the coding sequence, or an insertion into the coding sequence could lead to an HCV that cannot produce virions. In the latter case, the insertion can be any sequence that disrupts the ability of the structural protein from becoming part of a virion, and can include functional sequences, such as those that encode a reporter gene (such as β -galactosidase) or those that confers selectability to the cell harboring the replicon (such as neo). The above manipulations are entirely within the skill of the art. See, e.g., Lohmann et al., supra and Example 1. As discussed infra, such variants are useful for studying replication of the HCV virus, among other things.

The variants of the present invention can also comprise an alteration in the coding sequence of the polyprotein coding region that does not affect the production of functional virions or replicons. These alterations can be such that the amino acid sequence of the mature protein is not changed from the wild-type sequence, due to the degeneracy of the genetic code. Such alterations can be useful, e.g., when they introduce or remove a restriction site, such that the size of HCV fragments produced by digestion with a restriction enzyme is altered. This provides a distinguishing characteristic of that variant, which can be used, e.g., to identify a particular infectious isolate in a multiple infection animal model, or to provide convenient sites for subsequent engineering. Any technique for mutagenesis known in the art can be used, including but not limited to in vitro site-directed mutagenesis [Hutchinson, C., et al., 1978, J. Biol. Chem. 253:6551; Zoller and Smith, 1984, DNA 3:479-488; Oliphant et al., 1986, Gene 44:177; Hutchinson et al., 1986, Proc. Natl. Acad. Sci. U.S.A. 83:710], use of TAB® linkers (Pharmacia), etc. PCR techniques are preferred for site directed mutagenesis [see Higuchi, 1989, "Using PCR to Engineer DNA", in PCR Technology: Principles and Applications for DNA Amplification, H. Erlich, ed., Stockton Press, Chapter 6, pp. 61-70].

23

5

10

15

20

25

30

Alterations in the polyprotein coding sequence can also introduce conservative amino acid substitutions in the HCV-encoded proteins. Conservative amino acid substitutions refer to the interchangeability of residues having similar side chains. Conservatively substituted amino acids can be grouped according to the chemical properties of their side chains. For example, one grouping of amino acids includes those amino acids have neutral and hydrophobic side chains (A, V, L, I, P, W, F, and M); another grouping is those amino acids having neutral and polar side chains (G, S, T, Y, C, N, and Q); another grouping is those amino acids having basic side chains (K, R, and H); another grouping is those amino acids having acidic side chains (D and E); another grouping is those amino acids having aliphatic side chains (G, A, V, L, and I); another grouping is those amino acids having aliphatichydroxyl side chains (S and T); another grouping is those amino acids having aminecontaining side chains (N, Q, K, R, and H); another grouping is those amino acids having aromatic side chains (F, Y, and W); and another grouping is those amino acids having sulfurcontaining side chains (C and M). Preferred conservative amino acid substitutions are: R-K; E-D, Y-F, L-M; V-I, and Q-H. Conservative amino acid substitutions, when conferred on the structural proteins, can alter antigenic epitopes, and thus the immune reactivity of the virus. Those substitutions could also alter the function of the non-structural proteins, such that the virus reproduces at a different rate or is altered in its ability to replicate in cell culture or in an organism. See, e.g., Example 1, where replicon IV is adaptive to cell culture conditions due to the conservative amino acid substitution Ser -> Cys in the NS5A protein.

Alterations in the polyprotein coding region could also introduce nonconservative amino acid substitutions in one or more of the proteins encoded therein. Nonconservative substitutions would be expected to alter protein function more drastically than conservative substitutions, and would thus be more likely than conservative substitutions to alter phenotypic characteristics of the virus such as replication rate, adaptation to cell culture or in vivo culture, and displayed antigenic determinants. Examples are several adaptive mutations in the NS5A coding region described in the , infra.

In some embodiments of the invention, the polyprotein coding region has a consensus sequence derived from more than one HCV isolate. For example, an authentic HCV nucleic acid of the invention may comprise a 5' and 3' sequence from any one subtype of the virus and a polyprotein region from any other subtype. Alternatively, only one of the proteins encoded in the polyprotein might be from another viral subtype. In this way, the effect of a particular protein in conferring characteristics of a particular strain (e.g., reduced virulence, increased replication rate etc.) can be studied.

24

Chimeras with other viruses, such as with bovine viral diarrhea virus, or another flavivirus, are also envisioned. See, e.g., PCT/US99/08850, incorporated herein by reference. In these embodiments, components of the functional clones can be used to construct chimeric viruses for assay of HCV gene functions and inhibitors thereof [Filocamo et al., J. Virol. 71: 1417-1427 (1997); Hahm et al., Virology 226: 318-326 (1996); Lu and Wimmer, Proc Natl Acad Sci USA 93: 1412-7 (1996)]. In one such extension of the invention, functional HCV elements such as the 5' IRES, proteases, RNA helicase, polymerase, or 3' NTR are used to create chimeric derivatives of BVDV whose productive replication is dependent on one or more of these HCV elements. Such BVDV/HCV chimeras can then be used to screen for and evaluate antiviral strategies against these functional components.

5

10

15

20

25

30

35

Chimeras where a gene encoding a structural or nonstructural protein from a closely related virus such as GB virus B replaces the corresponding HCV gene would also be expected to be functional. See, e.g., Butkiewicz et al., 2000, *J. Virol.* 74, 4291-4301.

Other alterations in the polyprotein coding region contemplated by the present invention include deletions or insertions in the sequence. Such alterations may also alter replication rate, adaptation to various growth conditions, or antigenic determinants. A preferred example of a useful deletion includes the 47 amino acid deletion and replacement of Ser 1182 to Asp 1229 of SEQ ID NO:3 with Tyr, which is an adaptive mutation in the NS5A that provides greater transfection efficiency than HCVs with wild-type NS5A. See Example 1.

Insertions into the polyprotein coding region can be of any length and into any area of the region, provided the modified HCV is still able to replicate. Preferably, the insertion is engineered in frame with the rest of the polyprotein coding region, to allow correct translation of the polyprotein region downstream from the insertion.

Insertions into the polyprotein coding region could introduce a gene encoding a heterologous protein. The choice of heterologous protein is not narrowly limited and can include a protein that is therapeutic to the infected host or cell, or a protein that is harvested and purified for another purpose. Particularly useful heterologous genes include those used for detection of the variant (i.e., reporter genes), or for selection of cells having the variant. Nonlimiting examples of reporter genes useful in the present invention include β -galactosidase, β -glucuronidase, firefly or bacterial luciferase, green fluorescent protein (GFP) and humanized derivatives thereof, cell surface markers, and secreted markers. Such products are either assayed directly or may activate the expression or activity of additional reporters. Nonlimiting examples of selectable markers for mammalian cells include, but are not limited

25

to, the genes encoding dihydrofolate reductase (*DHFR*; methotrexate resistance), thymidine kinase (*tk*; methotrexate resistance), puromycin acetyl transferase (*pac*; puromycin resistance), neomycin resistance (*neo*; resistance to neomycin or G418), mycophenolic acid resistance (*gpt*), hygromycin resistance, blasticidin resistance, and resistance to zeocin. Other selectable markers can be used in different hosts such as yeast (*ura3*, *his3*, *leu2*, *trp1*).

5

10

15

20

25

30

The present invention also encompasses HCV variants that have alterations in the noncoding regions of the virus. For example, the foreign gene discussed above can also be inserted into a noncoding region of the virus, provided the region with the insert continues to be sufficiently functional to allow replication. To provide for translation of a foreign gene inserted into a noncoding region, the foreign gene must be operatively linked to translational start signals, preferably an internal ribosome entry site (IRES) derived from cellular or viral mRNAs [Jang et al., Enzyme 44: 292-309 (1991); Macejak and Sarnow, Nature 353: 90-94 1991); Molla et al., Nature 356: 255-257 (1992)]. In essence, this strategy creates a second cistron in the variant, separate from the polyprotein coding region cistron. A preferred IRES is the encephalomyocarditis virus (EMCV) IRES.

The foreign gene can also be inserted into the 3' NTR or the 5' NTR. In the 3' NTR, the foreign gene/IRES cassette is preferably inserted into the most 5', variable domain. However, insertions are also envisioned for other regions of the 3' NTR, such as at the junction of the variable region and the polypyrimidine region, or within the polypyrimidine region. In the 5' NTR, the foreign gene is preferably inserted into the area just adjacent (3' to) the internal HCV IRES. In these variants, the foreign gene is engineered to be operably linked to the HCV IRES. Where this is the case, it is preferred that the second IRES (e.g., an EMCV IRES) is engineered just 5' to the polyprotein coding region, to be operably linked to that region. See Example and Lohmann et al., supra.

Some of the above strategies for functional expression of heterologous genes have been previously described. See Bredenbeek and Rice, (1992) *supra* for review; see, also Figure 2, which is also Figure 2 of U.S. Patent Application No. 08/811,566 (Now U.S. Patent No. ____).

Additionally, noncoding region alterations such as mutations, deletions or insertions that do not encode a foreign protein are within the scope of the invention. For example, mutations, deletions of insertions in the variable or polypyrimidine regions of the 3' NTR, including deletions of the entire variable region, or in the 5' NTR region, that create or destroy restriction sites or make the variant otherwise identifiable can be used advantageously to create a "tagged" variant. See, e.g., Example, where a mutation in the variable region of the 3'

5

10

15

20

25

30

NTR created an easily identifiable AvaII restriction site, and where a deletion in the polypyrimidine region created another identifiable variant.

The polyprotein coding sequence can comprise mutants with desirable functional adaptations such as adaptive or attenuated variants. These improved variants can be superior in any desired characteristic. Nonlimiting examples of characteristics that can be improved by the present methods include more rapid or more accurate replication in vivo or in culture, improved transfection efficiency, improved ability to establish subpassaged cell lines, ability to infect a host or a host cell line, virulence, and attenuation of disease symptoms.

Such HCV variants may be adaptive, e.g., by selection for propagation in animals or in vitro. See, e.g., Example. Alternatively, the variants can be engineered by design to comprise the functional adaptation. See, e.g., Example, where a deletion was designed that had increased transfection efficiency and ability to be subpassaged to create a stable cell line, supporting persistent HCV replication.

Non-functional HCV clones, e.g., that are incapable of genuine replication, that fail to produce HCV proteins, that do not produce HCV RNA as detected by Northern analysis, or that fail to infect susceptible animals or cell lines in vitro, can be corrected using components of the variants of the present invention. By comparing a variant of an authentic HCV nucleic acid sequence of the invention, with the sequence of the non-functional HCV clone, defects in the non-functional clone can be identified and corrected, and the corrected, replicating variant could have characteristics like the variant, such as an adaptive mutation, etc. All of the methods for modifying nucleic acid sequences available to one of skill in the art to effect modifications in the non-functional HCV genome, including but not limited to site-directed mutagenesis, substitution of the functional sequence from an authentic HCV variant for the homologous sequence in the non-functional clone, etc.

Adaptation of HCV for more improved cell culture characteristics. Replication and transfection efficiency and stability of virions and replicons that have wild-type polyprotein replication in cell culture is inefficient. That is, cells transfected with, e.g., RNA transcripts of clones of these strains replicate slowly in culture and the transfected cells are difficult to maintain. Additionally, transfection efficiency is poor. That is, very few cells that are transfected with the RNA replicon are able to support HCV replication. See, e.g., Example 1 and Lohmann et al., supra, where less than 0.01% of Huh-7 cells transfected with RNA transcripts of replicons that have a wild-type (genotype 1, subtype 1b) nonstructural polyprotein coding region grew into colonies on the petri dish where the transfectants were plated. Furthermore, a low percentage of colonies that arose from the original plating (<3%)

could be subpassaged onto another dish of media to form an isolated stable cell line supporting HCV replication.

"Transfection efficiency" is defined by determining the percent of cells having replicating HCV RNA that continue to translate proteins encoded by the transfected nucleic acids. The easiest way to measure this is by determining the percentage of cells that exhibit a characteristic conferred by the HCV RNA. See, e.g., Example 1, where replicons comprising a neo gene conferred G418 resistance to the transfected cells, and where the cells were G418 resistant after dividing and forming colonies on the dish where the transfected cells were plated. In that example, G418 resistance would not persist sufficiently for colonies to form unless the HCV RNA was able to replicate and partition into the dividing cells while continuing to replicate and translate the neo gene to confer G418 resistance. Transfection efficiency is thus replication dependent, in that the transfected HCV must replicate, transcribe, and translate the measured characteristic (here, G418 resistance). In the context of the neo selectable marker, this method of determining transfection efficiency is termed "replication-dependent neomycin resistance". This is the preferred way of measuring transfection efficiency because it only measures transcription from HCV that established itself sufficiently to replicate and partition into dividing cells to form a colony.

Another disadvantageous cell culture characteristic of HCV nucleic acid that has wild-type nonstructural polyprotein genes is that only a low percentage of colonies that form after transfection and selection are able to continue to be maintained upon subpassage as continuous cell lines harboring replicating RNA. This was <3% in Lohmann et al., as discussed *supra*.

Disadvantageous characteristics of HCV having wild-type nonstructural polyprotein genes can be reduced by utilizing certain adaptive mutations and deletions in the NS5A coding region or elsewhere as disclosed herein. Preferred mutations comprise alterations in the encoded amino acid sequence in a region of the NS5A that is just 5' to the coding region of the "interferon sensitivity-determining region" (ISDR). Specifically, various mutations within about 50 nucleotides 5' to the ISDR, more preferably within about 20 nucleotides of the ISDR, where the encoded amino acid sequence is altered, have the effect of adapting an HCV to have higher transfection efficiency and increased ability to withstand subpassage to establish a cell line harboring persistent HCV replication. Specific mutations having this effect include Ser to Ile at amino acid 1179 of SEQ ID NO:3 (subtype 1b nonstructural polyprotein region), conferred, for example, by the mutation g to t at position 5336 of SEQ ID NO:6, embodied in SEQ ID NO:8 (nucleotide[nt]) and SEQ ID NO:16 (amino acid[aa]); Arg to Gly at amino acid 1164 of SEQ ID NO:3, conferred, for example, by the mutation from a to

28

g at position 5289 of SEQ ID NO:6, embodied in SEQ ID NO:9 (nt) and SEQ ID NO:17 (aa); Ala to Ser at amino acid 1174 of SEQ ID NO:3, conferred, for example, by the mutation from g to t at position 5320 of SEQ ID NO:6, embodied in SEQ ID NO:10 (nt) and the NS5A amino acid sequence of SEQ ID NO:19; Ser to Cys at amino acid 1172 of SEQ ID NO:3, conferred, for example, by the mutation c to g at position 5315 of SEQ ID NO:6, embodied in 5 the NS5A gene SEQ ID NO:11 and the NS5A amino acid sequence of SEQ ID NO:20; and Ser to Pro at amino acid 1172 of SEQ ID NO:3, conferred, for example by the mutation t to c at position 5314 of SEQ ID NO:6, embodied in the NS5A gene SEQ ID NO:12 and the NS5A amino acid SEQ ID NO:21. The adaptive effect of these mutations is surprising since this region of HCV is normally conserved among HCV isolates. Additionally, deletions within 10 the ISDR, including deletions of the entire ISDR and various flanking sequences, cause this adaptive effect. Among these deletions is the substitution of the ISDR and flanking sequence comprising amino acids 1182 to 1229 of SEQ ID NO:3 with a tyrosine, conferred, for example, by the deletion of nt 5345-5485 of SEQ ID NO:6, and embodied in SEQ ID NO:7 15 (nt) and the NS5A amino acid SEQ ID NO:14.

HCV variants comprising mutations adaptive to cell culture may also be attenuated, that is impaired in its ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.

20

25

30

The present invention also discloses methods for selecting for adaptive HCV variants. These methods comprise the use of an HCV virion or preferably a replicon, which further comprises a dominant selectable marker such as a neo gene. Cells are transfected with these variants. The transfectants are plated into selection media, such as G418 when the neo gene is utilized in the variant. Colonies that arise to exhibit resistance to the selectable marker are subpassaged into fresh selection media. HCV in colonies that withstand subpassage to establish a cell line harboring HCV replication can be isolated and used to transfect additional cells. Any of these colonies that show increased transfection efficiency or other desirable characteristics, such as the ability to withstand subpassage, are adaptive variants, where the adaptive nature of the variant is conferred by at least one mutation or deletion. Selected areas of the HCV in these adaptive variants are sequenced. Preferably, at least the NS5A is sequenced. More preferably, the entire polyprotein coding region is sequenced. Any mutations in these variants can be further evaluated to determine the adaptive nature of the mutations. That evaluation preferably involves recreating the mutation in an otherwise wildtype coding region and determining if the recreated HCV mutant exhibits the adaptive phenotype of the original mutant.

29

5

10

15

20

25

30

35

Adaptive mutations could also be manifested, but are not restricted to: (i) altering the tropism of HCV RNA replication; (ii) altering viral products responsible for deleterious effects on host cells; (iii) increasing or decreasing HCV RNA replication efficiency; (iv) increasing or decreasing HCV RNA packaging efficiency and/or assembly and release of HCV particles; (v) altering cell tropism at the level of receptor binding and entry. Thus, the engineered dominant selectable marker, whose expression is dependent upon productive HCV RNA replication, can be used to select for adaptive mutations in either the HCV replication machinery or the transfected host cell, or both. In addition, dominant selectable markers can be used to select for mutations in the HCV replication machinery that allow higher levels of RNA replication or particle formation. In one example, engineered HCV derivatives expressing a mutant form of DHFR can be used to confer resistance to methotrexate (MTX). As a dominant selectable marker, mutant DHFR is inefficient since nearly stoichiometric amounts are required for MTX resistance. By successively increasing concentrations of MTX in the medium, increased quantities of DHFR will be required for continued survival of cells harboring the replicating HCV RNA. This selection scheme, or similar ones based on this concept, can result in the selection of mutations in the HCV RNA replication machinery allowing higher levels of HCV RNA replication and RNA accumulation. Similar selections can be applied for mutations allowing production of higher yields of HCV particles in cell culture or for mutant HCV particles with altered cell tropism. Such selection schemes involve harvesting HCV particles from culture supernatants or after cell disruption and selecting for MTX-resistant transducing particles by reinfection of naive cells.

Methods similar to the above can be used to establish adaptive variants with variations in characteristics such as the increased or decreased ability to cause infection, the ability to cause infection in a host that wild-type strains are unable to infect, or cells of such a host.

The invention also provides host cell lines transfected with any of the HCV DNA (or HCV RNA) as set forth above. Examples of host cells include, but are by no means limited to, the group consisting of a bacterial cell, a yeast cell, an insect cell, and a mammalian cell. Preferably, the host cell is capable of providing for expression of functional HCV RNA replicase, virions or virus particle proteins.

In a related aspect, as briefly described above, the invention provides a vector for gene therapy or a gene vaccine (also termed herein a genetic vaccine), in which a heterologous protein is inserted into the HCV nucleic acid under conditions that permit expression of the heterologous protein. These vaccines can be either DNA or RNA. In particular, the invention provides an infectious hepatitis C virus (HCV) DNA vector

comprising from 5' to 3' on the positive-sense DNA, a promoter; an HCV 5'-non-translated region (NTR) containing the extreme 5'-terminal sequence GCCAGCC; an HCV polyprotein coding region comprising a coding region for a heterologous gene; and a 3' non-translated region (NTR). Preferably, the promoter is selected from the group consisting of bacteriophage T3, T7, and SP6.

In the embodiments of the invention where the functional HCV nucleic acid is DNA, it may further comprise a promoter operatively associated with the 5' NTR. For example, but not by way of limitation, the promoter may be selected from the group consisting of bacteriophage T7, T3, and SP6. However, any suitable promoter for transcription of HCV genomic RNA corresponding to the HCV DNA can be used, depending on the specific transcription system employed. For example, for nuclear transcription (e.g., in an animal transgenic for HCV), an endogenous or viral promoter, such as CMV, may be used. Additionally, these promoter-driven HCV DNAs can be incorporated into an extrachromosomally replicating DNA such as a plasmid or a phage.

Various uses of the invention variants are envisioned herein. Uses relevant to therapy and vaccine development include: (i) the generation of defined HCV virus stocks to develop in vitro and in vivo assays for virus neutralization, attachment, penetration and entry; (ii) structure/function studies on HCV proteins and RNA elements and identification of new antiviral targets; (iii) a systematic survey of cell culture systems and conditions to identify those that support wild-type and variant HCV RNA replication and particle release; (iv) production of adaptive HCV variants capable of more efficient replication in cell culture; (v) production of HCV variants with altered tissue or species tropism; (vi) establishment of alternative animal models for inhibitor evaluation including those supporting HCV variant replication; (vii) development of cell-free HCV replication assays; (viii) production of immunogenic HCV particles for vaccination; (ix) engineering of attenuated HCV derivatives as possible vaccine candidates; (x) engineering of attenuated or defective HCV derivatives for expression of heterologous gene products for gene therapy and vaccine applications; (xi) utilization of the HCV glycoproteins for targeted delivery of therapeutic agents to the liver or other cell types with appropriate receptors.

The invention further provides a method for infecting an animal with HCV variants, where the method comprises administering an infectious dose of HCV variant RNA prepared by transcription of infectious HCV variant DNA. The invention extends to a non-human animal infected with HCV variants or transfected with HCV variant RNA or DNA. Similarly, the invention provides a method for propagating infectious HCV variants *in vitro* comprising culturing a cell line contacted with an infectious amount of HCV variant RNA prepared by

31

transcription of the infectious HCV DNA, as well as an *in vitro* cell line infected with HCV variants. In a specific embodiment, the cell line is a hepatocyte cell line transfected or infected with an HCV variant in which an IRES-antibiotic resistance cassette has been engineered to provide for selection. The variant may also comprise the adaptive mutations described above.

5

10

15

20

30

35

In accordance with the gene therapy (genetic vaccine) embodiment of the invention, also provided is a method for transducing an animal capable of HCV RNA replication with a heterologous gene, comprising administering an amount of an HCV variant RNA prepared by transcription of the HCV variant DNA vector.

In another embodiment, the invention provides a method for producing HCV particle proteins comprising culturing a host expression cell line transfected with an HCV variant of the invention under conditions that permit expression of HCV particle proteins; and isolating HCV particle proteins from the cell culture. In a specific embodiment, such an expression cell line may be a cell selected from the group consisting of a bacterial cell, a yeast cell, an insect cell, and a mammalian cell.

The invention further provides an HCV virion comprising an HCV variant RNA genome. Such virions can be used in an HCV vaccine, preferably after attenuation, e.g., by heat or chemical treatment, or through selection of attenuated variants by the methods described above.

The in vivo and in vitro HCV variants of the invention permits controlled screening for anti-HCV agents (i.e., drugs for treatment of HCV), as well as for evaluation of drug resistance. An in vivo method for screening for agents capable of modulating HCV replication may comprise administering a candidate agent to an animal containing an HCV variant, and testing for an increase or decrease in a level of HCV variant infection, replication or activity compared to a level of HCV variant infection, replication or activity in the animal prior to administration of the candidate agent; wherein a decrease in the level of HCV variant infection, replication or activity compared to the level of HCV variant infection, replication or activity in the animal prior to administration of the candidate agent is indicative of the ability of the agent to inhibit HCV variant infection, replication or activity. Testing for the level of HCV variant infection or replication can involve measuring the viral titer (e.g., RNA levels) in a serum or tissue sample from the animal; testing for the level of HCV variant activity can involve measuring liver enzymes. Alternatively, an in vitro method for screening for agents capable of modulating HCV replication can comprise contacting a cell line supporting a replicating HCV variant with a candidate agent; and thereafter testing for an increase or decrease in a level of HCV variant replication or activity compared to a level of HCV variant

5

30

replication or activity in a control cell line or in the cell line prior to administration of the candidate agent, wherein a decrease in the level of HCV variant replication or activity compared to the level of HCV variant replication or activity in a control cell line or in the cell line prior to administration of the candidate agent is indicative of the ability of the agent to inhibit HCV variant replication or activity. In a specific embodiment, testing for the level of HCV variant replication in vitro may involve measuring the HCV titer, (e.g., RNA levels) in the cell culture; testing for the level of HCV activity in vitro may involve measuring HCV replication.

In addition to the specific HCV variant DNA clones and related HCV variant RNAs,

the invention is directed to a method for preparing an HCV variant DNA clone that is capable
of replication in a host or host cell line, comprising joining from 5' to 3' on the positive-sense
DNA a promoter; an HCV 5' non-translated region (NTR) an HCV polyprotein coding region;
and a 3' non-translated region (NTR), where at least one of these regions is not a naturally
occurring region. Preferably, the promoter is selected from the group consisting of

bacteriophage T7, T3, and SP6. In a specific embodiment, the extreme 5'-terminal sequence
is homologous to SEQ ID NO:1, e.g., the 5'-terminal sequence may be selected from the
group consisting of GCCAGCC; GGCCAGCC; UGCCAGCC; AGCCAGCC;
AAGCCAGCC; GAGCCAGCC; GUGCCAGCC; and GCGCCAGCC, wherein the sequence
GCCAGCC is the 5'-terminus of SEQ ID NO:1.

The 3'-NTR poly-U for use in the method of preparing an HCV variant DNA clone may include a long poly-U region. Similarly, the 3'-NTR extreme terminus may be RNA homologous to a DNA having the sequence
5'-TGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCC
GCATGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCTGATCATGT-3' (SEQ ID
NO:2); in a specific embodiment, the 3'-NTR extreme terminus has the foregoing sequence.

Components of functional HCV variant DNA clones. Components of the functional HCV variant DNA described in this invention can be used to develop cell-free, cell culture, and animal-based screening assays for known or newly identified HCV antiviral targets as described infra. For each selected target, it is preferred that the HCV variant used has the wild-type form of the target. Examples of known or suspected targets and assays include [see Houghton, In "Fields Virology" (B. N. Fields, D. M. Knipe and P. M. Howley, Eds.), Vol. pp. 1035-1058. Raven Press, New York (1996); Rice, (1996) supra; Rice et al., Antiviral Therapy 1, Suppl. 4, 11-17 (1997); Shimotohno, Hepatology 21,:887-8 (1995) for reviews], but are not limited to, the following:

33

The highly conserved 5' NTR, which contains elements essential for translation of the incoming HCV genome RNA, is one target. It is also likely that this sequence, or its complement, contains RNA elements important for RNA replication and/or packaging. Potential therapeutic strategies include: antisense oligonucleotides (supra); trans-acting ribozymes (supra); RNA decoys; small molecule compounds interfering with the function of this element (these could act by binding to the RNA element itself or to cognate viral or cellular factors required for activity).

5

10

15

20

25

30

Another target is the HCV C (capsid or core) protein, which is highly conserved and is associated with the following functions: RNA binding and specific encapsidation of HCV genome RNA; transcriptional modulation of cellular [Ray et al., Virus Res. 37: 209-220 (1995)] and other viral [Shih et al., J. Virol. 69: 1160-1171 (1995); Shih et al., J. Virol. 67: 5823-5832 (1993)] genes; binding of cellular helicase [You et al., J. Virol. 73:2841-2853 (1999)]; cellular transformation [Ray et al., J. Virol. 70: 4438-4443 (1996a); Ray et al., J. Biol. Chem. 272:10983-10986(1997)]; prevention of apoptosis [Ray et al., Virol. 226: 176-182 (1996b)]; modulation of host immune response through binding to members of the TNF receptor superfamily [Matsumoto et al., J. Virol. 71: 1301-1309 (1997)].

The E1, E2, and perhaps the E2-p7 glycoproteins that form the components of the virion envelope are targets for potentially neutralizing antibodies. Key steps where intervention can be targeted include: signal peptidase mediated cleavage of these precursors from the polyprotein [Lin et al., (1994a) supra]; ER assembly of the E1E2 glycoprotein complex and association of these proteins with cellular chaperones and folding machinery [Dubuisson et al., (1994) supra; Dubuisson and Rice, J. Virol. 70: 778-786 (1996)]; assembly of virus particles including interactions between the nucleocapsid and virion envelope; transport and release of virus particles; the association of virus particles with host components such as VLDL [Hijikata et al., (1993) supra; Thomssen et al., (1992) supra; Thomssen et al., Med. Microbiol. Immunol. 182: 329-334 (1993)] which may play a role in evasion of immune surveillance or in binding and entry of cells expressing the LDL receptor; conserved and variable determinants in the virion which are targets for neutralization by antibodies or which bind to antibodies and facilitate immune-enhanced infection of cells via interaction with cognate Fc receptors; conserved and variable determinants in the virion important for receptor binding and entry; virion determinants participating in entry, fusion with cellular membranes, and uncoating the incoming viral nucleocapsid.

The NS2-3 autoprotease, which is required for cleavage at the 2/3 site is a further target.

5

10

15

20

25

30

35

34

The NS3 serine protease and NS4A cofactor which form a complex and mediate four cleavages in the HCV polyprotein [see Rice, (1997) supra for review) is yet another suitable target. Targets include the serine protease activity itself; the tetrahedral Zn²⁺ coordination site in the C-terminal domain of the serine protease; the NS3-NS4A cofactor interaction; the membrane association of NS4A; stabilization of NS3 by NS4A; transforming potential of the NS3 protease region [Sakamuro et al., J Virol 69: 3893-6 (1995)].

The NS3 RNA-stimulated NTPase [Suzich et al., (1993) supra], RNA helicase [Jin and Peterson, Arch Biochem Biophys 323: 47-53 (1995); Kim et al., Biochem. Biophys. Res. Commun. 215: 160-6 (1995)], and RNA binding [Kanai et al., FEBS Lett 376: 221-4 (1995)] activities; the NS4A protein as a component of the RNA replication complex is another potential target.

The NS5A protein, another replication component, represents another target. This protein is phosphorylated predominantly on serine residues [Tanji et al., J. Virol. 69: 3980-3986 (1995)]. Transcription modulating, cell growth promoting, and apoptosis inhibiting activities of NS5A [Ghosh et al., J. Biol. Chem. 275:7184-7188 (2000)] can be targeted. Other characteristics of NS5A that could be targets for therapy include the kinase responsible for NS5A phosphorylation and its interaction with NS5A, and the interaction with NS5A and other components of the HCV replication complex.

The NS5B RNA-dependent RNA polymerase, which is the enzyme responsible for the actual synthesis of HCV positive and negative-strand RNAs, is another target. Specific aspects of its activity include the polymerase activity itself [Behrens et al., EMBO J. 15: 12-22 (1996)]; interactions of NS5B with other replicase components, including the HCV RNAs; steps involved in the initiation of negative- and positive-strand RNA synthesis; phosphorylation of NS5B [Hwang et al., Virology 227:438 (1997)].

Other targets include structural or nonstructural protein functions important for HCV RNA replication and/or modulation of host cell function. Possible hydrophobic protein components capable of forming channels important for viral entry, egress or modulation of host cell gene expression may be targeted.

The 3' NTR, especially the highly conserved elements (poly (U/UC) tract; 98-base terminal sequence) can be targeted. Therapeutic approaches parallel those described for the 5' NTR, except that this portion of the genome is likely to play a key role in the initiation of negative-strand synthesis. It may also be involved in other aspects of HCV RNA replication, including translation, RNA stability, or packaging.

The functional HCV variants of the present invention may encode all of the viral proteins and RNA elements required for RNA packaging. These elements can be targeted for

35

development of antiviral compounds. Electrophoretic mobility shift, UV cross-linking, filter binding, and three-hybrid [SenGupta et al., Proc. Natl. Acad. Sci. USA 93: 8496-8501 (1996)] assays can be used to define the protein and RNA elements important for HCV RNA packaging and to establish assays to screen for inhibitors of this process. Such inhibitors might include small molecules or RNA decoys produced by selection in vitro [Gold et al., (1995) supra].

5

10

15

20

25

30

35

Complex libraries of the variants of the present invention can be prepared using PCR shuffling, or by incorporating randomized sequences, such as are generated in "peptide display" libraries. Using the "phage method" [Scott and Smith, 1990, Science 249:386-390 (1990); Cwirla, et al., Proc. Natl. Acad. Sci USA., 87:6378-6382 (1990); Devlin et al., Science, 249:404-406 (1990)], very large libraries can be constructed (10⁶-10⁸ chemical entities). Clones from such libraries can be used to generate other variants or chimeras, e.g., using various HCV subtypes. Such variants can be generated by methods known in the art, without undue experimentation.

A clone that includes a primer and run-off sequence can be used directly for production of functional HCV variant RNA. A large number of vector-host systems known in the art may be used. Examples of vectors include, but are not limited to, *E. coli*, bacteriophages such as lambda derivatives, or plasmids such as pBR322 derivatives or pUC plasmid derivatives, *e.g.*, pGEX vectors, pmal-c, pFLAG, pTET, etc. As is well known, the insertion into a cloning vector can, for example, be accomplished by ligating the DNA fragment into a cloning vector that has complementary cohesive termini. However, if the complementary restriction sites used to fragment the DNA are not present in the cloning vector, the ends of the DNA molecules may be enzymatically modified. Alternatively, any site desired could be produced by ligating nucleotide sequences (linkers) onto the DNA termini; these ligated linkers may comprise specific chemically synthesized oligonucleotides encoding restriction endonuclease recognition sequences. Recombinant molecules can be introduced into host cells via transformation, transfection, infection, electroporation, etc., so that many copies of the gene sequence are generated.

Expression of HCV RNA and Polypeptides

The HCV variant DNA, which codes for HCV variant RNA and HCV proteins, particularly HCV RNA replicase or virion proteins, can be inserted into an appropriate expression vector, *i.e.*, a vector which contains the necessary elements for the transcription and translation of the inserted protein-coding sequence. Such elements are termed herein a "promoter." Thus, the HCV variant DNA of the invention is operationally (or operably)

10

15

20

25

30

associated with a promoter in an expression vector of the invention. An expression vector also preferably includes a replication origin. The necessary transcriptional and translational signals can be provided on a recombinant expression vector. In a preferred embodiment for in vitro synthesis of functional RNAs, the T7, T3, or SP6 promoter is used.

Potential host-vector systems include but are not limited to mammalian cell systems infected with virus recombinant (e.g., vaccinia virus, adenovirus, Sindbis virus, Semliki Forest virus, etc.); insect cell systems infected with recombinant viruses (e.g., baculovirus); microorganisms such as yeast containing yeast vectors; plant cells; or bacteria transformed with bacteriophage, DNA, plasmid DNA, or cosmid DNA. The expression elements of vectors vary in their strengths and specificities. Depending on the host-vector system utilized, any one of a number of suitable transcription and translation elements may be used.

The cell into which the recombinant vector comprising the HCV variant DNA clone has been introduced is cultured in an appropriate cell culture medium under conditions that provide for expression of HCV RNA or such HCV proteins by the cell. Any of the methods previously described for the insertion of DNA fragments into a cloning vector may be used to construct expression vectors containing a gene consisting of appropriate transcriptional/translational control signals and the protein coding sequences. These methods may include in vitro recombinant DNA and synthetic techniques and in vivo recombination (genetic recombination).

Expression of HCV variant RNA or protein may be controlled by any promoter/enhancer element known in the art, but these regulatory elements must be functional in the host selected for expression. Promoters which may be used to control expression include, but are not limited to, the SV40 early promoter region (Benoist and Chambon, 1981, Nature 290:304-310), the promoter contained in the 3' long terminal repeat of Rous sarcoma virus (Yamamoto, et al., 1980, Cell 22:787-797), the herpes thymidine kinase promoter (Wagner et al., 1981, Proc. Natl. Acad. Sci. U.S.A. 78:1441-1445), the regulatory sequences of the metallothionein gene (Brinster et al., 1982, Nature 296:39-42); prokaryotic expression vectors such as the β-lactamase promoter (Villa-Kamaroff, et al., 1978, Proc. Natl. Acad. Sci. U.S.A. 75:3727-3731), or the tac promoter (DeBoer, et al., 1983, Proc. Natl. Acad. Sci. U.S.A. 80:21-25); promoter elements from yeast or other fungi such as the Gal 4 promoter, the ADC (alcohol dehydrogenase) promoter, PGK (phosphoglycerol kinase) promoter, alkaline phosphatase promoter; and the animal transcriptional control regions, which exhibit tissue specificity and have been utilized in transgenic animals: elastase I gene control region which is active in pancreatic acinar cells (Swift et al., 1984, Cell 38:639-646; Ornitz et al., 35 1986, Cold Spring Harbor Symp. Quant. Biol. 50:399-409; MacDonald, 1987, Hepatology

10

20

25

30

35

7:425-515); insulin gene control region which is active in pancreatic beta cells (Hanahan, 1985, Nature 315:115-122), immunoglobulin gene control region which is active in lymphoid cells (Grosschedl et al., 1984, Cell 38:647-658; Adames et al., 1985, Nature 318:533-538; Alexander et al., 1987, Mol. Cell. Biol. 7:1436-1444), mouse mammary tumor virus control region which is active in testicular, breast, lymphoid and mast cells (Leder et al., 1986, Cell 45:485-495), albumin gene control region which is active in liver (Pinkert et al., 1987, Genes and Devel. 1:268-276), alpha-fetoprotein gene control region which is active in liver (Krumlauf et al., 1985, Mol. Cell. Biol. 5:1639-1648; Hammer et al., 1987, Science 235:53-58), alpha 1-antitrypsin gene control region which is active in the liver (Kelsey et al., 1987, Genes and Devel. 1:161-171), beta-globin gene control region which is active in myeloid cells (Mogram et al., 1985, Nature 315:338-340; Kollias et al., 1986, Cell 46:89-94), myelin basic protein gene control region which is active in oligodendrocyte cells in the brain (Readhead et al., 1987, Cell 48:703-712), myosin light chain-2 gene control region which is active in skeletal muscle (Sani, 1985, Nature 314:283-286), and gonadotropic releasing hormone gene control region which is active in the hypothalamus (Mason et al., 1986, Science 234:1372-15 1378).

A wide variety of host/expression vector combinations may be employed in expressing the DNA sequences of this invention. Useful expression vectors, for example, may consist of segments of chromosomal, non-chromosomal and synthetic DNA sequences. Suitable vectors include derivatives of SV40 and known bacterial plasmids, e.g., E. coli plasmids col El, pCR1, pBR322, pMal-C2, pET, pGEX [Smith et al., 1988, Gene 67:31-40], pMB9 and their derivatives, plasmids such as RP4; phage DNAS, e.g., the numerous derivatives of phage λ , e.g., NM989, and other phage DNA, e.g., M13 and filamentous single stranded phage DNA; yeast plasmids such as the 2μ plasmid or derivatives thereof; vectors useful in eukaryotic cells, such as vectors useful in insect or mammalian cells; vectors derived from combinations of plasmids and phage DNAs, such as plasmids that have been modified to employ phage DNA or other expression control sequences; and the like known in the art.

In addition to the preferred sequencing analysis, expression vectors containing an HCV variant DNA clone of the invention can be identified by four general approaches: (a) PCR amplification of the desired plasmid DNA or specific mRNA, (b) nucleic acid hybridization, (c) presence or absence of selection marker gene functions, (d) analysis with appropriate restriction endonucleases and (e) expression of inserted sequences. In the first approach, the nucleic acids can be amplified by PCR to provide for detection of the amplified product. In the second approach, the presence of nucleic acids in an expression vector can be detected by nucleic acid hybridization using probes comprising sequences that are

homologous to the HCV variant DNA. In the third approach, the recombinant vector/host system can be identified and selected based upon the presence or absence of certain "selection marker" gene functions (e.g., β-galactosidase activity, thymidine kinase activity, resistance to antibiotics, transformation phenotype, occlusion body formation in baculovirus, etc.) caused by the insertion of foreign genes in the vector. In the fourth approach, recombinant expression vectors are identified by digestion with appropriate restriction enzymes. In the fifth approach, recombinant expression vectors can be identified by assaying for the activity, biochemical, or immunological characteristics of the gene product expressed by the recombinant, e.g., HCV RNA, HCV virions, or HCV viral proteins.

For example, in a baculovirus expression systems, both non-fusion transfer vectors, such as but not limited to pVL941 (BamHI cloning site; Summers), pVL1393 (BamHI, SmaI, XbaI, EcoR1, NotI, XmaIII, Bg/III, and PstI cloning site; Invitrogen), pVL1392 (Bg/II, PstI, NotI, XmaIII, EcoRI, XbaI, SmaI, and BamHI cloning site; Summers and Invitrogen), and pBlueBacIII (BamHI, Bg/II, PstI, NcoI, and HindIII cloning site, with blue/white recombinant screening possible; Invitrogen), and fusion transfer vectors, such as but not limited to pAc700 (BamHI and KpnI cloning site, in which the BamHI recognition site begins with the initiation codon; Summers), pAc701 and pAc702 (same as pAc700, with different reading frames), pAc360 (BamHI cloning site 36 base pairs downstream of a polyhedrin initiation codon; Invitrogen(195)), and pBlueBacHisA, B, C (three different reading frames, with BamHI, Bg/II, PstI, NcoI, and HindIII cloning site, an N-terminal peptide for ProBond purification, and blue/white recombinant screening of plaques; Invitrogen) can be used.

Examples of mammalian expression vectors contemplated for use in the invention include vectors with inducible promoters, such as the dihydrofolate reductase (DHFR) promoter, e.g., any expression vector with a DHFR expression vector, or a DHFR/methotrexate co-amplification vector, such as pED (Pstl, Sall, Sbal, Smal, and EcoRI cloning site, with the vector expressing both the cloned gene and DHFR); [see Kaufman, Current Protocols in Molecular Biology, 16.12 (1991)]. Alternatively, a glutamine synthetase/methionine sulfoximine co-amplification vector, such as pEE14 (HindIII, Xbal, Smal, Sbal, EcoRI, and Bcll cloning site, in which the vector expresses glutamine synthase and the cloned gene; Celltech). In another embodiment, a vector that directs episomal expression under control of Epstein Barr Virus (EBV) can be used, such as pREP4 (BamHI, Sfil, Xhol, Notl, Nhel, HindIII, Nhel, PvuII, and KpnI cloning site, constitutive RSV-LTR promoter, hygromycin selectable marker; Invitrogen), pCEP4 (BamHI, Sfil, Xhol, Notl, Nhel, HindIII, Nhel, PvuII, and KpnI cloning site, constitutive hCMV immediate early gene, hygromycin selectable marker; Invitrogen), pMEP4 (KpnI, PvuI, Nhel, HindIII, Notl, Xhol, Xhol,

39

Sfil, BamHI cloning site, inducible methallothionein IIa gene promoter, hygromycin selectable marker: Invitrogen), pREP8 (BamHI, XhoI, NotI, HindIII, NheI, and KpnI cloning site, RSV-LTR promoter, histidinol selectable marker; Invitrogen), pREP9 (KpnI, NheI, HindIII, NotI, XhoI, SfiI, and BamHI cloning site, RSV-LTR promoter, G418 selectable marker; Invitrogen), and pEBVHis (RSV-LTR promoter, hygromycin selectable marker, Nterminal peptide purifiable via ProBond resin and cleaved by enterokinase; Invitrogen). Regulatable mammalian expression vectors, can be used, such as Tet and rTet [Gossen and Bujard, Proc. Natl. Acad. Sci. USA 89:5547-51 (1992); Gossen et al., Science 268:1766-1769 (1995)]. Selectable mammalian expression vectors for use in the invention include pRc/CMV (HindIII, BstXI, NotI, SbaI, and ApaI cloning site, G418 selection; Invitrogen), pRc/RSV 10 (HindIII, SpeI, BstXI, NotI, XbaI cloning site, G418 selection; Invitrogen), and others. Vaccinia virus mammalian expression vectors [see, Kaufman (1991) supra] for use according to the invention include but are not limited to pSC11 (SmaI cloning site, TK- and β -gal selection), pMJ601 (SaII, SmaI, AfII, NarI, BspMII, BamHI, ApaI, NheI, SacII, KpnI, and Hind III cloning site; TK- and β-gal selection), and pTKgptF1S (EcoRI, PstI, SalI, AccI, 15 HindII, SbaI, BamHI, and Hpa cloning site, TK or XPRT selection).

5

20

25

30

35

Examples of yeast expression systems include the non-fusion pYES2 vector (XbaI, SphI, ShoI, NotI, GstXI, EcoRI, BstXI, BamHI, SacI, KpnI, and HindIII cloning sit; Invitrogen) or the fusion pYESHisA, B, C (XbaI, SphI, ShoI, NotI, BstXI, EcoRI, BamHI, Sacl, KpnI, and HindIII cloning site, N-terminal peptide purified with ProBond resin and cleaved with enterokinase; Invitrogen), to mention just two, can be employed according to the invention.

In addition, a host cell strain may be chosen that modulates the expression of the inserted sequences, or modifies and processes the gene product in the specific fashion desired. Different host cells have characteristic and specific mechanisms for the translational and posttranslational processing and modification (e.g., glycosylation, cleavage [e.g., of signal sequence]) of proteins. Expression in yeast can produce a glycosylated product. Expression in eukaryotic cells can increase the likelihood of "native" glycosylation and folding of an HCV protein. Moreover, expression in mammalian cells can provide a tool for reconstituting, or constituting, native HCV virions or virus particle proteins.

A variety of transfection methods, useful for other RNA virus studies, can be utilized herein without undue experimentation. Examples include microinjection, cell fusion, calcium-phosphate cationic liposomes such as lipofectin [Rice et al., New Biol. 1:285-296 (1989); see "HCV-based Gene Expression Vectors", infra], DE-dextran [Rice et al., J. Virol. 61: 3809-3819 (1987)], and electroporation [Bredenbeek et al., J. Virol. 67: 6439-6446

40

(1993); Liljeström et al., J. Virol. 65: 4107-4113 (1991)]. Scrape loading [Kumar et al., Biochem. Mol. Biol. Int. 32: 1059-1066 (1994)] and ballistic methods [Burkholder et al., J. Immunol. Meth. 165: 149-156 (1993)] may also be considered for cell types refractory to transfection by these other methods. A DNA vector transporter may be considered [see, e.g., Wu et al., 1992, J. Biol. Chem. 267:963-967; Wu and Wu, 1988, J. Biol. Chem. 263:14621-14624; Hartmut et al., Canadian Patent Application No. 2,012,311, filed March 15, 1990].

5

10

15

20

25

30

35

In Vitro Transfection With HCV Variants

Identification of cell lines supporting HCV replication. An important aspect of the invention is a method it provides for developing new and more effective anti-HCV therapy by conferring the ability to evaluate the efficacy of different therapeutic strategies using an authentic and standardized in vitro HCV variant replication system. Such assays are invaluable before moving on to trials using rare and valuable experimental animals, such as the chimpanzee, or HCV-infected human patients. The adaptive variants of the invention are particularly useful for this work because their growth in culture and their ability to withstand subpassage is superior to wild-type strains. Also, the replicons disclosed herein are useful because replication can be evaluated without the confounding effects of the structural proteins.

The HCV variant infectious clone technology can also be used to establish in vitro and in vivo systems for analysis of HCV replication and packaging. These include, but are not restricted to, (i) identification or selection of permissive cell types (for RNA replication, virion assembly and release); (ii) investigation of cell culture parameters (e.g., varying culture conditions, cell activation, etc.) or selection of adaptive mutations that increase the efficiency of HCV replication in cell cultures; and (iii) definition of conditions for efficient production of infectious HCV variant particles (either released into the culture supernatant or obtained after cell disruption). These and other readily apparent extensions of the invention have broad utility for HCV therapeutic, vaccine, and diagnostic development.

General approaches for identifying permissive cell types are outlined below. Optimal methods for RNA transfection (see also, *supra*) vary with cell type and are determined using RNA reporter constructs. These include, for example, the bicistronic replicons disclosed *supra* and in the Examples, and bicistronic virus [Wang *et al.*, *J. Virol.* 67: 3338-44 (1993)] with the structure 5'-CAT-HCV IRES-LUC-3'. These HCV variants are used both to optimize transfection conditions (using, e.g., by measuring β-galactosidase or CAT [chloramphenicol acetyltransferase] activity to determine transfection efficiency) and to determine if the cell type is permissive for HCV IRES-mediated translation (e.g., by

41

measuring LUC; luciferase activity). For actual HCV RNA transfection experiments, cotransfection with a 5' capped luciferase reporter RNA [Wang et al., (1993) supra] provides an internal standard for productive transfection and translation. Examples of cell types potentially permissive for HCV replication include, but are not restricted to, primary human cells (e.g., hepatocytes, T-cells, B-cells, foreskin fibroblasts) as well as continuous human cell lines (e.g., HepG2, Huh7, HUT78, HPB-Ma, MT-2, MT-2C, and other HTLV-1 and HTLV-II infected T-cell lines, Namalawa, Daudi, EBV-transformed LCLs). In addition, cell lines of other species, especially those which are readily transfected with RNA and permissive for replication of flaviviruses or pestiviruses (e.g., SW-13, Vero, BHK-21, COS, PK-15, MBCK, etc.), can be tested. Cells are transfected using a method as described supra.

5

10

15

20

25

30

35

For replication assays, RNA transcripts are prepared using the HCV variant and the corresponding non-functional, e.g., AGDD (see Examples) derivative as a negative control, for persistence of HCV RNA and antigen in the absence of productive replication. Template DNA (which complicates later analyses) is removed by repeated cycles of DNaseI treatment and acid phenol extraction followed by purification by either gel electrophoresis or gel filtration, to preferably achieve less than one molecule of amplifiable DNA per 109 molecules of transcript RNA. DNA-free RNA transcripts are mixed with LUC reporter RNA and used to transfect cell cultures using optimal conditions determined above. After recovery of the cells, RNaseA is added to the media to digest excess input RNA and the cultures incubated for various periods of time. An early timepoint (~1 day post-transfection) will be harvested and analyzed for LUC activity (to verify productive transfection) and positive-strand RNA levels in the cells and supernatant (as a baseline). Samples are collected periodically for 2-3 weeks and assayed for positive-strand RNA levels by QC-RT/PCR [see Kolykhalov et al., (1996) supra]. Cell types showing a clear and reproducible difference between the intact infectious transcript and the non-functional derivative, e.g., ΔGDD deletion, control can be subjected to more thorough analyses to verify authentic replication. Such assays include measurement of negative-sense HCV RNA accumulation by QC-RT/PCR [Gunji et al., (1994) supra; Lanford et al., Virology 202: 606-14 (1994)], Northern-blot hybridization, or metabolic labeling [Yoo et al., (1995) supra] and single cell methods, such as in situ hybridization [ISH; Gowans et al., In "Nucleic Acid Probes" (R. H. Symons, Eds.), Vol. pp. 139-158. CRC Press, Boca Raton. (1989)], in situ PCR [followed by ISH to detect only HCVspecific amplification products; Haase et al., Proc. Natl. Acad. Sci. USA 87: 4971-4975 (1990)], and immunohistochemistry.

HCV particles for studying virus-receptor interactions. In combination with the identification of cell lines that are permissive for HCV replication, defined HCV variant

42

stocks can be used to evaluate the interaction of the HCV with cellular receptors. Assays can be set up which measure binding of the virus to susceptible cells or productive infection, and then used to screen for inhibitors of these processes.

5

10

15

20

25

30

35

Identification of cell lines for characterization of HCV receptors. Cell lines permissive for HCV RNA replication, as assayed by RNA transfection, can be screened for their ability to be infected by the virus using the HCV variants of the present invention. Cell lines permissive for RNA replication but which cannot be infected by the homologous virus may lack one or more host receptors required for HCV binding and entry. Such cells provide valuable tools for (i) functional identification and molecular cloning of HCV receptors and co-receptors; (ii) characterization of virus-receptor interactions; and (iii) developing assays to screen for compounds or biologics (e.g., antibodies, SELEX RNAs [Bartel and Szostak, In "RNA-protein interactions" (K. Nagai and I. W. Mattaj, Eds.), Vol. pp. 82-102. IRL Press, Oxford (1995); Gold et al., Annu. Rev. Biochem. 64: 763-797 (1995)], etc.) that inhibit these interactions. Once defined in this manner, these HCV receptors serve not only as therapeutic targets but may also be expressed in transgenic animals rendering them susceptible to HCV infection [Koike et al., Dev Biol Stand 78: 101-7 (1993); Ren and Racaniello, J Virol 66: 296-304 (1992)]. Such transgenic animal models supporting HCV replication and spread have important applications for evaluating anti-HCV drugs.

The ability to manipulate the HCV glycoprotein structure may also be used to create HCV variants with altered receptor specificity. In one example, HCV glycoproteins can be modified to express a heterologous binding domain for a known cell surface receptor. The approach should allow the engineering of HCV derivatives with altered tropism and perhaps extend infection to non-chimeric small animal models.

Alternative approaches for identifying permissive cell lines. As previously discussed, and as exemplified in the Examples, functional HCV variants can be engineered that comprise selectable markers for HCV replication. For instance, genes encoding dominant selectable markers can be expressed as part of the HCV polyprotein, or as separate cistrons located in permissive regions of the HCV RNA genome.

Animal Models for HCV Infection and Replication

In addition to chimpanzees, the present invention permits development of alternative animal models for studying HCV replication and evaluating novel therapeutics. Using clones of the authentic HCV variants described in this invention as starting material, multiple approaches can be envisioned for establishing alternative animal models for HCV replication. In one manifestation, the variants could be used to inoculate immunodeficient mice harboring

human tissues capable of supporting HCV replication. An example of this art is the SCID:Hu mouse, where mice with a severe combined immunodeficiency are engrafted with various human (or chimpanzee) tissues, which could include, but are not limited to, fetal liver, adult liver, spleen, or peripheral blood mononuclear cells. Besides SCID mice, normal irradiated mice can serve as recipients for engraftment of human or chimpanzee tissues. These chimeric animals would then be substrates for HCV replication after either ex vivo or in vivo infection with defined virus-containing inocula.

5

10

15

20

25

30

35

In another manifestation, adaptive mutations allowing HCV replication in alternative species may produce variants that are permissive for replication in these animals. For instance, adaptation of HCV for replication and spread in either continuous rodent cell lines or primary tissues (such as hepatocytes) could enable the virus to replicate in small rodent models. Alternatively, complex libraries of HCV variants created by DNA shuffling [Stemmer, *Proc. Natl. Acad. Sci. USA* 91:10747 (1994)] or other methods known in the art can be created and used for inoculation of potentially susceptible animals. Such animals could be either immunocompetent or immunodeficient, as described above.

The functional activity of HCV variants can be evaluated transgenically. In this respect, a transgenic mouse model can be used [see, e.g., Wilmut et al., Experientia 47:905 (1991)]. The HCV RNA or DNA clone can be used to prepare transgenic vectors, including viral vectors, plasmid or cosmid clones (or phage clones). Cosmids may be introduced into transgenic mice using published procedures [Jaenisch, Science, 240:1468-1474 (1988)]. In the preparation of transgenic mice, embryonic stem cells are obtained from blastocyst embryos [Joyner, In Gene Targeting: A Practical Approach. The Practical Approach Series, Rickwood, D., and Hames, B. D., Eds., IRL Press: Oxford (1993)] and transfected with HCV variant DNA or RNA. Transfected cells are injected into early embryos, e.g., mouse embryos, as described [Hammer et al., Nature 315:680 (1985); Joyner, supra]. Various techniques for preparation of transgenic animals have been described [U.S. Patent No. 5,530,177, issued June 25, 1996; U.S. Patent No. 5,898,604, issued December 31, 1996]. Of particular interest are transgenic animal models in which the phenotypic or pathogenic effects of a transgene are studied. For example, the effects of a rat phosphoenolpyruvate carboxykinase-bovine growth hormone fusion gene has been studied in pigs [Wieghart et al., J. Reprod. Fert., Suppl. 41:89-96 (1996)]. Transgenic mice that express of a gene encoding a human amyloid precursor protein associated with Alzheimer's disease are used to study this disease and other disorders [International Patent Publication WO 96/06927, published March 7, 1996; Quon et al., Nature 352:239 (1991)]. Transgenic mice have also been created for the hepatitis delta agent [Polo et al., J. Virol. 69:5203 (1995)] and for hepatitis B virus [Chisari,

44

Curr. Top. Microbiol. Immunol. 206:149 (1996)], and replication occurs in these engineered animals.

5

10

15

20

25

30

35

Thus, the functional HCV variants described here, or parts thereof, can be used to create transgenic models relevant to HCV replication and pathogenesis. In one example, transgenic animals harboring the entire genome of an HCV variant can be created.

Appropriate constructs for transgenic expression of the entire HCV variant genome in a transgenic mouse of the invention could include a nuclear promoter engineered to produce transcripts with the appropriate 5' terminus, the full-length HCV variant cDNA sequence, a cis-cleaving delta ribozyme [Ball, J. Virol. 66: 2335-2345 (1992); Pattnaik et al., Cell 69: 1011-1020 (1992)] to produce an authentic 3' terminus, followed possibly by signals that promote proper nuclear processing and transport to the cytoplasm (where HCV RNA replication occurs). Besides the entire HCV variant genome, animals can be engineered to express individual or various combinations of HCV proteins and RNA elements. For example, animals engineered to express an HCV gene product or reporter gene under the control of the HCV IRES can be used to evaluate therapies directed against this specific RNA target. Similar animal models can be envisioned for most known HCV targets.

Such alternative animal models are useful for (i) studying the effects of different antiviral agents on replication of HCV variants, including replicons, in a whole animal system; (ii) examining potential direct cytotoxic effects of HCV gene products on hepatocytes and other cell types, defining the underlying mechanisms involved, and identifying and testing strategies for therapeutic intervention; and (iii) studying immune-mediated mechanisms of cell and tissue damage relevant to HCV pathogenesis and identifying and testing strategies for interfering with these processes.

Selection and Analysis of Drug-Resistant Variants

Cell lines and animal models supporting HCV replication can be used to examine the emergence of HCV variants with resistance to existing and novel therapeutics. Like all RNA viruses, the HCV replicase is presumed to lack proofreading activity and RNA replication is therefore error prone, giving rise to a high level of variation [Bukh et al., (1995) supra]. The variability manifests itself in the infected patient over time and in the considerable diversity observed between different isolates. The emergence of drug-resistant variants is likely to be an important consideration in the design and evaluation of HCV mono and combination therapies. HCV replication systems of the invention can be used to study the emergence of variants under various therapeutic formulations. These might include monotherapy or various combination therapies (e.g., IFN- α , ribavirin, and new antiviral compounds). Resistant

45

mutants can then be used to define the molecular and structural basis of resistance and to evaluate new therapeutic formulations, or in screening assays for effective anti-HCV drugs (infra).

Screening For Anti-HCV Agents

HCV-permissive cell lines or animal models (preferably rodent models) comprising adaptive HCV variants can be used to screen for novel inhibitors or to evaluate candidate anti-HCV therapies. Such therapies include, but would not be limited to, (i) antisense oligonucleotides or ribozymes targeted to conserved HCV RNA targets; (ii) injectable compounds capable of inhibiting HCV replication; and (iii) orally bioavailable compounds capable of inhibiting HCV replication. Targets for such formulations include, but are not restricted to, (i) conserved HCV RNA elements important for RNA replication and RNA packaging; (ii) HCV-encoded enzymes; (iii) protein-protein and protein-RNA interactions important for HCV RNA replication, virus assembly, virus release, viral receptor binding, viral entry, and initiation of viral RNA replication; (iv) virus-host interactions modulating the ability of HCV to establish chronic infections; (v) virus-host interactions modulating the severity of liver damage, including factors affecting apoptosis and hepatotoxicity; (vi) virus-host interactions leading to the development of more severe clinical outcomes including cirrhosis and hepatocellular carcinoma; and (vii) virus-host interactions resulting in other, less frequent, HCV-associated human diseases.

Evaluation of antisense and ribozyme therapies. The present invention extends to the preparation of antisense nucleotides and ribozymes that may be tested for the ability to interfere with HCV replication. This approach utilizes antisense nucleic acid and ribozymes to block translation of a specific mRNA, either by masking that mRNA with an antisense nucleic acid or cleaving it with a ribozyme.

Antisense nucleic acids are DNA or RNA molecules that are complementary to at least a portion of a specific mRNA molecule. Reviews of antisense technology include: Baertschi, Mol. Cell. Endocrinol. 101:R15-R24 (1994); Crooke et al., Annu. Rev. Pharmacol. Toxicol. 36:107-129 (1996); Alama et al., Pharmacol. Res. 36:171-178; and Boyer et al., J. Hepatol. 32(1 Suppl):98-112(2000). The last review discusses antisense technology as it applies to HCV.

In the cell, they hybridize to that mRNA, forming a double stranded DNA:RNA or RNA:RNA molecule. The cell does not translate an mRNA in this double-stranded form. Therefore, antisense nucleic acids interfere with the expression of mRNA into protein.

Oligomers of about fifteen nucleotides and molecules that hybridize to the AUG initiation

. 2

10

15

20

25

30

35

46

codon will be particularly efficient, since they are easy to synthesize and are likely to pose fewer problems than larger molecules when introducing them into organ cells. Antisense methods have been used to inhibit the expression of many genes *in vitro*. Preferably synthetic antisense nucleotides contain phosphoester analogs, such as phosphorothiolates, or thioesters, rather than natural phophoester bonds. Such phosphoester bond analogs are more resistant to degradation, increasing the stability, and therefore the efficacy, of the antisense nucleic acids.

5

10

15

20

25

30

35

In the genetic antisense approach, expression of the wild-type allele is suppressed because of expression of antisense RNA. This technique has been used to inhibit TK synthesis in tissue culture and to produce phenotypes of the *Kruppel* mutation in *Drosophila*, and the *Shiverer* mutation in mice [Izant et al., Cell, 36:1007-1015 (1984); Green et al., Annu. Rev. Biochem., 55:569-597 (1986); Katsuki et al., Science, 241:593-595 (1988)]. An important advantage of this approach is that only a small portion of the gene need be expressed for effective inhibition of expression of the entire cognate mRNA. The antisense transgene will be placed under control of its own promoter or another promoter expressed in the correct cell type, and placed upstream of the SV40 polyA site.

Ribozymes are RNA molecules possessing the ability to specifically cleave other single stranded RNA molecules in a manner somewhat analogous to DNA restriction endonucleases. Ribozymes were discovered from the observation that certain mRNAs have the ability to excise their own introns. By modifying the nucleotide sequence of these RNAs, researchers have been able to engineer molecules that recognize specific nucleotide sequences in an RNA molecule and cleave it. Recent reviews include Shippy et al., *Mol. Biotechnol.* 12:117-129 (1999); Schmidt, *Mol. Cells* 9:459-463 (1999); Phylactou et al., *Meth. Enzymol.* 313:485-506 (2000); Oketani et al., *J. Hepatol.* 31:628-634 (1999); Macejak et al., *Hepatology* 31:769-776 (2000). The last two references disclose the use of ribozymes for inhibiting HCV. Because they are sequence-specific, only mRNAs with particular sequences are inactivated.

Investigators have identified two types of ribozymes, *Tetrahymena*-type and "hammerhead"-type. *Tetrahymena*-type ribozymes recognize four-base sequences, while "hammerhead"-type recognize eleven- to eighteen-base sequences. The longer the recognition sequence, the more likely it is to occur exclusively in the target mRNA species. Therefore, hammerhead-type ribozymes are preferable to *Tetrahymena*-type ribozymes for inactivating a specific mRNA species, and eighteen base recognition sequences are preferable to shorter recognition sequences.

Screening compound libraries for anti-HCV activity. Various natural product or synthetic libraries can be screened for anti-HCV activity in the in vitro or in vivo models

47

comprising HCV variants as provided by the invention. One approach to preparation of a combinatorial library uses primarily chemical methods, of which the Geysen method [Geysen et al., Molecular Immunology 23:709-715 (1986); Geysen et al.J. Immunologic Method 102:259-274 (1987)] and the method of Fodor et al.[Science 251:767-773 (1991)] are examples. Furka et al.[14th International Congress of Biochemistry, Volume 5, Abstract FR:013 (1988); Furka, Int. J. Peptide Protein Res. 37:487-493 (1991)], Houghton [U.S. Patent No. 4,631,211, issued December 1986] and Rutter et al.[U.S. Patent No. 5,010,175, issued April 23, 1991] describe methods to produce a mixture of peptides that can be tested for anti-HCV activity.

In another aspect, synthetic libraries [Needels et al., Proc. Natl. Acad. Sci. USA 90:10700-4 (1993); Ohlmeyer et al., Proc. Natl. Acad. Sci. USA 90:10922-10926 (1993); Lam et al., International Patent Publication No. WO 92/00252; Kocis et al., International Patent Publication No. WO 9428028], and the like can be used to screen for anti-HCV compounds according to the present invention. The references describe adaption of the library screening techniques in biological assays.

Defined/engineered HCV variant virus particles for neutralization assays. The variants described herein can be used to produce defined stocks of HCV particles for infectivity and neutralization assays. Homogeneous stocks can be produced in the chimpanzee model, in cell culture systems, or using various heterologous expression systems (e.g., baculovirus, yeast, mammalian cells; see supra). These stocks can be used in cell culture or in vivo assays to define molecules or gene therapy approaches capable of neutralizing HCV particle production or infectivity. Examples of such molecules include, but are not restricted to, polyclonal antibodies, monoclonal antibodies, artificial antibodies with engineered/optimized specificity, single-chain antibodies (see the section on antibodies, infra), nucleic acids or derivatized nucleic acids selected for specific binding and neutralization, small orally bioavailable compounds, etc. Such neutralizing agents, targeted to conserved viral or cellular targets, can be either genotype or isolate-specific or broadly crossreactive. They could be used either prophylactically or for passive immunotherapy to reduce viral load and perhaps increase the chances of more effective treatment in combination with other antiviral agents (e.g., IFN-a, ribavirin, etc.). Directed manipulation of HCV infectious clones can also be used to produce HCV stocks with defined changes in the glycoprotein hypervariable regions or in other epitopes to study mechanisms of antibody neutralization, CTL recognition, immune escape and immune enhancement. These studies will lead to identification of other virus-specific functions for anti-viral therapy.

30

5

10

15

20

25

48

Dissection of HCV Replication

5

10

15

35

Other HCV replication assays. This invention allows directed molecular genetic dissection of HCV replication. Such analyses are expected to (i) validate antiviral targets which are currently being pursued; and (ii) uncover unexpected new aspects of HCV replication amenable to therapeutic intervention. Targets for immediate validation through mutagenesis studies include the following: the 5' NTR, the HCV polyprotein and cleavage products, and the 3' NTR. As described above, analyses using the HCV variants and permissive cell cultures can be used to compare parental and mutant replication phenotypes after transfection of cell cultures with infectious RNA. Even though RT-PCR allows sensitive detection of viral RNA accumulation, mutations which decrease the efficiency of RNA replication may be difficult to analyze, unless conditional mutations are recovered. As a complement to first cycle analyses, trans-complementation assays can be used to facilitate analysis of HCV mutant phenotypes and inhibitor screening. Chimeric variants comprising portions of heterologous systems (vaccinia, Sindbis, or non-viral) can be used to drive expression of the HCV RNA replicase proteins and/or packaging machinery [see Lemm and Rice, J. Virol. 67: 1905-1915 (1993a); Lemm and Rice, J. Virol. 67: 1916-1926 (1993b); Lemm et al., EMBO J. 13: 2925-2934 (1994); Li et al., J. Virol. 65: 6714-6723 (1991)]. If these elements are capable of functioning in trans, then co-expression of RNAs with appropriate cis-elements should result in RNA replication/packaging. Such systems therefore mimic steps in authentic RNA replication and virion assembly, but uncouple production of 20 viral components from HCV replication. If HCV replication is somehow self-limiting, heterologous systems may drive significantly higher levels of RNA replication or particle production, facilitating analysis of mutant phenotypes and antiviral screening. A third approach is to devise cell-free systems for HCV template-dependent RNA replication. A coupled translation/replication and assembly system has been described for poliovirus in 25 HeLa cells [Barton and Flanegan, J. Virol. 67: 822-831 (1993); Molla et al., Science 254: 1647-1651 (1991)], and a template-dependent in vitro assay for initiation of negative-strand synthesis has been established for Sindbis virus. Similar in vitro systems using HCV variants are invaluable for studying many aspects of HCV replication as well as for inhibitor screening and evaluation. An example of each of these strategies follows. 30

Trans-complementation of HCV RNA replication and/or packaging using viral or non-viral expression systems. Heterologous systems can be used to drive HCV replication. For example, the vaccinia/T7 cytoplasmic expression system has been extremely useful for trans-complementation of RNA virus replicase and packaging functions [see Ball, (1992) supra; Lemm and Rice, (1993a) supra; Lemm and Rice, (1993b) supra; Lemm et al., (1994)

supra; Pattnaik et al., (1992) supra; Pattnaik et al., Virology 206: 760-4 (1995); Porter et al., J. Virol. 69: 1548-1555 (1995)]. In brief, a vaccinia recombinant (vTF7-3) is used to express T7 RNA polymerase (T7RNApol) in the cell type of interest. Target cDNAs, positioned downstream from the T7 promoter, are delivered either as vaccinia recombinants or by plasmid transfection. This system leads to high level RNA and protein expression. A variation of this approach, which obviates the need for vaccinia (which could interfere with HCV RNA replication or virion formation), is the pT7T7 system where the T7 promoter drives expression of T7RNApol [Chen et al., Nucleic Acids Res. 22: 2114-2120. (1994)]. pT7T7 is mixed with T7RNApol (the protein) and co-transfected with the T7-driven target plasmid of interest. Added T7RNApol initiates transcription, leading to it own production and high level expression of the target gene. Using either approach, RNA transcripts of variants with precise 5' and 3' termini can be produced using the T7 transcription start site (5') and the cis-cleaving HCV ribozyme (Rz) (3') [Ball, (1992) supra; Pattnaik et al., (1992) supra].

5

10

15

20

25

30

35

These or similar expression systems can be used to establish assays for HCV RNA replication and particle formation using HCV variants, and for evaluation of compounds which might inhibit these processes. T7-driven protein expression constructs and full-length HCV variants incorporating the HCV ribozyme following the 3' NTR can also be used. A typical experimental plan to validate the assay as described for pT7T7, although essentially similar assays can be envisioned using vTF7-3 or cell lines expressing the T7 RNA polymerase. HCV-permissive cells are co-transfected with pT7T7+T7RNApol+p90/HCVFLlong pU Rz (or a negative control, such as ΔGDD). At different times post-transfection, accumulation of HCV proteins and RNAs, driven by the pT7T7 system, are followed by Western and Northern blotting, respectively. To assay for HCV-specific replicase function, actinomycin D is added to block DNA-dependent T7 transcription [Lemm and Rice, (1993a), supra] and actinomycin D-resistant RNA synthesis is monitored by metabolic labeling. Radioactivity will be incorporated into full-length HCV RNAs for p90/HCVFL long pU/Rz, but not for p90/HCVFL \(\Delta GDD/Rz. \) Using HCV variants of the invention, this assay system, or elaborated derivatives, can be used to screen for inhibitors and to study their effects on HCV RNA replication.

Cell-free systems for assaying HCV replication and inhibitors thereof. Cell-free assays for studying HCV RNA replication and inhibitor screening can also be established using the variants described in this invention. Either virion or transcribed RNAs are used as substrate RNA. For HCV, full-length HCV variant RNAs transcribed *in vitro* can be used to program such *in vitro* systems and replication assayed essentially as described for poliovirus

10

15

20

25

30

35

PCT/US01/16822

[see Barton et al., (1995) supra]. In case hepatocyte-specific or other factors are required for HCV variant RNA replication, the system can be supplemented with hepatocyte or other cell extracts, or alternatively, a comparable system can be established using cell lines which have been shown to be permissive for replication of the HCV variants.

One concern about this approach is that proper cell-free synthesis and processing of the HCV polyprotein must occur. Sufficient quantities of properly processed replicase components may be difficult to produce. To circumvent this problem, the T7 expression system can be used to express high levels of HCV replicase components in appropriate cells [see Lemm et al., (1997) supra]. P15 membrane fractions from these cells (with added buffer, Mg²⁺, an ATP regenerating system, and NTPs) should be able to initiate and synthesize full-length negative-strand RNAs upon addition of HCV-specific template RNAs.

Establishment of either or both of the above assays allows rapid and precise analysis of the effects of HCV mutations, host factors, involved in replication and inhibitors of the various steps in HCV RNA replication. These systems will also establish the requirements for helper systems for preparing replication-deficient HCV vectors.

Vaccination and Protective Immunity

There are still many unknown parameters that impact on development of effective HCV vaccines. It is clear in both man and the chimpanzee that some individuals can clear the infection. Also, 10-20% of those treated with IFN or about twice this percentage treated with IFN and ribavirin show a sustained response as evidenced by lack of circulating HCV RNA. Other studies have shown a lack of protective immunity, as evidenced by successful reinfection with both homologous virus as well as with more distantly related HCV types [Farci et al., (1992) supra; Prince et al., (1992) supra]. Nonetheless, chimpanzees immunized with subunit vaccines consisting of E1E2 oligomers and vaccinia recombinants expressing these proteins are partially protected against low dose challenges [Choo et al., Proc. Natl. Acad. Sci. USA 91:1294 (1994)]. The HCV variant technology described in this invention has utility not only for basic studies aimed at understanding the nature of protective immune responses against HCV, but also for novel vaccine production methods.

Active immunity against HCV can be induced by immunization (vaccination) with an immunogenic amount of an attenuated or inactivated HCV variant virion, or HCV virus particle proteins, preferably with an immunologically effective adjuvant. An "immunologically effective adjuvant" is a material that enhances the immune response.

Selection of an adjuvant depends on the subject to be vaccinated. Preferably, a pharmaceutically acceptable adjuvant is used. For example, a vaccine for a human should

51

avoid oil or hydrocarbon emulsion adjuvants, including complete and incomplete Freund's adjuvant. One example of an adjuvant suitable for use with humans is alum (alumina gel). A vaccine for an animal, however, may contain adjuvants not appropriate for use with humans.

An alternative to a traditional vaccine comprising an antigen and an adjuvant involves the direct *in vivo* introduction of DNA or RNA encoding the antigen into tissues of a subject for expression of the antigen by the cells of the subject's tissue. Such vaccines are termed herein genetic vaccines, DNA vaccines, genetic vaccination, or nucleic acid-based vaccines. Methods of transfection as described above, such as DNA vectors or vector transporters, can be used for DNA vaccines.

DNA vaccines are described, e.g., in International Patent Publication WO 95/20660 and International Patent Publication WO 93/19183, the disclosures of which are hereby incorporated by reference in their entireties. The ability of directly injected DNA that encodes a viral protein or genome to elicit a protective immune response has been demonstrated in numerous experimental systems [Conry et al., Cancer Res., 54:1164-1168 (1994); Cox et al., Virol, 67:5664-5667 (1993); Davis et al., Hum. Mole. Genet., 2:1847-1851 (1993); Sedegah et al., Proc. Natl. Acad. Sci., 91:9866-9870 (1994); Montgomery et al., DNA Cell Bio., 12:777-783 (1993); Ulmer et al., Science, 259:1745-1749 (1993); Wang et al., Proc. Natl. Acad. Sci., 90:4156-4160 (1993); Xiang et al., Virology, 199:132-140 (1994)]. Studies to assess this strategy in neutralization of influenza virus have used both envelope and internal viral proteins to induce the production of antibodies, but in particular have focused on the viral hemagglutinin protein (HA) [Fynan et al., DNA Cell. Biol., 12:785-789 (1993A); Fynan et al., Proc. Natl. Acad. Sci., 90:11478-11482 (1993B); Robinson et al., Vaccine, 11:957, (1993); Webster et al., Vaccine, 12:1495-1498 (1994)].

Vaccination through directly injecting DNA or RNA that encodes a protein to elicit a protective immune response produces both cell-mediated and humoral responses. This is analogous to results obtained with live viruses [Raz et al., Proc. Natl. Acad. Sci., 91:9519-9523 (1994); Ulmer, 1993, supra; Wang, 1993, supra; Xiang, 1994, supra]. Studies with ferrets indicate that DNA vaccines against conserved internal viral proteins of influenza, together with surface glycoproteins, are more effective against antigenic variants of influenza virus than are either inactivated or subvirion vaccines [Donnelly et al., Nat.Medicine, 6:583-587 (1995)]. Indeed, reproducible immune responses to DNA encoding nucleoprotein have been reported in mice that last essentially for the lifetime of the animal [Yankauckas et al., DNA Cell Biol., 12: 771-776 (1993)].

A vaccine of the invention can be administered via any parenteral route, including but not limited to intramuscular, intraperitoneal, intravenous, intraarterial (e.g., Ripatic artery)

5

10

15

20

25

30

35

and the like. Preferably, since the desired result of vaccination is to elucidate an immune response to HCV, administration directly, or by targeting or choice of a viral vector, indirectly, to lymphoid tissues, e.g., lymph nodes or spleen. Since immune cells are continually replicating, they are ideal target for retroviral vector-based nucleic acid vaccines, since retroviruses require replicating cells.

Passive immunity can be conferred to an animal subject suspected of suffering an infection with HCV by administering antiserum, neutralizing polyclonal antibodies, or a neutralizing monoclonal antibody against HCV to the patient. Although passive immunity does not confer long-term protection, it can be a valuable tool for the treatment of an acute infection of a subject who has not been vaccinated. Preferably, the antibodies administered for passive immune therapy are autologous antibodies. For example, if the subject is a human, preferably the antibodies are of human origin or have been "humanized," in order to minimize the possibility of an immune response against the antibodies. In addition, genes encoding neutralizing antibodies can be introduced in vectors for expression *in vivo*, *e.g.*, in hepatocytes.

Antibodies for passive immune therapy. Preferably, HCV variant virions or virus particle proteins prepared as described above are used as an immunogen to generate antibodies that recognize HCV. The variants utilized should have wild-type coat Such antibodies include but are not limited to polyclonal, monoclonal, chimeric, single chain, Fab fragments, and an Fab expression library. Various procedures known in the art may be used for the production of polyclonal antibodies to HCV. For the production of antibody, various host animals can be immunized by injection with the HCV virions or polypeptide, e.g., as describe infra, including but not limited to rabbits, mice, rats, sheep, goats, etc. Various adjuvants may be used to increase the immunological response, depending on the host species, including but not limited to Freund's (complete and incomplete), mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, keyhole limpet hemocyanins, dinitrophenol, and potentially useful human adjuvants such as BCG (bacille Calmette-Guerin) and Corynebacterium parvum.

For preparation of monoclonal antibodies directed toward HCV as described above, any technique that provides for the production of antibody molecules by continuous cell lines in culture may be used. These include but are not limited to the hybridoma technique originally developed by Kohler and Milstein [Nature 256:495-497 (1975)], as well as the trioma technique, the human B-cell hybridoma technique [Kozbor et al., Immunology Today 4:72 1983); Cote et al., Proc. Natl. Acad. Sci. U.S.A. 80:2026-2030 (1983)], and the EBV-

10

15

20

25

30

35

hybridoma technique to produce human monoclonal antibodies [Cole et al., in Monoclonal Antibodies and Cancer Therapy, Alan R. Liss, Inc., pp. 77-96 (1985)]. In an additional embodiment of the invention, monoclonal antibodies can be produced in germ-free animals [International Patent Publication No. WO 89/12690, published 28 December 1989]. In fact, according to the invention, techniques developed for the production of "chimeric antibodies" [Morrison et al., J. Bacteriol. 159:870 (1984); Neuberger et al., Nature 312:604-608 (1984); Takeda et al., Nature 314:452-454 (1985)] by splicing the genes from a mouse antibody molecule specific for HCV together with genes from a human antibody molecule of appropriate biological activity can be used; such antibodies are within the scope of this invention. Such human or humanized chimeric antibodies are preferred for use in therapy of human diseases or disorders (described infra), since the human or humanized antibodies are much less likely than xenogenic antibodies to induce an immune response, in particular an allergic response, themselves.

According to the invention, techniques described for the production of single chain antibodies [U.S. Patent Nos. 5,476,786 and 5,132,405 to Huston; U.S. Patent 4,946,778] can be adapted to produce HCV-specific single chain antibodies. An additional embodiment of the invention utilizes the techniques described for the construction of Fab expression libraries [Huse et al., Science 246:1275-1281 (1989)] to allow rapid and easy identification of monoclonal Fab fragments with the desired specificity.

Antibody fragments containing the idiotype of the antibody molecule can be generated by known techniques. For example, such fragments include but are not limited to: the F(ab')₂ fragment which can be produced by pepsin digestion of the antibody molecule; the Fab' fragments which can be generated by reducing the disulfide bridges of the F(ab')₂ fragment, and the Fab fragments which can be generated by treating the antibody molecule with papain and a reducing agent.

HCV particles for subunit vaccination. The functional HCV variants of the present invention can be used to produce HCV-like particles for vaccination. Proper glycosylation, folding, and assembly of HCV particles may be important for producing appropriately antigenic and protective subunit vaccines. Several methods can be used for particle production. They include engineering of stable cell lines for inducible or constitutive expression of HCV-like particles (using bacterial, yeast or mammalian cells), or the use of higher level eukaryotic heterologous expression systems such as recombinant baculoviruses, vaccinia viruses [Moss, Proc. Natl. Acad. Sci. U.S.A. 93: 11341-11348 (1996)], or alphaviruses [Frolov et al., (1996) supra]. HCV particles for immunization may be purified from either the media or disrupted cells, depending upon their localization. Such purified

10

15

20

25

30

HCV particles or mixtures of particles representing a spectrum of HCV genotypes, can be injected with our without various adjuvants to enhance immunogenicity.

Infectious non-replicating HCV particles. In another manifestation, particles of HCV variants capable of receptor binding, entry, and translation of genome RNA can be produced. Heterologous expression approaches for production of such particles include, but are not restricted to, E. coli, yeast, or mammalian cell lines, appropriate host cells infected or harboring recombinant baculoviruses, recombinant vaccinia viruses, recombinant alphaviruses or RNA replicons, or recombinant adenoviruses, engineered to express appropriate HCV RNAs and proteins. In one example, two recombinant baculoviruses are engineered. One baculovirus expresses the HCV structural proteins (e.g. C-E1-E2-p7) required for assembly of HCV particles. A second recombinant expresses the entire HCV genome RNA, with precise 5' and 3' ends, except that a deletion, such as ΔGDD or GDD→AAG (see example 1), is included to inactivate the HCV NS5B RDRP. Other mutations abolishing productive HCV replication could also be utilized instead or in combination. Cotransfection of appropriate host cells (Sf9, Sf21, etc.) with both recombinants will produce high levels of HCV structural proteins and genome RNA for packaging into HCV-like particles. Such particles can be produced at high levels, purified, and used for vaccination. Once introduced into the vaccinee, such particles will exhibit normal receptor binding and infection of HCV-susceptible cells. Entry will occur and the genome RNA will be translated to produce all of the normal HCV antigens, except that further replication of the genome will be completely blocked given the inactivated NS5B polymerase. Such particles are expected to elicit effective CTL responses against structural and nonstructural HCV protein antigens. This vaccination strategy alone or preferably in conjunction with the subunit strategy described above can be used to elicit high levels of both neutralizing antibodies and CTL responses to help clear the virus. A variety of different HCV genome RNA sequences can be utilized to ensure broadly cross-reactive and protective immune responses. In addition, modification of the HCV particles, either through genetic engineering, or by derivatization in vitro, could be used to target infection to cells most effective at eliciting protective and long lasting immune responses.

Live-attenuated HCV derivatives. The ability to manipulate the HCV genome RNA sequence and thereby produce mutants with altered pathogenicity provides a means of constructing live-attenuated HCV variants appropriate for vaccination. Such vaccine candidates express protective antigens but would be impaired in their ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.

Additionally, viruses propagated in cell culture frequently acquire mutations in their RNA genomes that display attenuated phenotypes in vivo, while still retaining their immunogenicity. Attenuated virus strains would be impaired in their ability to cause disease and establish chronic infections. Production of HCV variants adapted for tissue culture may represent potential candidates for live-attenuated vaccines. An attractive possibility is the production of HCV derivatives containing the deletion in NS5A described in this application as clone I (see Example 1). Such a variant is less likely to revert to wild type in the host.

5

HCV Variant-based Gene Expression Vectors

Some of the same properties of HCV leading to chronic liver infection of humans may also be 10 of great utility for designing vectors for gene expression in cell culture systems, genetic vaccination, and gene therapy. The HCV variants described herein can be engineered to produce chimeric RNAs designed for the expression of heterologous gene products (RNAs and proteins). Strategies have been described above and elsewhere [Bredenbeek and Rice, (1992) supra; Frolov et al., (1996) supra] and include, but are not limited to (i) in-frame 15 fusion of the heterologous coding sequences with the HCV polyprotein; (ii) creation of additional cistrons in the HCV genome RNA; and (iii) inclusion of IRES elements to create multicistronic self-replicating HCV vector RNAs capable of expressing one or more heterologous genes (Figure 2). Functional HCV RNA backbones utilized for such vectors include, but are not limited to, (i) live-attenuated derivatives capable of replication and 20 spread; (ii) RNA replication competent "dead end" derivatives lacking one or more viral components (e.g. the structural proteins) required for viral spread; (iii) mutant derivatives capable of high and low levels of HCV-specific RNA synthesis and accumulation; (iv) mutant derivatives adapted for replication in different human cell types; (v) engineered or selected mutant derivatives capable of prolonged noncytopathic replication in human cells. Vectors 25 competent for RNA replication but not packaging or spread can be introduced either as naked RNA, DNA, or packaged into virus-like particles. Such virus-like particles can be produced as described above and composed of either unmodified or altered HCV virion components designed for targeted transfection of the hepatocytes or other human cell types. Alternatively, HCV RNA vectors can be encapsidated and delivered using heterologous viral packaging 30 machineries or encapsulated into liposomes modified for efficient gene delivery. These packaging strategies, and modifications thereof, can be utilized to efficiently target HCV vector RNAs to specific cell types. Using methods detailed above, similar HCV-derived vector systems, competent for replication and expression in other species, can also be derived.

56

Various methods, e.g., as set forth supra in connection with transfection of cells and DNA vaccines, can be used to introduce an HCV vector of the invention. Of primary interest is direct injection of functional HCV RNA or virions, e.g., in the liver. Targeted gene delivery is described in International Patent Publication WO 95/28494, published October 1995. Alternatively, the vector can be introduced in vivo by lipofection. For the past decade, 5 there has been increasing use of liposomes for encapsulation and transfection of nucleic acids in vitro. Synthetic cationic lipids designed to limit the difficulties and dangers encountered with liposome mediated transfection can be used to prepare liposomes for in vivo transfection of a gene encoding a marker [Felgner, et. al., Proc. Natl. Acad. Sci. U.S.A. 84:7413-7417 (1987); see Mackey, et al., Proc. Natl. Acad. Sci. U.S.A. 85:8027-8031 (1988); Ulmer et al., 10 Science 259:1745-1748 (1993)]. The use of cationic lipids may promote encapsulation of negatively charged nucleic acids, and also promote fusion with negatively charged cell membranes [Felgner and Ringold, Science 337:387-388 (1989)]. The use of lipofection to introduce exogenous genes into the specific organs in vivo has certain practical advantages. Molecular targeting of liposomes to specific cells represents one area of benefit. It is clear 15 that directing transfection to particular cell types would be particularly advantageous in a tissue with cellular heterogeneity, such as pancreas, liver, kidney, and the brain. Lipids may be chemically coupled to other molecules for the purpose of targeting [see Mackey, et. al., supra]. Targeted peptides, e.g., hormones or neurotransmitters, and proteins such as antibodies, or non-peptide molecules could be coupled to liposomes chemically. Receptor-20 mediated DNA delivery approaches can also be used [Curiel et al., Hum. Gene Ther. 3:147-154 (1992); Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)].

Examples of applications for gene therapy include, but are not limited to, (i) expression of enzymes or other molecules to correct inherited or acquired metabolic defects; (ii) expression of molecules to promote wound healing; (iii) expression of immunomodulatory molecules to promote immune-mediated regression or elimination of human cancers; (iv) targeted expression of toxic molecules or enzymes capable of activating cytotoxic drugs in tumors; (v) targeted expression of anti-viral or anti-microbial agents in pathogen-infected cells. Various therapeutic heterologous genes can be inserted in a gene therapy vector of the invention, such as but not limited to adenosine deaminase (ADA) to treat severe combined immunodeficiency (SCID); marker genes or lymphokine genes into tumor infiltrating (TIL) T cells [Kasis et al., Proc. Natl. Acad. Sci. U.S.A. 87:473 (1990); Culver et al., ibid. 88:3155 (1991)]; genes for clotting factors such as Factor VIII and Factor IX for treating hemophilia [Dwarki et al. Proc. Natl. Acad. Sci. USA, 92:1023-1027 (19950); Thompson, Thromb. and Haemostatis, 66:119-122 (1991)]; and various other well known therapeutic genes such as,

25

30

35

57

but not limited to, β -globin, dystrophin, insulin, erythropoietin, growth hormone, glucocerebrosidase, β -glucuronidase, α -antitrypsin, phenylalanine hydroxylase, tyrosine hydroxylase, ornithine transcarbamylase, apolipoproteins, and the like. In general, see U.S. Patent No. 5,399,346 to Anderson *et al*.

Examples of applications for genetic vaccination (for protection from pathogens other than HCV) include, but are not limited to, expression of protective antigens from bacterial (e.g., uropathogenic E. coli, Streptoccoci, Staphlococci, Nisseria), parasitic (e.g., Plasmodium, Leishmania, Toxoplama), fungal (e.g., Candida, Histoplasma), and viral (e.g., HIV, HSV, CMV, influenza) human pathogens. Immunogenicity of protective antigens expressed using HCV-derived RNA expression vectors can be enhanced using adjuvants, including co-expression of immunomodulatory molecules, such as cytokines (e.g., IL-2, GM-CSF) to facilitate development of desired Th1 versus Th2 responses. Such adjuvants can be either incorporated and co-expressed by HCV vectors themselves or administered in combination with these vectors using other methods.

15

20

25

5

10

Diagnostic Methods for Infectious HCV

Diagnostic cell lines. The invention described herein can also be used to derive cell lines for sensitive diagnosis of infectious HCV in patient samples. In concept, functional HCV components are used to test and create susceptible cell lines (as identified above) in which easily assayed reporter systems are selectively activated upon HCV infection. Examples include, but are not restricted to, (i) defective HCV RNAs lacking replicase components that are incorporated as transgenes and whose replication is upregulated or induced upon HCV infection; and (ii) sensitive heterologous amplifiable reporter systems activated by HCV infection. In the first manifestation, RNA signals required for HCV RNA amplification flank a convenient or a selectable marker (see above). Expression of such chimeric RNAs is driven by an appropriate nuclear promoter and elements required for proper nuclear processing and transport to the cytoplasm. Upon infection of the engineered cell line with HCV, cytoplasmic replication and amplification of the transgene is induced, triggering higher levels of reporter expression, as an indicator of productive HCV infection.

30

35

In the second example, cell lines are designed for more tightly regulated but highly inducible reporter gene amplification and expression upon HCV infection. Although this amplified system is described in the context of specific components, other equivalent components can be used. In one such system, an engineered alphavirus replicon transgene is created which lacks the alphavirus nsP4 polymerase, an enzyme absolutely required for alphavirus RNA amplification and normally produced by cleavage from the nonstructural

10

15

20

25

30

polyprotein. Additional features of this defective alphavirus replicon include a subgenomic RNA promoter, driving expression of a luciferase or GFP reporter gene. This promoter element is quiescent in the absence of productive cytoplasmic alphavirus replication. The cell line contains a second transgene for expression of gene fusion consisting of the HCV NS4A protein and the alphavirus nsP4 RDRP. This fused gene is expressed and targeted to the cytoplasmic membrane compartment, but this form of nsP4 would be inactive as a functional component of the alphavirus replication complex because a discrete nsP4 protein, with a precise N terminus is required for nsP4 activity [Lemm et al., EMBO J. 13:2925 (1994)]. An optional third transgene expresses a defective alphavirus RNA with cis signals for replication, transcription of subgenomic RNA encoding a ubiquitin-nsP4 fusion, and an alphavirus packaging signal. Upon infection of such a cell line by HCV, the HCV NS3 proteinase is produced, mediating trans cleavage of the NS4A-nsP4 fusion protein, activating the nsP4 polymerase. This active polymerase, which functions in trans and is effective in minute amounts, then forms a functional alphavirus replication complex leading to amplification of the defective alphavirus replicon as well as the defective alphavirus RNA encoding ubiquitinnsP4. Ubiquitin-nsP4, expressed from its subgenomic RNA, is cleaved efficiently by cellular ubiquitin carboxyterminal hydrolase to product additional nsP4, in case this enzyme is limiting. Once activated, this system would produce extremely high levels of the reporter protein. The time scale of such an HCV infectivity assay is expected to be from hours (for sufficient reporter gene expression).

Antibody diagnostics. In addition to the cell lines described here, HCV variant virus particles (virions) or components thereof, produced by the transfected or infected cell lines, or isolated from an inflected animal, may be used as antigens to detect anti-HCV antibodies in patient blood or blood products. Because the HCV variant virus particles are derived from an authentic HCV genome, particular components such as the coat proteins are likely to have immunogenic properties that more closely resemble or are identical to natural HCV virus than if those components were produced outside of a replicating HCV. Examples of such immunogenic properties include the display of wild-type HCV immunogenic epitopes, and modulation of transcription of genes encoding cellular immune-modulating cytokines. These reagents can be used to establish that a patient is infected with HCV by detecting seroconversion, i.e., generation of a population of HCV-specific antibodies.

Alternatively, antibodies generated to the HCV variant products prepared as described herein can be used to detect the presence of HCV in biological samples from a subject.

59

Preferred embodiments of the invention are described in the following example. Other embodiments within the scope of the claims herein will be apparent to one skilled in the art from consideration of the specification or practice of the invention as disclosed herein. It is intended that the specification, together with the examples, be considered exemplary only, with the scope and spirit of the invention being indicated by the claims which follow the examples.

Example 1

This example describes the production and evaluation of replicons comprising a *neo*selectable marker and a polyprotein coding region encoding subtype 1b nonstructural proteins.

Materials and Methods

5

15

20

25

30

35

Cell lines. The Huh7 cell lines were generously provided by Robert Lanford (Southwest Foundation for Biomedical Research, San Antonio, U.S.A.) and Ralf Bartenschlager (Johannes Gutenberg University Mainz, Mainz, Germany) and maintained in Dulbecco's modified minimal essential media (DMEM; Gibco-BRL) supplemented with 10% fetal calf serum (FCS), and nonessential amino acids.

Assembly of a selectable subtype 1b replicon. An HCV subtype 1b replicon was constructed which is similar to the replicon described in Lohmann et al., Science 285:110-113 (1999). For that construction, a step-wise PCR-based assay utilizing KlenTaqLA DNA polymerase (Wayne Barnes, Washington University) was developed. cDNAs spanning 600-750 bases in length were assembled from 10-12 gel-purified oligonucleotides (60-80 nucleotides in length) with unique complementary overlaps of 16 nucleotides. Four or six oligonucleotides representing the 5' portion of the region to be assembled were annealed and extended in a standard PCR. The remaining six oligonucleotides for the synthesis of the 3' half of the intended cDNA were mixed in a parallel PCR reaction. After 12 cycles of PCR, the extended double-stranded DNA products were combined and subjected to an additional 12 cycles. The product of this reaction resolved as a smear on agarose gels which was excised and the DNA isolated from the agarose. One-fifth of the purified double-stranded DNA product was amplified by PCR using an outer primer pair containing unique restriction enzyme sites to facilitate directional cloning into the pGEM3Zf(+) plasmid vector (Promega). PCR products were purified, digested with appropriate restriction enzymes, and ligated into similarly cleaved pGEM3Zf(+). Multiple recombinant clones were sequenced and the correct clones identified. The overlapping cDNA fragments were assembled into the contiguous replicon sequence. In parallel, a replicon carrying the lethal mutation in the NSSB active site (Gly-Asp-Asp [GDD] to Ala-Ala-Gly [AGG]; pol-) was constructed.

15

20

25

30

35

RNA transcription and transfection. RNA transcripts were synthesized in a 100µl reaction mixture containing 40mM Tris-HCl (pH 7.9), 10mM NaCl, 12mM MgCl₂, 2mM spermidine, 3mM each ATP, CTP, GTP and UTP, 10mM dithiothreitol, 100 U RNasin (Promega) and 100 U T7 RNA polymerase (Epicentre), and 2µg Sca I-linearized DNA. The DNA template was rigorously removed by serial digestions with 30 U DNase I (Boehringer). Ten µg of the DNase-digested RNA transcripts were electroporated into 6x 10⁶ Huh7 cells using a model T820 squareporator (BTX), and plated on 150mm dishes. For selection of replicon-containing cells, medium was changed to complete medium containing geneticin (G418; 1mg/ml; Gibco-BRL) at 24 hr post-transfection and thereafter the media was changed every 3-4 days.

RNA analysis. Approximately 5x 10⁵ cells were preincubated for 1 h in DMEM lacking phosphate supplemented with 5% dialyzed FCS, 1/20th the normal concentration of phosphate and actinomycin D (4µg/ml; Sigma). [³²P]orthophosphate (200µCi/ml; ICN) was added and the incubation continued for an additional 12 h. Total cellular RNA was extracted with TRIZOL, precipitated, and resuspended in H₂0 (Gibco-BRL). Radiolabeled RNA was analyzed by denaturing agarose gel electrophoresis and visualized by autoradiography.

Protein analysis. For immunoprecipitation, cell monolayers were incubated for either 4, 8 or 12 h in methionine- and cysteine-deficient MEM containing 1/40th the normal concentration of methionine, 5% dialyzed FCS and Express ³⁵S³⁵S protein labeling mix (100μCi/ml; NEN). Cells were lysed in 100mM NaPO4 pH 7.0 containing 1% sodium dodecyl sulfate (SDS) and protease inhibitors, and cellular DNA sheared by repeated passage through a 27.5 gauge needle. Viral proteins were immunoprecipitated essentially as described previously (Grakoui *etal*, 1993), using patient serum, JHF, recognizing NS3, NS4B and NS5A or rabbit anti-NS5B and Pansorbin cells (Calbiochem). Immunoprecipitates were separated on 10% SDS-PAGE and visualized by autoradiography.

Immunostaining. Cells cultured in 8 well chamber slides (Falcon) were fixed in acetone for 10min at 4°C and allowed to air dry. Rehydrated monolayers were incubated at 37°C with an antibody directed against NS3, followed by incubation with a species-specific fluorescein-conjugated secondary antibody (Pierce), and mounted in 90% glycerol saline containing 50mM Tris-HCl (pH 8.8).

Reverse transcription (RT)-PCR. RNA was isolated from cells using TRIZOL (Gibco-BRL), precipitated and resuspended in H₂0. Levels of HCV RNA were quantitated using competitive RT-PCR assays designed to amplify the 5' and 3' NTR sequences of HCV (Kolykhalov *et al*, 1996). For RT-PCR designed to amplify long cDNA fragments, about 1000 molecules of HCV RNA was mixed with the HCV-specific primer, and the primer extended at 43.5°C for 1 h using Superscript II reverse transcriptase (Gibco-BRL). cDNAs were then amplified with KlenTaqLA DNA polymerase using 35 cycles of 95°C for 30 s, 55-

60°C for 30 s, and 68°C for 4 min. PCR products were recovered from preparative low melting-point agarose electrophoresis by phenol extraction, and ~40ng of purified PCR product directly sequenced.

5 Results

10

15

20

25

30

35

Establishment of G418-resistant colonies. Replicons similar to that described in Lohmann et al, supra, but derived from the H77 infectious clone, failed to confer resistance to G418 in five different hepatoma cell lines. Sequences of subtype 1b were also used to assemble the replicon I377/NS3-3' (EMBL accession number AJ242652). Replicon RNAs were composed of the HCV internal ribosome entry site (IRES) driving neomycin phosphotransferase gene (Neo) expression and the IRES from encephalomyocarditis virus (EMCV), directing translation of HCV proteins NS3 to NS5B, followed by the 3' NTR) (Figure 3). Two derivatives were constructed which either lacked 2 U nucleotides in the poly (U/UC) tract or carried an AvaII restriction enzyme site in the variable region of the 3' NTR, designated HCVrep1bBartMan/Δ2U's and HCVrep1bBartMan/AvaII, respectively. Prior to transfection, translation and correct polyprotein processing was confirmed for each cDNA sequence using the vaccinia-T7 RNA polymerase expression system (data not shown).

DNase-treated replicon RNAs were electroporated into Huh7 cells and after 2-3 weeks in culture G418-resistant colonies were clearly visible. Both replicon derivatives were able to confer G418 resistance, and on average, only 1 in 10⁶ cells became G418 resistant. In contrast, colonies were never observed for Huh7 cells electroporated in parallel with the replicon RNAs containing an inactive NS5B polymerase.

Verification of autonomous replication. Twenty two independent colonies were isolated, 5 colonies corresponded to Huh7 cells transfected with RNA transcribed from HCVrep1bBartMan/\(\Delta\text{DU}\)'s and the remaining 17 colonies were derived from HCVrep1bBartMan/\(\Delta\text{DVIII}\) RNA. A number of assays were performed to verify that G418 resistance was mediated by autonomously replicating HCV. Amplification of sequences within the 5' and 3' NTRs in a quantitative RT-PCR assay revealed copy numbers ranging from 50 to 5000 HCV RNA molecules per cell (Figure 4). \(^{32}\text{P}\)-labeled, actinomycin D-resistant RNA of the expected size was observed in the four independent G418-resistant cell clones analyzed (Figure 5A). The HCV proteins, NS3, NS4B, NS5A and NS5B, were immunoprecipitated from radiolabeled cell lysates (Figure 5B). In addition, immunostaining of cell monolayers revealed a punctate staining pattern for NS3 within the cytoplasm (Figure 6), similar to HCV protein localization observed in liver sections from HCV-infected patients (Blight and Gowans, 1996). In G418-resistant cell clones the fluorescent signal tended to vary between cells, probably reflecting the different levels of replication per cell.

10

15

20

25

30

Identification of mutations in HCV replicons. The low frequency of G418resistant colonies may be attributed to either a cell factor(s) requirement for replication or adaptive changes within the replicon sequence necessary for the establishment of HCV replication. To address the latter possibility, the entire replicon sequence was amplified from cDNA reverse transcribed from RNA isolated from five independent G418-resistant cell clones. Upon direct sequencing of the purified PCR population, multiple mutations were identified. The striking observation was that each cell clone carried a single nucleotide change within NS5A resulting in a coding change (Figure 7). In one instance, a deletion of 47 amino acids (I; Figure 7), encompassing the interferon sensitivity determining region (ISDR), was found. Sequence analysis of NS5A from another 8 G418-resistant cell clones revealed similar point mutations, although 2 clones, which have low levels of HCV replication and slow growth rates (e.g., clone E in Figure 4), were found to contain wild type NS5A. In addition to the identified NS5A mutations, nucleotide substitutions were also noted in NS3 and NS4B; Clone II (SEQ ID NO:9) contains substitutions at nt 3550 (NS3) and nt 4573 (NS4B) (Lys (584) to Glu, and Ser(925) to Gly of SEQ ID NO:3, embodied in SEQ ID NO:17), whereas nt 2060 (NS3) was mutated in Clone VI (Figure 7, corresponding to Gln (87) to Arg of SEQ ID NO:3, embodied in SEQ ID NO:15).

Reconstruction of mutant replicons. To determine if the nucleotide changes and the deletion identified in NS5A were adaptive, each mutation, except mutation II, was independently engineered back into the HCVrep1bBartMan/AvaII backbone. RNA transcribed from each reconstructed replicon was electroporated into naive Huh7 cells, and the number of G418-resistant colonies compared to that obtained for the HCVrep1bBartMan/AvaII replicon containing wild type NS5A. The 47 amino acid deletion, as well as the point mutations, were capable of increasing the frequency of G418-resistant colonies to at least 1% of the initial electroporated cell population (Figure 8), indicating these mutations targeting NS5A are adaptive allowing efficient HCV replication in Huh7 cells. In addition, G418-resistant colonies were observed after transfection of HeLa cells, a human epithelial cell line, with replicon RNA of clone I. Therefore, at least one of the mutations that was adaptive in Huh7 cells also allows the establishment of HCV replication in a non-hepatic cell line.

Example 2

This example describes the production of cell lines permissive for HCV replication; a replicon comprising the NS2 coding region; and full-length HCV cDNA clones comprising the Ser to Ile substitution at position 1179 of SEQ ID NO: 3.

Generation of cell lines. As shown in the previous example, G418-resistant cell clones harboring persistently replicating HCV RNAs were isolated. Two of these G418-resistant cell

clones were treated extensively with the antiviral, interferon- α , to obtain 2 cell lines void of HCV RNA. These are referred to as interferon-treated cell lines I and II.

HCVrep1bBartMan/AvaII, HCV adaptive replicon I or HCV adaptive replicon VII were transfected into the interferon-treated cell lines, I and II. This resulted in a greater G418 transduction efficiency than that observed for the parental Huh-7 cells (see Table 1). Early post-transfection HCV RNA amplification was greatest for the IFN-treated cell line. These results indicate that the cell lines, interferon-treated cell lines I and II, are more permissive for HCV replication than is the parental Huh-7 cell line.

5

10

15

20

25

30

35

Such cell lines are not only valuable for genetic study of HCV, but also for examining the cellular environments more permissive for HCV replication. For example, microarray technology will allow us to look globally at differences in gene expression profiles between the different cell lines.

Construction of replicons. A replicon was constructed wherein the 5'NTR of HCV was fused to the IRES of EMCV upstream of NS3, thus creating a replicon lacking the neomycin phosphotransferase gene. This replicon, 5'NTR-EMCV/HCVrepVII (SEQ ID NO:25), replicates to high levels in Huh7 cells, as shown in Figure 10. Another replicon, HCVrep/NS2-5B (SEQ ID NO:22) was made wherein the non-structural protein, NS2, is upstream of NS3. As shown in Figure 10, this replicon is also replication-competent in Huh7 cells. This latter replicon can be used advantageously, for example, in testing compounds for inhibiting HCV replication. The addition of the NS2 coding region provides an additional target for such antiviral compounds, as well as providing an additional protein for genetic study.

Full-length HCV RNAs. Two full-length HCV cDNA clones were assembled. The first, HCV FL (SEQ ID NO:24), contains the mutation that encodes a Ser to Ile substitution in NS5A, as shown at position 1179 of SEQ ID NO:3 (see Figure 9). The second, HCV FL-Neo (SEQ ID NO:23), also encodes the Ser to Ile mutation, and in addition, comprises the neomycin phosphotransferase gene immediately 3' of the 5' NTR and the EMCV IRES immediately 5' to the HCV open reading frame (see Figure 9). Both of these full-length clones replicate in the interferon-treated cell line I, as shown in Figure 10. This result indicates that HCV replication is not dependent on the EMCV IRES driving the non-structural proteins of HCV, because the non-structural proteins of the HCV FL clone are driven by the HCV IRES in the full-length clone HCV FL.

In addition, a G418 resistant cell line comprising the HCV FL-Neo clone has been generated from the interferon-treated cell line I described above. This cell line supports high levels of persistently replicating HCV FL-Neo RNA.

10

All references cited in this specification are hereby incorporated by reference. The discussion of the references herein is intended merely to summarize the assertions made by the authors and no admission is made that any reference constitutes prior art. Applicants reserve the right to challenge the accuracy and pertinence of the cited references.

In view of the above, it will be seen that the several advantages of the invention are achieved and other advantages attained.

As various changes could be made in the above methods and compositions without departing from the scope of the invention, it is intended that all matter contained in the above description and shown in the accompanying drawings and appendix shall be interpreted as illustrative and not in a limiting sense.

10

65

Appendix

SEQ ID NOs

SEQ ID NO:1: 5' portion of an HCV 5' NTR

GGCGACACTC CACCATAGAT C

SEQ ID NO:2: 3' portion of a 3' NTR from a wild-type HCV subtype 1a

TGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGC ATGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCTGATCATGT

15 SEQ ID NO:3: Amino acid sequence of the polyprotein region of HCVrep1bBartMan

MAPITAYSQQTRGLLGCIITSLTGRDRNQVEGEVQVVSTATQSFLATCVNGVCWTVY
HGAGSKTLAGPKGPITQMYTNVDQDLVGWQAPPGARSLTPCTCGSSDLYLVTRHAD
VIPVRRGDSRGSLLSPRPVSYLKGSSGGPLLCPSGHAVGIFRAAVCTRGVAKAVDFV
PVESMETTMRSPVFTDNSSPPAVPQTFQVAHLHAPTGSGKSTKVPAAYAAQGYKVL
VLNPSVAATLGFGAYMSKAHGIDPNIRTGVRTITTGAPITYSTYGKFLADGGCSGGAY
DIIICDECHSTDSTTILGIGTVLDQAETAGARLVVLATATPPGSVTVPHPNIEEVALSST
GEIPFYGKAIPIETIKGGRHLIFCHSKKKCDELAAKLSGLGLNAVAYYRGLDVSVIPTS
GDVIVVATDALMTGFTGDFDSVIDCNTCVTQTVDFSLDPTFTIETTTVPQDAVSRSQR
RGRTGRGRMGIYRFVTPGERPSGMFDSSVLCECYDAGCAWYELTPAETSVRLRAYL
NTPGLPVCQDHLEFWESVFTGLTHIDAHFLSQTKQAGDNFPYLVAYQATVCARAOA

TSTWVLVGGVLAALAAYCLTTGSVVIVGRIILSGKPAIIPDREVLYREFDEMEECASH
LPYIEQGMQLAEQFKQKAIGLLQTATKQAEAAAPVVESKWRTLEAFWAKHMWNFIS
GIQYLAGLSTLPGNPAIASLMAFTASITSPLTTQHTLLFNILGGWVAAQLAPPSAASAF
VGAGIAGAAVGSIGLGKVLVDILAGYGAGVAGALVAFKVMSGEMPSTEDLVNLLPA
ILSPGALVVGVVCAAILRRHVGPGEGAVQWMNRLIAFASRGNHVSPTHYVPESDAA
ARVTQILSSLTITQLLKRLHQWINEDCSTPCSGSWLRDVWDWICTVLTDFKTWLQSK
LLPRLPGVPFFSCQRGYKGVWRGDGIMQTTCPCGAQITGHVKNGSMRIVGPRTCSNT

PPPSWDQMWKCLIRLKPTLHGPTPLLYRLGAVQNEVTTTHPITKYIMACMSADLEVV

35 WHGTFPINAYTTGPCTPSPAPNYSRALWRVAAEEYVEVTRVGDFHYVTGMTTDNVK CPCQVPAPEFFTEVDGVRLHRYAPACKPLLREEVTFLVGLNQYLVGSQLPCEPEPDV AVLTSMLTDPSHITAETAKRRLARGSPPSLASSSASQLSAPSLKATCTTRHDSPDADLI EANLLWRQEMGGNITRVESENKVVILDSFEPLQAEEDEREVSVPAEILRRSRKFPRAM PIWARPDYNPPLLESWKDPDYVPPVVHGCPLPPAKAPPIPPPRRKRTVVLSESTVSSAL AELATKTFGSSESSAVDSGTATASPDQPSDDGDAGSDVESYSSMPPLEGEPGDPDLSD GSWSTVSEEASEDVVCCSMSYTWTGALITPCAAEETKLPINALSNSLLRHHNLVYAT

AELATKTFGSSESSAVDSGTATASPDQPSDDGDAGSDVESYSSMPPLEGEPGDPDLSD
GSWSTVSEEASEDVVCCSMSYTWTGALITPCAAEETKLPINALSNSLLRHHNLVYAT
TSRSASLRQKKVTFDRLQVLDDHYRDVLKEMKAKASTVKAKLLSVEEACKLTPPHS
ARSKFGYGAKDVRNLSSKAVNHIRSVWKDLLEDTETPIDTTIMAKNEVFCVQPEKGG
RKPARLIVFPDLGVRVCEKMALYDVVSTLPQAVMGSSYGFQYSPGQRVEFLVNAWK

AKKCPMGFAYDTRCFDSTVTENDIRVEESIYQCCDLAPEARQAIRSLTERLYIGGPLT
NSKGQNCGYRRCRASGVLTTSCGNTLTCYLKAAAACRAAKLQDCTMLVCGDDLVV
ICESAGTQEDEASLRAFTEAMTRYSAPPGDPPKPEYDLELITSCSSNVSVAHDASGKR
VYYLTRDPTTPLARAAWETARHTPVNSWLGNIIMYAPTLWARMILMTHFFSILLAQE
QLEKALDCQIYGACYSIEPLDLPQIIQRLHGLSAFSLHSYSPGEINRVASCLRKLGVPPL

50 RVWRHRARSVRARLLSQGGRAATCGKYLFNWAVRTKLKLTPIPAASQLDLSSWFVA GYSGGDIYHSLSRARPRWFMWCLLLLSVGVGIYLLPNR

SEQ ID NO:4: Amino acid sequence of the NS5A protein of HCVrep1bBartMan

- 5 SGSWLRDVWDWICTVLTDFKTWLQSKLLPRLPGVPFFSCQRGYKGVWRGDGIMQTT CPCGAQITGHVKNGSMRIVGPRTCSNTWHGTFPINAYTTGPCTPSPAPNYSRALWRV AAEEYVEVTRVGDFHYVTGMTTDNVKCPCQVPAPEFFTEVDGVRLHRYAPACKPLL REEVTFLVGLNQYLVGSQLPCEPEPDVAVLTSMLTDPSHITAETAKRRLARGSPPSLA SSSASQLSAPSLKATCTTRHDSPDADLIEANLLWRQEMGGNITRVESENKVVILDSFE
- 10 PLQAEEDEREVSVPAEILRRSRKFPRAMPIWARPDYNPPLLESWKDPDYVPPVVHGCP LPPAKAPPIPPPRRKRTVVLSESTVSSALAELATKTFGSSESSAVDSGTATASPDQPSD DGDAGSDVESYSSMPPLEGEPGDPDLSDGSWSTVSEEASEDVVCC

15 SEQ ID NO:5: Nucleotide sequence of DNA clone of HCVrep1bBartMan/Δ2U's

- GCCAGCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA
- 20 CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT GGAGATTTGGGCGTGCCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA

- 45 AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCCAGTGCCACGTTG
 TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA
 GGGGCTGAAGGATGCCCAGAAGGTACCCCATTGTATGGGATCTGATCTGGGGCCT
 CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCCC
 GAACCACGGGGACGTGGTTTTCCTTTGAAAAACACGATAATACCATGGCGCCTAT
 50 TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC
- 50 TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC
 ACAGGCCGGGACAGGAACCAGGTCGAGGGGGAGGTCCAAGTGGTCTCCACCGCA
 ACACAATCTTTCCTGGCGACCTGCGTCAATGGCGTGTTTTGGACTGTCTATCATG
 GTGCCGGCTCAAAGACCCTTGCCGGCCCAAAGGGCCCAATCACCCAAATGTACA

CCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCCGGGGCGCGTTCCTT GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT GTCATTCCGGTGCGCCGGCGGGGCGACAGCAGGGGGAGCCTACTCTCCCCAGG CCCGTCTCCTACTTGAAGGGCTCTTCGGGCGGTCCACTGCTCTGCCCCTCGGGGC ACGCTGTGGGCATCTTTCGGGCTGCCGTGTGCACCCGAGGGGTTGCGAAGGCGGT GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG GACAACTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG CCCTACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG GGTATAAGGTGCTTGTCCTGAACCCGTCCGTCGCCGCCACCCTAGGTTTCGGGGC GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAGGAC 10 CATCACCACGGGTGCCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG CTGGAGCGCGACTCGTCGTCGCCACCGCTACGCCTCCGGGATCGGTCACCGT GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT 15 GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT CAATGCTGTAGCATATTACCGGGGCCTTGATGTATCCGTCATACCAACTAGCGGA GACGTCATTGTCGTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTCG ACTCAGTGATCGACTGCAATACATGTGTCACCCAGACAGTCGACTTCAGCCTGGA 20 CCCGACCTTCACCATTGAGACGACGACCGTGCCACAAGACGCGGTGTCACGCTCG CAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGGGCATTTACAGGTTTGTGACT CCAGGAGAACGGCCCTCGGGCATGTTCGATTCCTCGGTTCTGTGCGAGTGCTATG ACGCGGGCTGTGCTTGGTACGAGCTCACGCCCGCCGAGACCTCAGTTAGGTTGCG GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG 25 GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCCAGACTA AGCAGGCAGGAGACAACTTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACG GCTAAAGCCTACGCTGCACGGGCCAACGCCCCTGCTGTATAGGCTGGGAGCCGTT CGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT CATCTTGTCCGGAAAGCCGGCCATCATTCCCGACAGGGAAGTCCTTTACCGGGAG TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC ·AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA AGCAAGCGGAGGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAG CCTTCTGGGCGAAGCATATGTGGAATTTCATCAGCGGGATACAATATTTAGCAGG CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTCACAGCC TCTATCACCAGCCCGCTCACCACCCAACATACCCTCCTGTTTAACATCCTGGGGG GATGGGTGGCCGCCCAACTTGCTCCTCCCAGCGCTGCTTCTGCTTTCGTAGGCGCC 40 GGCATCGCTGGAGCGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC TCCCTGGCGCCCTAGTCGTCGGGGTCGTGTGCGCAGCGATACTGCGTCGGCACG TGGGCCCAGGGGAGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTT 45 CGCGGGGTAACCACGTCTCCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC ACGTGTCACTCAGATCCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG ATGTTTGGGATTGGATATGCACGGTGTTGACTGATTTCAAGACCTGGCTCCAGTC CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC 50 AAGGGAGTCTGGCGGGGCGACGGCATCATGCAAACCACCTGCCCATGTGGAGCA CAGATCACCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC TGTAGTAACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGCCCCT

GCACGCCTCCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGGCATGAC CACTGACAACGTAAAGTGCCCGTGTCAGGTTCCGGCCCCCGAATTCTTCACAGAA GTGGATGGGGTGCACACGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG AGGAGGTCACATTCCTGGTCGGGCTCAATCAATACCTGGTTGGGTCACAGCTCCC 5 ATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC CACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCCTCCT TACCCGTCATGACTCCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGG CAGGAGATGGGCGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATT 10 TTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTC CGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCCTCGAGCGATGCCCATATGGG CACGCCCGGATTACAACCCTCCACTGTTAGAGTCCTGGAAGGACCCGGACTACGT CCCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGCCAAGGCCCCTCCGATACCA CCTCCACGGAGGAAGAGGACGGTTGTCCTGTCAGAATCTACCGTGTCTTCTGCCT 15 TGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACA GCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCCGACGACGCGACGCGGGAT CCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGGATCC CGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGT CGTCTGCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCT 20 GCGGAGGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACC ACAACTTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGG TCACCTTTGACAGACTGCAGGTCCTGGACGACCACTACCGGGACGTGCTCAAGGA GATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGC CTGTAAGCTGACGCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAG 25 GACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGG ACTTGCTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAAATG AGGTTTTCTGCGTCCAACCAGAGAAGGGGGGCCGCAAGCCAGCTCGCCTTATCGT ATTCCCAGATTTGGGGGTTCGTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTC TCCACCCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGG 30 ACAGCGGGTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGG CTTCGCATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGT GTTGAGGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCA TAAGGTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGG GCAGAACTGCGGCTATCGCCGGTGCCGCGCGAGCGGTGTACTGACGACCAGCTG 35 CGGTAATACCCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTCGAGCTGCGAAG CTCCAGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCGTTATCTGTGAAA GCGCGGGGACCCAAGAGGACGAGGCGAGCCTACGGGCCTTCACGGAGGCTATGA CTAGATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAATACGACTTGGAGTT GATAACATCATGCTCCTCCAATGTGTCAGTCGCGCACGATGCATCTGGCAAAAGG 40 GTGTACTATCTCACCCGTGACCCCACCACCCCCTTGCGCGGGCTGCGTGGGAGA CAGCTAGACACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCC CACCTTGTGGGCAAGGATGATCCTGATGACTCATTTCTTCTCCATCCTTCTAGCTC AGGAACAACTTGAAAAAGCCCTAGATTGTCAGATCTACGGGGCCTGTTACTCCAT TGAGCCACTTGACCTACCTCAGATCATTCAACGACTCCATGGCCTTAGCGCATTTT 45 CACTCCATAGTTACTCTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAA ACTTGGGGTACCGCCCTTGCGAGTCTGGAGACATCGGGCCAGAAGTGTCCGCGCT AGGCTACTGTCCCAGGGGGGGGGGGGCTGCCACTTGTGGCAAGTACCTCTTCAACT GGGCAGTAAGGACCAAGCTCAAACTCACTCCAATCCCGGCTGCGTCCCAGTTGGA TTTATCCAGCTGGTTCGTTGCTGGTTACAGCGGGGGAGACATATATCACAGCCTG 50 TCTCGTGCCCGACCCCGCTGGTTCATGTGGTGCCTACTCCTACTTTCTGTAGGGGT AGGCATCTATCTACTCCCCAACCGATGAACGGGGAGCTAAACACTCCAGGCCAAT

WO 01/089364

50

5
SEQ ID NO:6: Nucleotide sequence of DNA clone of HCVrep1bBartMan/AvaII, where the nucleotide change creating the AvaII site is in lower case and highlighted in bold

GCCAGCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG 10 CCTCCAGGACCCCCCCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT GGAGATTTGGGCGTGCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC 15 GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA GGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT ACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT 20 GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT ACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAG GGGCTCGCGCCAGCCGAACTGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGC 25 GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAA ATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTCGCAGCGCATCGC CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC 30 AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT TGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG CATTCCTAGGGGTCTTTCCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC GTGAAGGAAGCAGTTCCTCTGGAAGCTTCTTGAAGACAACAACGTCTGTAGCG 35 ACCCTTTGCAGGCAGCGGAACCCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCCAGTGCCACGTTG TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA GGGGCTGAAGGATGCCCAGAAGGTACCCCATTGTATGGGATCTGATCTGGGGCCT CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCCC 40 GAACCACGGGGACGTGGTTTTCCTTTGAAAAACACGATAATACCATGGCGCCTAT TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC ACAGGCCGGGACAGGAACCAGGTCGAGGGGGGGGGGTCCAAGTGGTCTCCACCGCA ACACAATCTTTCCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG GTGCCGGCTCAAAGACCCTTGCCGGCCCAAAGGGCCCAATCACCCAAATGTACA 45 CCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCGGGGCGCGTTCCTT GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT GTCATTCCGGTGCGCCGGCGGGCGACAGCAGGGGGAGCCTACTCTCCCCCAGG

CCCGTCTCCTACTTGAAGGGCTCTTCGGGCGGTCCACTGCTCTGCCCCTCGGGGCCACGCTGTGGGCATCTTTCGGGCTGCCGTGTGCACCCGAGGGGTTGCGAAGGCGGT

GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG GACAACTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG CCCCTACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG

GGTATAAGGTGCTTGTCCTGAACCCGTCCGTCGCCGCCACCCTAGGTTTCGGGGC GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAGGAC CATCACCACGGGTGCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA 5 CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG CTGGAGCGCGACTCGTCGTCGCCACCGCTACGCCTCCGGGATCGGTCACCGT GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT TATGGCAAAGCCATCCCATCGAGACCATCAAGGGGGGGAGGCACCTCATTTTCT GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT 10 CAATGCTGTAGCATATTACCGGGGCCTTGATGTATCCGTCATACCAACTAGCGGA GACGTCATTGTCGTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTCG ACTCAGTGATCGACTGCAATACATGTGTCACCCAGACAGTCGACTTCAGCCTGGA CCCGACCTTCACCATTGAGACGACGACCGTGCCACAAGACGCGGTGTCACGCTCG CAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGGGCATTTACAGGTTTGTGACT 15 CCAGGAGAACGCCCTCGGCATGTTCGATTCCTCGGTTCTGTGCGAGTGCTATG ACGCGGGCTGTGCTTGGTACGAGCTCACGCCCGCCGAGACCTCAGTTAGGTTGCG GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCCAGACTA AGCAGGCAGGAGACAACTTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG 20 CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACG GCTAAAGCCTACGCTGCACGGGCCAACGCCCTGCTGTATAGGCTGGGAGCCGTT CGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT 25 CATCTTGTCCGGAAAGCCGGCCATCATTCCCGACAGGGAAGTCCTTTACCGGGAG TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA AGCAAGCGGAGGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAG CCTTCTGGGCGAAGCATATGTGGAATTTCATCAGCGGGATACAATATTTAGCAGG 30 CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTCACAGCC TCTATCACCAGCCGCTCACCACCCAACATACCCTCCTGTTTAACATCCTGGGGG GATGGGTGGCCCCAACTTGCTCCCCAGCGCTGCTTCTGCTTTCGTAGGCGCC GGCATCGCTGGAGCGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCTCGTGGCCTTTAAGGTCAT GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC 35 TCCCTGGCGCCTAGTCGTCGGGGTCGTGTGCGCAGCGATACTGCGTCGGCACG TGGGCCCAGGGGGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTT CGCGGGGTAACCACGTCTCCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC ACGTGTCACTCAGATCCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC 40 ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG ATGTTTGGGATTGGATATGCACGGTGTTGACTGATTCAAGACCTGGCTCCAGTC CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTCTCATGTCAACGTGGGTAC AAGGGAGTCTGGCGGGGCGACGGCATCATGCAAACCACCTGCCCATGTGGAGCA CAGATCACCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC 45 TGTAGTAACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGCCCCT GCACGCCTCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGGCATGAC CACTGACAACGTAAAGTGCCCGTGTCAGGTTCCGGCCCCGAATTCTTCACAGAA GTGGATGGGGTGCGCTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG AGGAGGTCACATTCCTGGTCGGGCTCAATCAATACCTGGTTGGGTCACAGCTCCC 50 ATGCGAGCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC CACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCCTCCT

71

TACCCGTCATGACTCCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGG CAGGAGATGGGCGGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATT TTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTC CGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCCTCGAGCGATGCCCATATGGG CACGCCGGATTACAACCCTCCACTGTTAGAGTCCTGGAAGGACCCGGACTACGT 5 CCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGCCAAGGCCCCTCCGATACCA CCTCCACGGAGGAAGAGGACGGTTGTCCTGTCAGAATCTACCGTGTCTTCTGCCT TGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACA GCGCACGCAACGCCTCTCCTGACCAGCCCTCCGACGACGCCGACGCGGCGAT CCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGGATCC CGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGT CGTCTGCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCT GCGGAGGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACC ACAACTTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGG TCACCTTTGACAGACTGCAGGTCCTGGACGACCACTACCGGGACGTGCTCAAGGA 15 GATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGC CTGTAAGCTGACGCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAG GACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGG ACTTGCTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAAATG AGGTTTTCTGCGTCCAACCAGAGAAGGGGGGGCCGCAAGCCAGCTCGCCTTATCGT 20 ATTCCCAGATTTGGGGGTTCGTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTC TCCACCCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGG ACAGCGGGTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGG CTTCGCATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGT GTTGAGGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCA 25 TAAGGTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGG GCAGAACTGCGGCTATCGCCGGTGCCGCGAGCGGTGTACTGACGACCAGCTG CGGTAATACCCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTCGAGCTGCGAAG CTCCAGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCGTTATCTGTGAAA GCGCGGGGACCCAAGAGGACGAGCCGAGCCTACGGGCCTTCACGGAGGCTATGA 30 CTAGATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAATACGACTTGGAGTT GATAACATCATGCTCCCAATGTGTCAGTCGCGCACGATGCATCTGGCAAAAGG GTGTACTATCTCACCCGTGACCCCACCACCCCCTTGCGCGGGCTGCGTGGGAGA CAGCTAGACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCC CACCITGTGGGCAAGGATGATCCTGATGACTCATITCTTCTCCATCCTTCTAGCTC 35 AGGAACAACTTGAAAAAGCCCTAGATTGTCAGATCTACGGGGCCTGTTACTCCAT TGAGCCACTTGACCTACCTCAGATCATTCAACGACTCCATGGCCTTAGCGCATTTT CACTCCATAGTTACTCTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAA ACTTGGGGTACCGCCTTGCGAGTCTGGAGACATCGGGCCAGAAGTGTCCGCGCT AGGCTACTGTCCCAGGGGGGGGGGGGCTGCCACTTGTGGCAAGTACCTCTTCAACT 40 GGGCAGTAAGGACCAAGCTCAAACTCACTCCAATCCCGGCTGCGTCCCAGTTGGA TTTATCCAGCTGGTTGCTGGTTACAGCGGGGGAGACATATATCACAGCCTG TCTCGTGCCCGACCCCGCTGGTTCATGTGGTGCCTACTCCTACTTTCTGTAGGGGT AGGCATCTATCTACTCCCCAACCGATGAACGGGGGAcCTAAACACTCCAGGCCAAT 45 TAGCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGCTTGACTGCAGAGAG TGCTGATACTGGCCTCTCTGCAGATCAAGT

50

SEQ ID NO:7: Nucleotide sequence of DNA clone of HCV adaptive replicon I, where the amino acid generated by the deletion is identified in lower case and highlighted in bold

GCCAGCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG CCTCCAGGACCCCCCCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT GGAGATTTGGGCGTGCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA GGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT 10 ACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT 15 ACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAG GGGCTCGCGCCAGCCGAACTGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGC GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAA ATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG 20 GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTCGCAGCGCATCGC CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC CTCTAGCGGGATCAATTCCGCCCCTCTCCCTCCCCCCCCTAACGTTACTGGCCG AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT TGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG 25 CATTCCTAGGGGTCTTTCCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC ACCCTTTGCAGGCAGCGGAACCCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCCAGTGCCACGTTG TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA 30 GGGGCTGAAGGATGCCCAGAAGGTACCCCATTGTATGGGATCTGATCTGGGGCCT CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCCC GAACCACGGGGACGTGGTTTTCCTTTGAAAAACACGATAATACCATGGCGCCTAT TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC ACAGGCCGGGACAGGAACCAGGTCGAGGGGGGGGGTCCAAGTGGTCTCCACCGCA 35 ACACAATCTTTCCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG GTGCCGGCTCAAAGACCCTTGCCGGCCCAAAGGGCCCAATCACCCAAATGTACA CCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCCGGGGCGCGTTCCTT GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT GTCATTCCGGTGCGCCGGCGGGCGACAGCAGGGGGAGCCTACTCTCCCCAGG 40 CCCGTCTCCTACTTGAAGGGCTCTTCGGGCGGTCCACTGCTCTGCCCCTCGGGGC ACGCTGTGGGCATCTTTCGGGCTGCCGTGTGCACCCGAGGGGTTGCGAAGGCGGT GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG GACAACTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG CCCTACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG 45 GGTATAAGGTGCTTGTCCTGAACCCGTCCGTCGCCGCCACCCTAGGTTTCGGGGC GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAGGAC CATCACCACGGGTGCCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG 50 CTGGAGCGCGACTCGTCGTCGCCACCGCTACGCCTCCGGGATCGGTCACCGT GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT

GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT CAATGCTGTAGCATATTACCGGGGCCTTGATGTATCCGTCATACCAACTAGCGGA GACGTCATTGTCGTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTCG ACTCAGTGATCGACTGCAATACATGTGTCACCCAGACAGTCGACTTCAGCCTGGA CCCGACCTTCACCATTGAGACGACGACGTGCCACAAGACGCGGTGTCACGCTCG 5 CAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGGGCATTTACAGGTTTGTGACT CCAGGAGAACGGCCCTCGGGCATGTTCGATTCCTCGGTTCTGTGCGAGTGCTATG ACGCGGGCTGTGCTTGGTACGAGCTCACGCCCGCGAGACCTCAGTTAGGTTGCG GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCCAGACTA 10 AGCAGGCAGGAGACAACTTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACG GCTAAAGCCTACGCTGCACGGGCCAACGCCCCTGCTGTATAGGCTGGGAGCCGTT CGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG 15 CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT CATCTTGTCCGGAAAGCCGGCCATCATTCCCGACAGGGAAGTCCTTTACCGGGAG TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA AGCAAGCGGAGGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAG 20 CCTTCTGGGCGAAGCATATGTGGAATTTCATCAGCGGGATACAATATTTAGCAGG CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTCACAGCC TCTATCACCAGCCGCTCACCACCCAACATACCCTCCTGTTTAACATCCTGGGGG GATGGGTGGCCCCAACTTGCTCCTCCCAGCGCTGCTTCTGCTTTCGTAGGCGCC GGCATCGCTGGAGCGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA 25 TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC TCCCCTGGCGCCCTAGTCGTCGGGGTCGTGTGCGCAGCGATACTGCGTCGGCACG TGGGCCCAGGGGAGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTT CGCGGGGTAACCACGTCTCCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC 30 ACGTGTCACTCAGATCCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG ATGTTTGGGATTGGATATGCACGGTGTTGACTGATTTCAAGACCTGGCTCCAGTC CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC AAGGGAGTCTGGCGGGGCGACGGCATCATGCAAACCACCTGCCCATGTGGAGCA 35 CAGATCACCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC TGTAGTAACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGCCCCT GCACGCCTCCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGCATGAC CACTGACAACGTAAAGTGCCCGTGTCAGGTTCCGGCCCCCGAATTCTTCACAGAA 40 GTGGATGGGGTGCAGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG AGGAGGTCACATTCCTGGTCGGGCTCAATCAATACCTGGTTGGGTCACAGCTCCC ATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC CACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCCTCCT TGGCCAGCTCATCAGCTAGCCAGCTGtacTCTTTCGAGCCGCTCCAAGCGGAGGAG 45 GATGAGAGGGAAGTATCCGTTCCGGCGGAGATCCTGCGGAGGTCCAGGAAATTC CCTCGAGCGATGCCCATATGGGCACGCCCGGATTACAACCCTCCACTGTTAGAGT CCTGGAAGGACCCGGACTACGTCCCTCCAGTGGTACACGGGTGTCCATTGCCGCC TGCCAAGGCCCCTCCGATACCACCTCCACGGAGGAAGAGGACGGTTGTCCTGTCA GAATCTACCGTGTCTTCTGCCTTGGCGGAGCTCGCCACAAAGACCTTCGGCAGCT 50 CCGAATCGTCGGCCGTCGACAGCGGCACGGCAACGGCCTCTCCTGACCAGCCCTC CGACGACGCGACGCGGGATCCGACGTTGAGTCGTACTCCTCCATGCCCCCCTT

GAGGGGGAGCCGGGGATCCCGATCTCAGCGACGGGTCTTGGTCTACCGTAAGC

GAGGAGGCTAGTGAGGACGTCGTCTGCTGCTCGATGTCCTACACATGGACAGGC GCCCTGATCACGCCATGCGCTGCGGAGGAAACCAAGCTGCCCATCAATGCACTG AGCAACTCTTTGCTCCGTCACCACAACTTGGTCTATGCTACAACATCTCGCAGCG CAAGCCTGCGGCAGAAGAAGGTCACCTTTGACAGACTGCAGGTCCTGGACGACC ACTACCGGGACGTGCTCAAGGAGATGAAGGCGAAGGCGTCCACAGTTAAGGCTA 5 AACTTCTATCCGTGGAGGAAGCCTGTAAGCTGACGCCCCCACATTCGGCCAGATC TAAATTTGGCTATGGGGCAAAGGACGTCCGGAACCTATCCAGCAAGGCCGTTAA CCACATCCGCTCCGTGTGGAAGGACTTGCTGGAAGACACTGAGACACCAATTGAC ACCACCATCATGGCAAAAAATGAGGTTTTCTGCGTCCAACCAGAGAAGGGGGGC CGCAAGCCAGCTCGCCTTATCGTATTCCCAGATTTGGGGGTTCGTGTGCGAGA 10 AAATGGCCCTTTACGATGTGGTCTCCACCCTCCCTCAGGCCGTGATGGGCTCTTCA TACGGATTCCAATACTCTCCTGGACAGCGGGTCGAGTTCCTGGTGAATGCCTGGA AAGCGAAGAAATGCCCTATGGGCTTCGCATATGACACCCGCTGTTTTGACTCAAC GGTCACTGAGAATGACATCCGTGTTGAGGAGTCAATCTACCAATGTTGTGACTTG GCCCCGAAGCCAGACAGGCCATAAGGTCGCTCACAGAGCGGCTTTACATCGGG 15 GGCCCCTGACTAATTCTAAAGGGCAGAACTGCGGCTATCGCCGGTGCCGCGA GCGGTGTACTGACGACCAGCTGCGGTAATACCCTCACATGTTACTTGAAGGCCGC TGCGGCCTGTCGAGCTGCGAAGCTCCAGGACTGCACGATGCTCGTATGCGGAGAC GACCTTGTCGTTATCTGTGAAAGCGCGGGGACCCAAGAGGACGAGGCGAGCCTA CGGGCCTTCACGGAGGCTATGACTAGATACTCTGCCCCCCTGGGGACCCGCCCA 20 AACCAGAATACGACTTGGAGTTGATAACATCATGCTCCTCCAATGTGTCAGTCGC GCACGATGCATCTGGCAAAAGGGTGTACTATCTCACCCGTGACCCCACCACCCCC CTTGCGCGGGCTGCGTGGGAGACAGCTAGACACACTCCAGTCAATTCCTGGCTAG GCAACATCATCATGTATGCGCCCACCTTGTGGGCAAGGATGATCCTGATGACTCA TTTCTTCTCCATCCTTCTAGCTCAGGAACAACTTGAAAAAGCCCTAGATTGTCAGA 25 ACTCCATGGCCTTAGCGCATTTTCACTCCATAGTTACTCTCCAGGTGAGATCAATA GGGTGGCTTCATGCCTCAGGAAACTTGGGGTACCGCCCTTGCGAGTCTGGAGACA TCGGGCCAGAAGTGTCCGCGCTAGGCTACTGTCCCAGGGGGGGAGGGCTGCCAC 30 ATCCCGGCTGCGTCCCAGTTGGATTTATCCAGCTGGTTCGTTGCTGGTTACAGCGG GGGAGACATATATCACAGCCTGTCTCGTGCCCGACCCCGCTGGTTCATGTGGTGC CTACTCCTACTTTCTGTAGGGGTAGGCATCTATCTACTCCCCAACCGATGAACGG 35 TTCTTTCCTTTGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAGGTCC GTGAGCCGCTTGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCAGATCAAGT

40 SEQ ID NO:8: Nucleotide sequence of DNA clone of HCV adaptive replicon VI, where nucleotide changes are in lower case and highlighted in bold

ACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT ACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAG GGGCTCGCGCCAGCCGAACTGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGC GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAA ATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTGGCCGGACCGCTA TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTCGCAGCGCATCGC 10 CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT TGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG CATTCCTAGGGGTCTTTCCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC 15 ACCCTTTGCAGGCAGCGGAACCCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCCAGTGCCACGTTG TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA GGGGCTGAAGGATGCCCAGAAGGTACCCCATTGTATGGGATCTGATCTGGGGCCT 20 CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCCC GAACCACGGGGACGTGGTTTTCCTTTGAAAAACACGATAATACCATGGCGCCTAT TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC ACAGGCCGGGACAGGAACCAGGTCGAGGGGGGGGGGTCCAAGTGGTCTCCACCGCA ACACAATCTTTCCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG 25 GTGCCGGCTCAAAGACCCTTGCCGGCCCAAAGGGCCCAATCACCCAAATGTACA CCAATGTGGACCAGGACCTCGTCGGCTGGCgAGCGCCCCCCGGGGCGCGTTCCTT GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT GTCATTCCGGTGCGCCGGCGGGCGACAGCAGGGGGAGCCTACTCTCCCCAGG CCCGTCTCCTACTTGAAGGGCTCTTCGGGCGGTCCACTGCTCTGCCCCTCGGGGC 30 ACGCTGTGGGCATCTTTCGGGCTGCCGTGTGCACCCGAGGGGTTGCGAAGGCGGT GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG GACAACTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG CCCCTACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG GGTATAAGGTGCTTGTCCTGAACCCGTCCGTCGCCGCCACCCTAGGTTTCGGGGC 35 GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAGGAC CATCACCACGGGTGCCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG CTGGAGCGCGACTCGTCGTGCTCGCCACCGCTACGCCTCCGGGATCGGTCACCGT 40 GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT CAATGCTGTAGCATATTACCGGGGCCTTGATGTATCCGTCATACCAACTAGCGGA GACGTCATTGTCGTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTCG 45 ACTCAGTGATCGACTGCAATACATGTGTCACCCAGACAGTCGACTTCAGCCTGGA CCCGACCTTCACCATTGAGACGACGACCGTGCCACAAGACGCGGTGTCACGCTCG CAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGGGCATTTACAGGTTTGTGACT CCAGGAGAACGGCCCTCGGGCATGTTCGATTCCTCGGTTCTGTGCGAGTGCTATG ACGCGGGCTGTGCTTGGTACGAGCTCACGCCCGCCGAGACCTCAGTTAGGTTGCG 50 GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCCAGACTA

AGCAGGCAGGAGACAACTTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG

CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACG GCTAAAGCCTACGCTGCACGGGCCAACGCCCCTGCTGTATAGGCTGGGAGCCGTT CGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT CATCTTGTCCGGAAAGCCGGCCATCATTCCCGACAGGGAAGTCCTTTACCGGGAG TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA AGCAAGCGGAGGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAG CCTTCTGGGCGAAGCATATGTGGAATTTCATCAGCGGGATACAATATTTAGCAGG 10 CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTCACAGCC TCTATCACCAGCCGCTCACCACCCAACATACCCTCCTGTTTAACATCCTGGGGG GATGGGTGGCCCCAACTTGCTCCTCCCAGCGCTGCTTCTGCTTTCGTAGGCGCC GGCATCGCTGGAGCGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA 15 TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC TCCCTGGCGCCTAGTCGTCGGGGTCGTGTGCGCAGCGATACTGCGTCGGCACG TGGGCCCAGGGGAGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTT CGCGGGGTAACCACGTCTCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC ACGTGTCACTCAGATCCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC 20 ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG ATGTTTGGGATTGGATATGCACGGTGTTGACTGATTTCAAGACCTGGCTCCAGTC CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC AAGGGAGTCTGGCGGGGCGACGGCATCATGCAAACCACCTGCCCATGTGGAGCA CAGATCACCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC 25 TGTAGTAACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGCCCCT GCACGCCTCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA. GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGCATGAC CACTGACAACGTAAAGTGCCCGTGTCAGGTTCCGGCCCCCGAATTCTTCACAGAA GTGGATGGGGTGCGGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG 30 AGGAGGTCACATTCCTGGTCGGGCTCAATCAATACCTGGTTGGGTCACAGCTCCC ATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC CACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCCTCCT TGGCCAGCTCATCAGCTAtCCAGCTGTCTGCGCCTTCCTTGAAGGCAACATGCACT ACCCGTCATGACTCCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGGC 35 AGGAGATGGGCGGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATTT TGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTC CGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCCTCGAGCGATGCCCATATGGG CACGCCGGATTACAACCCTCCACTGTTAGAGTCCTGGAAGGACCCGGACTACGT 40 CCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGCCAAGGCCCCTCCGATACCA CCTCCACGGAGGAAGAGGACGGTTGTCCTGTCAGAATCTACCGTGTCTTCTGCCT TGGCGGAGCTCGCCACAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACA GCGCACGCAACGCCTCTCCTGACCAGCCTCCGACGACGCCGACGCGGGAT CCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGGATCC CGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGT 45 CGTCTGCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCT GCGGAGGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACC ACAACTTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGA TCACCTTTGACAGACTGCAGGTCCTGGACGACCACTACCGGGACGTGCTCAAGGA 50 GATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGC CTGTAAGCTGACGCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAG GACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGG

ACTTGCTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAAATG

AGGTTTTCTGCGTCCAACCAGAGAAGGGGGGGCCGCAAGCCAGCTCGCCTTATCGT ATTCCCAGATTTGGGGGTTCGTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTC TCCACCCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGG ACAGCGGGTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGG CTTCGCATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGT 5 GTTGAGGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCA TAAGGTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGG GCAGAACTGCGGCTATCGCCGGTGCCGCGCGAGCGGTGTACTGACGACCAGCTG CGGTAATACCCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTCGAGCTGCGAAG CTCCAGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCGTTATCTGTGAAA 10 GCGCGGGACCCAAGAGGACGAGGCGAGCCTACGGGCCTTCACGGAGGCTATGA CTAGATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAATACGACTTGGAGTT GATAACATCATGCTCCCAATGTGTCAGTCGCGCACGATGCATCTGGCAAAAGG GTGTACTATCTCACCCGTGACCCCACCACCCCCCTTGCGCGGGCTGCGTGGGAGA CAGCTAGACACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCC 15 CACCTTGTGGGCAAGGATGATCCTGATGACTCATTTCTTCTCCATCCTTCTAGCTC AGGAACAACTTGAAAAAGCCCTAGATTGTCAGATCTACGGGGCCTGTTACTCCAT TGAGCCACTTGACCTACCTCAGATCATTCAACGACTCCATGGCCTTAGCGCATTTT CACTCCATAGTTACTCTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAA ACTTGGGGTACCGCCCTTGCGAGTCTGGAGACATCGGGCCAGAAGTGTCCGCGCT 20 AGGCTACTGTCCCAGGGGGGGGGGGGGCTGCCACTTGTGGCAAGTACCTCTTCAACT GGGCAGTAAGGACCAAGCTCAAACTCACTCCAATCCCGGCTGCGTCCCAGTTGGA TTTATCCAGCTGGTTCGTTGCTGGTTACAGCGGGGGAGACATATATCACAGCCTG TCTCGTGCCCGACCCCGCTGGTTCATGTGGTGCCTACTCCTACTTTCTGTAGGGGT AGGCATCTATCTACTCCCCAACCGATGAACGGGGAGCTAAACACTCCAGGCCAAT 25 GCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGCTTGACTGCAGAGAGTG CTGATACTGGCCTCTCTGCAGATCAAGT

30

SEQ ID NO:9: Nucleotide sequence of DNA clone of HCV adaptive replicon II, where nucleotide changes are in lower case and highlighted in bold

GCCAGCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC 35 TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG CCTCCAGGACCCCCCCCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT GGAGATTTGGGCGTGCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT 40 AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA GGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT 45 ACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT ACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAG 50 GGGCTCGCGCCAGCCGAACTGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGC GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAA

ATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA

TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGCGAATGG GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTCGCAGCGCATCGC CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC CTCTAGCGGGATCAATTCCGCCCCTCTCCCCCCCCCCCTAACGTTACTGGCCG AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT TGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG CATTCCTAGGGGTCTTTCCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC ACCCTTTGCAGGCAGCGGAACCCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCCAGTGCCACGTTG 10 TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA GGGGCTGAAGGATGCCCAGAAGGTACCCCATTGTATGGGATCTGATCTGGGGCCT CGGTGCACATGCTTTACATGTGTTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCCC GAACCACGGGACGTGGTTTTCCTTTGAAAAACACGATAATACCATGGCGCCTAT TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC 15 ACAGGCCGGGACAGGAACCAGGTCGAGGGGGGGGGGTCCAAGTGGTCTCCACCGCA ACACAATCTTTCCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG GTGCCGCTCAAAGACCCTTGCCGGCCCAAAGGCCCAATCACCCAAATGTACA CCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCGGGGCGCGTTCCTT GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT 20 GTCATTCCGGTGCGCCGGCGGGGGCGACAGCAGGGGGAGCCTACTCTCCCCCAGG CCCGTCTCCTACTTGAAGGGCTCTTCGGGCGGTCCACTGCTCTGCCCCTCGGGGC ACGCTGTGGGCATCTTTCGGGCTGCCGTGTGCACCCGAGGGGTTGCGAAGGCGGT GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG GACAACTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG 25 CCCTACTGGTAGCGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG GGTATAAGGTGCTTGTCCTGAACCCGTCGCCGCCCACCCTAGGTTTCGGGGC GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAGGAC CATCACCACGGGTGCCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA 30 CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG CTGGAGCGCGACTCGTCGTCCCCCCCCCCCCCCCCCCGGGATCGGTCACCGT GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT 35 CAATGCTGTAGCATATTACCGGGGCCTTGATGTATCCGTCATACCAACTAGCGGA GACGTCATTGTCGTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTCG ACTCAGTGATCGACTGCAATACATGTGTCACCCAGACAGTCGACTTCAGCCTGGA CCCGACCTTCACCATTGAGACGACGACCGTGCCACAAGACGCGGTGTCACGCTCG CAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGGGCATTTACAGGTTTGTGACT 40 CCAGGAGAACGCCCTCGGGCATGTTCGATTCCTCGGTTCTGTGCGAGTGCTATG ACGCGGCTGTGCTTGGTACGAGCTCACGCCCGAGACCTCAGTTAGGTTGCG GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCCAGACTA AGCAGGCAGGAGACAACTTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG 45 CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGgAGTGTCTCATACG GCTAAAGCCTACGCTGCACGGCCCAACGCCCCTGCTGTATAGGCTGGGAGCCGTT CGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT 50 CATCTTGTCCGGAAAGCCGGCCATCATTCCCGACAGGGAAGTCCTTTACCGGGAG TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC

AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA

79

AGCAAGCGGAGGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAG CCTTCTGGGCGAAGCATATGTGGAATTTCATCAGCGGGATACAATATTTAGCAGG CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTCACAGCC TCTATCACCAGCCCGCTCACCACCCAACATACCCTCCTGTTTAACATCCTGGGGG GATGGGTGGCCCCAACTTGCTCCTCCCAGCGCTGCTTCTGCTTTCGTAGGCGCC GGCATCGCTGGAGCGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC TCCCCTGGCGCCCTAGTCGTCGGGGTCGTGTGCGCAGCGATACTGCGTCGGCACG TGGGCCCAGGGGAGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTT 10 CGCGGGGTAACCACGTCTCCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC ACGTGTCACTCAGATCCTCTcgGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG ATGTTTGGGATTGGATATGCACGGTGTTGACTGATTTCAAGACCTGGCTCCAGTC 15 CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC AAGGGAGTCTGGCGGGGCGACGGCATCATGCAAACCACCTGCCCATGTGGAGCA CAGATCACCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC TGTAGTAACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGCCCCT GCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA 20 GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGGCATGAC CACTGACAACGTAAAGTGCCCGTGTCAGGTTCCGGCCCCCGAATTCTTCACAGAA GTGGATGGGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG AGGAGGTCACATTCCTGGTCGGGCTCAATCAATACCTGGTTGGGTCACAGCTCCC ATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC ${\tt CACATTACGGCGAGACGGCTAAGCGTgGGCTGGCCAGGGGATCTCCCCCTCCT}$ 25 TACCCGTCATGACTCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGG CAGGAGATGGCCGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATT TTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTC CGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCCTCGAGCGATGCCCATATGGG CACGCCCGGATTACAACCCTCCACTGTTAGAGTCCTGGAAGGACCCGGACTACGT CCCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGCCAAGGCCCCTCCGATACCA CCTCCACGGAGGAAGAGGACGGTTGTCCTGTCAGAATCTACCGTGTCTTCTGCCT TGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACA 35 CCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGGATCC CGATCTCAGCGACGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGT CGTCTGCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCT GCGGAGGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACC 40 ACAACTTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGG TCACCTTTGACAGACTGCAGGTCCTGGACGACCACTACCGGGACGTGCTCAAGGA GATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGC CTGTAAGCTGACGCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAG GACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGG 45 ACTTGCTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAAATG AGGTTTTCTGCGTCCAACCAGAGAAGGGGGGCCGCAAGCCAGCTCGCCTTATCGT ATTCCCAGATTTGGGGGTTCGTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTC TCCACCCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGG ACAGCGGTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGG 50 CTTCGCATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGT GTTGAGGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCA TAAGGTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGG

GCAGAACTGCGGCTATCGCCGGTGCCGCGGGGGGGTGTACTGACGACCAGCTG

80

CGGTAATACCCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTCGAGCTGCGAAG CTCCAGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCGTTATCTGTGAAA GCGCGGGACCCAAGAGGACGAGGCGAGCCTACGGGCCTTCACGGAGGCTATGA CTAGATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAATACGACTTGGAGTT GATAACATCATGCTCCTCCAATGTGTCAGTCGCGCACGATGCATCTGGCAAAAAGG 5 GTGTACTATCTCACCCGTGACCCCACCACCCCCTTGCGCGGGCTGCGTGGGAGA CAGCTAGACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCC CACCTTGTGGGCAAGGATGATCCTGATGACTCATTTCTTCTCCATCCTTCTAGCTC AGGAACAACTTGAAAAAGCCCTAGATTGTCAGATCTACGGGGCCTGTTACTCCAT TGAGCCACTTGACCTACCTCAGATCATTCAACGACTCCATGGCCTTAGCGCATTTT 10 CACTCCATAGTTACTCTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAA ACTTGGGGTACCGCCTTGCGAGTCTGGAGACATCGGGCCAGAAGTGTCCGCGCT AGGCTACTGTCCCAGGGGGGGGGGGGGCCCACTTGTGGCAAGTACCTCTTCAACT GGGCAGTAAGGACCAAGCTCAAACTCACTCCAATCCCGGCTGCGTCCCAGTTGGA TTTATCCAGCTGGTTCGTTGCTGGTTACAGCGGGGGAGACATATATCACAGCCTG 15 TCTCGTGCCCGACCCCGCTGGTTCATGTGGTGCCTACTCCTACTTTCTGTAGGGGT AGGCATCTATCTACTCCCCAACCGATGAACGGGGACCTAAACACTCCAGGCCAAT TAGCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGCTTGACTGCAGAGAG 20 TGCTGATACTGGCCTCTCTGCAGATCAAGT

SEQ ID NO:10: Nucleotide sequence of DNA clone of HCV adaptive replicon V, where nucleotide change is in lower case and highlighted in bold

GCCAGCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG CCTCCAGGACCCCCCTCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA CACCGGAATTGCCAGGACGACCGGTCCTTTCTTGGATCAACCCGCTCAATGCCT 30 GGAGATTTGGGCGTGCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA GGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT 35 ACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT 40 ACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAG GGGCTCGCGCCAGCCGAACTGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGC GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAA ATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA 45 TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTCGCAGCGCATCGC CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC CTCTAGCGGGATCAATTCCGCCCCTCTCCCCCCCCCCCTAACGTTACTGGCCG AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT 50 TGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG CATTCCTAGGGGTCTTTCCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC

ACCCTTTGCAGGCAGCGGAACCCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCCAGTGCCACGTTG TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA GGGGCTGAAGGATGCCCAGAAGGTACCCCATTGTATGGGATCTGATCTGGGGCCT CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCCC 5 GAACCACGGGGACGTGGTTTTCCTTTGAAAAACACGATAATACCATGGCGCCTAT TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC ACAGGCCGGGACAGGAACCAGGTCGAGGGGGAGGTCCAAGTGGTCTCCACCGCA ACACAATCTTTCCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG GTGCCGGCTCAAAGACCCTTGCCGGCCCAAAGGGCCCAATCACCCAAATGTACA 10 CCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCGGGGCGCGTTCCTT GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT GTCATTCCGGTGCGCCGGCGGGCGACAGCAGGGGGAGCCTACTCTCCCCAGG CCCGTCTCCTACTTGAAGGGCTCTTCGGGCGGTCCACTGCTCTGCCCCTCGGGGC ACGCTGTGGGCATCTTTCGGGCTGCCGTGTGCACCCGAGGGGTTGCGAAGGCGGT 15 GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG GACAACTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG CCCTACTGGTAGCGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG GGTATAAGGTGCTTGTCCTGAACCCGTCCGTCGCCGCCACCCTAGGTTTCGGGGC GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAGGAC 20 CATCACCACGGGTGCCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG CTGGAGCGCGACTCGTCGTCGCCACCGCTACGCCTCCGGGATCGGTCACCGT 25 GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT CAATGCTGTAGCATATTACCGGGGCCTTGATGTATCCGTCATACCAACTAGCGGA GACGTCATTGTCGTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTCG ACTCAGTGATCGACTGCAATACATGTGTCACCCAGACAGTCGACTTCAGCCTGGA 30 CCCGACCTTCACCATTGAGACGACGACCGTGCCACAAGACGCGGTGTCACGCTCG CAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGGGCATTTACAGGTTTGTGACT CCAGGAGAACGGCCCTCGGGCATGTTCGATTCCTCGGTTCTGTGCGAGTGCTATG ACGCGGGCTGTGCTTGGTACGAGCTCACGCCCGCCGAGACCTCAGTTAGGTTGCG GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG 35 GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCCAGACTA AGCAGGCAGGAGACAACTTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACG GCTAAAGCCTACGCTGCACGGGCCAACGCCCCTGCTGTATAGGCTGGGAGCCGTT 40 CGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT CATCTTGTCCGGAAAGCCGGCCATCATTCCCGACAGGGAAGTCCTTTACCGGGAG TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA 45 AGCAAGCGGAGGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAG CCTTCTGGGCGAAGCATATGTGGAATTTCATCAGCGGGATACAATATTTAGCAGG CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTCACAGCC TCTATCACCAGCCGCTCACCACCCAACATACCCTCCTGTTTAACATCCTGGGGG GATGGGTGGCCCCAACTTGCTCCTCCCAGCGCTGCTTCTGCTTTCGTAGGCGCC 50 GGCATCGCTGGAGCGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT

GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC

TCCCTGGCGCCCTAGTCGTCGGGGTCGTGTGCGCAGCGATACTGCGTCGGCACG TGGGCCCAGGGGAGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTT CGCGGGGTAACCACGTCTCCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC ACGTGTCACTCAGATCCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG 5 ATGTTTGGGATTGGATATGCACGGTGTTGACTGATTTCAAGACCTGGCTCCAGTC CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC AAGGGAGTCTGGCGGGGGCGACGGCATCATGCAAACCACCTGCCCATGTGGAGCA CAGATCACCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC TGTAGTAACACGTGGCATGGAACATTCCCCCATTAACGCGTACACCACGGGCCCCT 10 GCACGCCTCCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGCATGAC CACTGACAACGTAAAGTGCCCGTGTCAGGTTCCGGCCCCCGAATTCTTCACAGAA GTGGATGGGGTGCGGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG AGGAGGTCACATTCCTGGTCGGGCTCAATCAATACCTGGTTGGGTCACAGCTCCC 15 ATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC CACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCCTCCT TGtCCAGCTCATCAGCTAGCCAGCTGTCTGCGCCTTCCTTGAAGGCAACATGCACT ACCCGTCATGACTCCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGGC AGGAGATGGGCGGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATTT 20 TGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTC CGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCCTCGAGCGATGCCCATATGGG CACGCCCGGATTACAACCCTCCACTGTTAGAGTCCTGGAAGGACCCGGACTACGT CCCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGCCAAGGCCCCTCCGATACCA CCTCCACGGAGGAAGAGGACGGTTGTCCTGTCAGAATCTACCGTGTCTTCTGCCT 25 TGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACA GCGGCACGCCACGCCTCTCCTGACCAGCCCTCCGACGACGCCGACGCGGGAT CCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGGATCC CGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGT CGTCTGCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCT 30 GCGGAGGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACC ACAACTTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGA TCACCTTTGACAGACTGCAGGTCCTGGACGACCACTACCGGGACGTGCTCAAGGA GATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGC CTGTAAGCTGACGCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAG 35 GACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGG ACTTGCTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAAAATG AGGTTTTCTGCGTCCAACCAGAGAAGGGGGGGCCGCAAGCCAGCTCGCCTTATCGT ATTCCCAGATTTGGGGGTTCGTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTC TCCACCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGG 40 ACAGCGGGTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGG CTTCGCATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGT GTTGAGGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCA TAAGGTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGG GCAGAACTGCGGCTATCGCCGGTGCCGCGCGAGCGGTGTACTGACGACCAGCTG 45 CGGTAATACCCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTCGAGCTGCGAAG CTCCAGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCGTTATCTGTGAAA GCGCGGGGACCCAAGAGGACGAGGCGAGCCTACGGGCCTTCACGGAGGCTATGA CTAGATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAATACGACTTGGAGTT GATAACATCATGCTCCTCCAATGTGTCAGTCGCGCACGATGCATCTGGCAAAAGG GTGTACTATCTCACCCGTGACCCCACCACCCCCCTTGCGCGGGCTGCGTGGGAGA CAGCTAGACACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCC

CACCTTGTGGGCAAGGATGATCCTGATGACTCATTTCTTCTCCATCCTTCTAGCTC

SEQ ID NO:11: NS5A gene of DNA clone of HCV adaptive replicon IV, where nucleotide change is in lower case and highlighted in bold

TCCGGCTCGTGGCTAAGAGATGTTTGGGATTGGATATGCACGGTGTTGACTGATT TCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTT 20 CTCATGTCAACGTGGGTACAAGGGAGTCTGGCGGGGCGACGGCATCATGCAAAC CACCTGCCCATGTGGAGCACAGATCACCGGACATGTGAAAAAACGGTTCCATGAG GATCGTGGGGCCTAGGACCTGTAGTAACACGTGGCATGGAACATTCCCCATTAAC GCGTACACCACGGCCCTGCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGC TGTGGCGGGTGGCTGAGGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCC 25 ACTACGTGACGGGCATGACCACTGACAACGTAAAGTGCCCGTGTCAGGTTCCGGC CCCGAATTCTTCACAGAAGTGGATGGGTGCGGTTGCACAGGTACGCTCCAGCG TGGTTGGGTCACAGCTCCCATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTC CATGCTCACCGACCCCTCCCACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCC 30 AGGGGATCTCCCCCCTgCTTGGCCAGCTCATCAGCTAGCCAGCTGTCTGCGCCTTC CTTGAAGGCAACATGCACTACCCGTCATGACTCCCCGGACGCTGACCTCATCGAG GCCAACCTCCTGTGGCGCAGGAGATGGGCGGGAACATCACCCGCGTGGAGTCA GAAAATAAGGTAGTAATTTTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGAT GAGAGGAAGTATCCGTTCCGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCCT 35 CGAGCGATGCCCATATGGGCACGCCCGGATTACAACCCTCCACTGTTAGAGTCCT GGAAGGACCCGGACTACGTCCCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGC CAAGGCCCCTCCGATACCACCTCCACGGAGGAAGAGGACGGTTGTCCTGTCAGA ATCTACCGTGTCTTCTGCCTTGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCC GAATCGTCGGCCGTCGACAGCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCCG 40 ACGACGCGACGCGGGATCCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGA GGGGGAGCCGGGGATCCCGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGA GGAGGCTAGTGAGGACGTCGTCTGCTGC

45

SEQ ID NO:12: NS5A gene of HCV adaptive replicon III, where nucleotide change is in lower case and highlighted in bold

TCCGGCTCGTGGCTAAGAGATGTTTGGGATTGGATATGCACGGTGTTGACTGATT

TCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTT

CTCATGTCAACGTGGGTACAAGGGAGTCTGGCGGGGCGACGGCATCATGCAAAC

CACCTGCCCATGTGGAGCACAGATCACCGGACATGTGAAAAAACGGTTCCATGAG

GATCGTGGGGCCTAGGACCTGTAGTAACACGTGGCATGGAACATTCCCCATTAAC

GCGTACACCACGGGCCCCTGCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGC TGTGGCGGGTGGCTGAGGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCC ACTACGTGACGGCATGACCACTGACAACGTAAAGTGCCCGTGTCAGGTTCCGGC CCCGAATTCTTCACAGAAGTGGATGGGGTGCGGTTGCACAGGTACGCTCCAGCG 5 TGGTTGGGTCACAGCTCCCATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTC CATGCTCACCGACCCTCCCACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCC AGGGGATCTCCCCCcCCTTGGCCAGCTCATCAGCTAGCCAGCTGTCTGCGCCTTC CTTGAAGGCAACATGCACTACCCGTCATGACTCCCCGGACGCTGACCTCATCGAG GCCAACCTCCTGTGGCGGCAGGAGATGGGCGGGAACATCACCCGCGTGGAGTCA 10 GAAAATAAGGTAGTAATTTTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGAT GAGAGGGAAGTATCCGTTCCGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCCT CGAGCGATGCCCATATGGGCACGCCCGGATTACAACCCTCCACTGTTAGAGTCCT GGAAGGACCCGGACTACGTCCCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGC CAAGGCCCCTCCGATACCACCTCCACGGAGGAAGAGGACGGTTGTCCTGTCAGA 15 ATCTACCGTGTCTTCTGCCTTGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCC GAATCGTCGGCCGTCGACAGCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCCG ACGACGCGACGCGGGATCCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGA GGGGGAGCCGGGGATCCCGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGA GGAGGCTAGTGAGGACGTCGTCTGCTGC 20

SEQ ID NO:13: Nucleotide sequence of DNA clone of HCV adaptive replicon VII, where nucleotide change is in lower case and highlighted in bold

25 GCCAGCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG CCTCCAGGACCCCCCCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT GGAGATTTGGGCGTGCCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA 30 AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA GGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT 35 ACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT 40 ACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAG GGGCTCGCGCCAGCCGAACTGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGC GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAA ATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTGGCCGACCGCTA TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTCGCAGCGCATCGC CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC CTCTAGCGGGATCAATTCCGCCCCTCTCCCTCCCCCCCCTAACGTTACTGGCCG AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT TGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG 50 CATTCCTAGGGGTCTTTCCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC GTGAAGGAAGCAGTTCCTCTGGAAGCTTCTTGAAGACAACAACGTCTGTAGCG ACCCTTTGCAGGCAGCGGAACCCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA

AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCCAGTGCCACGTTG TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA GGGGCTGAAGGATGCCCAGAAGGTACCCCATTGTATGGGATCTGATCTGGGGCCT . CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCCC GAACCACGGGGACGTGGTTTTCCTTTGAAAAACACGATAATACCATGGCGCCTAT TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC ACAGGCCGGGACAGGAACCAGGTCGAGGGGGAGGTCCAAGTGGTCTCCACCGCA ACACAATCTTTCCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG GTGCCGGCTCAAAGACCCTTGCCGGCCCAAAGGGCCCAATCACCCAAATGTACA CCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCGGGGCGCGTTCCTT 10 GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT GTCATTCCGGTGCGCCGGCGGGCGACAGCAGGGGGAGCCTACTCTCCCCAGG CCCGTCTCCTACTTGAAGGGCTCTTCGGGCGGTCCACTGCTCTGCCCCTCGGGGC ACGCTGTGGGCATCTTTCGGGCTGCCGTGTGCACCCGAGGGGTTGCGAAGGCGGT GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG 15 GACAACTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG CCCTACTGGTAGCGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG GGTATAAGGTGCTTGTCCTGAACCCGTCCGTCGCCGCCACCCTAGGTTTCGGGGC GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAGGAC CATCACCACGGGTGCCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC 20 GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG CTGGAGCGCGACTCGTCGTGCTCGCCACCGCTACGCCTCCGGGATCGGTCACCGT GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT 25 GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT CAATGCTGTAGCATATTACCGGGGCCTTGATGTATCCGTCATACCAACTAGCGGA GACGTCATTGTCGTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTCG ACTCAGTGATCGACTGCAATACATGTGTCACCCAGACAGTCGACTTCAGCCTGGA CCCGACCTTCACCATTGAGACGACGACCGTGCCACAAGACGCGGTGTCACGCTCG CAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGGGCATTTACAGGTTTGTGACT CCAGGAGAACGGCCCTCGGGCATGTTCGATTCCTCGGTTCTGTGCGAGTGCTATG ACGCGGGCTGTGCTTGGTACGAGCTCACGCCCGCCGAGACCTCAGTTAGGTTGCG GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCCAGACTA 35 AGCAGGCAGGAGACAACTTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACG GCTAAAGCCTACGCTGCACGGGCCAACGCCCCTGCTGTATAGGCTGGGAGCCGTT CGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG 40 CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT CATCTTGTCCGGAAAGCCGGCCATCATTCCCGACAGGGAAGTCCTTTACCGGGAG TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA AGCAAGCGGAGGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAG 45 CCTTCTGGGCGAAGCATATGTGGAATTTCATCAGCGGGATACAATATTTAGCAGG CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTCACAGCC TCTATCACCAGCCGCTCACCACCCAACATACCCTCCTGTTTAACATCCTGGGGG GATGGGTGGCCGCCCAACTTGCTCCTCCCAGCGCTGCTTCTGCTTTCGTAGGCGCC GGCATCGCTGGAGCGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA 50 TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC TCCCCTGGCGCCCTAGTCGTCGGGGTCGTGTGCGCAGCGATACTGCGTCGGCACG

TGGGCCCAGGGGAGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTT CGCGGGGTAACCACGTCTCCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC ACGTGTCACTCAGATCCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG ATGTTTGGGATTGGATATGCACGGTGTTGACTGATTTCAAGACCTGGCTCCAGTC CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC AAGGGAGTCTGGCGGGGCGACGGCATCATGCAAACCACCTGCCCATGTGGAGCA CAGATCACCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC TGTAGTAACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGCCCCT GCACGCCTCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA 10 GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGGCATGAC CACTGACAACGTAAAGTGCCCGTGTCAGGTTCCGGCCCCCGAATTCTTCACAGAA GTGGATGGGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG AGGAGGTCACATTCCTGGTCGGGCTCAATCAATACCTGGTTGGGTCACAGCTCCC ATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC 15 CACATTACGGCGGAGACGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCCTCCT TGGCCAGCTCATCAGCTAtCCAGCTGTCTGCGCCTTCCTTGAAGGCAACATGCACT ACCCGTCATGACTCCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGGC AGGAGATGGGCGGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATTT 20 TGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTC CGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCCTCGAGCGATGCCCATATGGG CACGCCGGATTACAACCCTCCACTGTTAGAGTCCTGGAAGGACCCGGACTACGT CCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGCCAAGGCCCCTCCGATACCA CCTCCACGGAGGAAGAGGACGGTTGTCCTGTCAGAATCTACCGTGTCTTCTGCCT TGGCGGAGCTCGCCACAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACA 25 GCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCCGACGACGCGACGCGGGAT CCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGGATCC CGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGT CGTCTGCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCT 30 GCGGAGGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACC ACAACTTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGG TCACCTTTGACAGACTGCAGGTCCTGGACGACCACTACCGGGACGTGCTCAAGGA GATGAAGGCGAAGGCGTCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGC CTGTAAGCTGACGCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAG GACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGG 35 ACTTGCTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAAATG AGGTTTTCTGCGTCCAACCAGAGAAGGGGGGCCGCAAGCCAGCTCGCCTTATCGT ATTCCCAGATTTGGGGGTTCGTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTC TCCACCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGG ACAGCGGGTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGG 40 CTTCGCATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGT GTTGAGGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCA TAAGGTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGG GCAGAACTGCGGCTATCGCCGGTGCCGCGAGCGGTGTACTGACGACCAGCTG 45 CGGTAATACCCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTCGAGCTGCGAAG CTCCAGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCGTTATCTGTGAAA GCGCGGGGACCCAAGAGGACGAGCCGAGCCTACGGGCCTTCACGGAGGCTATGA CTAGATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAATACGACTTGGAGTT GATAACATCATGCTCCCAATGTGTCAGTCGCGCACGATGCATCTGGCAAAAGG 50 GTGTACTATCTCACCCGTGACCCCACCACCCCCTTGCGCGGGCTGCGTGGGAGA CAGCTAGACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCC CACCITGTGGGCAAGGATGATCCTGATGACTCATTTCTTCTCCATCCTTCTAGCTC

AGGAACAACTTGAAAAAGCCCTAGATTGTCAGATCTACGGGGCCTGTTACTCCAT

15 SEQ ID NO:14: Amino acid sequence of the NS5A protein of HCV adaptive replicon I, where amino acid generated is highlighted in bold

SGSWLRDVWDWICTVLTDFKTWLQSKLLPRLPGVPFFSCQRGYKGVWRGDGIMQTT CPCGAQITGHVKNGSMRIVGPRTCSNTWHGTFPINAYTTGPCTPSPAPNYSRALWRV AAEEYVEVTRVGDFHYVTGMTTDNVKCPCQVPAPEFFTEVDGVRLHRYAPACKPLL REEVTFLVGLNQYLVGSQLPCEPEPDVAVLTSMLTDPSHITAETAKRRLARGSPPSLA SSSASQLYSFEPLQAEEDEREVSVPAEILRRSRKFPRAMPIWARPDYNPPLLESWKDP DYVPPVVHGCPLPPAKAPPIPPPRRKRTVVLSESTVSSALAELATKTFGSSESSAVDSG TATASPDQPSDDGDAGSDVESYSSMPPLEGEPGDPDLSDGSWSTVSEEASEDVVCC

25

SEQ ID NO:15: Amino acid sequence of the polyprotein coding region of HCV adaptive replicon VI, where amino acid changes are highlighted in bold

MAPITAYSQQTRGLLGCIITSLTGRDRNQVEGEVQVVSTATQSFLATCVNGVCWTVY HGAGSKTLAGPKGPITQMYTNVDQDLVGWRAPPGARSLTPCTCGSSDLYLVTRHAD VIPVRRGDSRGSLLSPRPVSYLKGSSGGPLLCPSGHAVGIFRAAVCTRGVAKAVDFV PVESMETTMRSPVFTDNSSPPAVPOTFQVAHLHAPTGSGKSTKVPAAYAAQGYKVL VLNPSVAATLGFGAYMSKAHGIDPNIRTGVRTITTGAPITYSTYGKFLADGGCSGGAY DIIICDECHSTDSTTILGIGTVLDQAETAGARLVVLATATPPGSVTVPHPNIEEVALSST 35 GEIPFYGKAIPIETIKGGRHLIFCHSKKKCDELAAKLSGLGLNAVAYYRGLDVSVIPTS GDVIVVATDALMTGFTGDFDSVIDCNTCVTQTVDFSLDPTFTIETTTVPQDAVSRSQR RGRTGRGRMGIYRFVTPGERPSGMFDSSVLCECYDAGCAWYELTPAETSVRLRAYL NTPGLPVCODHLEFWESVFTGLTHIDAHFLSOTKQAGDNFPYLVAYQATVCARAQA PPPSWDOMWKCLIRLKPTLHGPTPLLYRLGAVQNEVTTTHPITKYIMACMSADLEVV 40 TSTWVLVGGVLAALAAYCLTTGSVVIVGRIILSGKPAIIPDREVLYREFDEMEECASH LPYIEQGMQLAEQFKQKAIGLLQTATKQAEAAAPVVESKWRTLEAFWAKHMWNFIS GIOYLAGLSTLPGNPAIASLMAFTASITSPLTTQHTLLFNILGGWVAAQLAPPSAASAF

VGAGIAGAAVGSIGLGKVLVDILAGYGAGVAGALVAFKVMSGEMPSTEDLVNLLPA
ILSPGALVVGVVCAAILRRHVGPGEGAVQWMNRLIAFASRGNHVSPTHYVPESDAA
ARVTQILSSLTITQLLKRLHQWINEDCSTPCSGSWLRDVWDWICTVLTDFKTWLQSK
LLPRLPGVPFFSCQRGYKGVWRGDGIMQTTCPCGAQITGHVKNGSMRIVGPRTCSNT
WHGTFPINAYTTGPCTPSPAPNYSRALWRVAAEEYVEVTRVGDFHYVTGMTTDNVK
CPCQVPAPEFFTEVDGVRLHRYAPACKPLLREEVTFLVGLNQYLVGSQLPCEPEPDV

50 AVLTSMLTDPSHITAETAKRRLARGSPPSLASSSAIQLSAPSLKATCTTRHDSPDADLI EANLLWRQEMGGNITRVESENKVVILDSFEPLQAEEDEREVSVPAEILRRSRKFPRAM PIWARPDYNPPLLESWKDPDYVPPVVHGCPLPPAKAPPIPPPRRKRTVVLSESTVSSAL AELATKTFGSSESSAVDSGTATASPDQPSDDGDAGSDVESYSSMPPLEGEPGDPDLSD GSWSTVSEEASEDVVCCSMSYTWTGALITPCAAEETKLPINALSNSLLRHHNLVYAT TSRSASLRQKKVTFDRLQVLDDHYRDVLKEMKAKASTVKAKLLSVEEACKLTPPHS ARSKFGYGAKDVRNLSSKAVNHIRSVWKDLLEDTETPIDTTIMAKNEVFCVQPEKGG RKPARLIVFPDLGVRVCEKMALYDVVSTLPQAVMGSSYGFQYSPGQRVEFLVNAWK AKKCPMGFAYDTRCFDSTVTENDIRVEESIYQCCDLAPEARQAIRSLTERLYIGGPLT NSKGQNCGYRRCRASGVLTTSCGNTLTCYLKAAAACRAAKLQDCTMLVCGDDLVV ICESAGTOEDEASLRAFTEAMTRYSAPPGDPPKPEYDLELITSCSSNVSVAHDASGKR VYYLTRDPTTPLARAAWETARHTPVNSWLGNIIMYAPTLWARMILMTHFFSILLAQE **OLEKALDCOIYGACYSIEPLDLPOIIORLHGLSAFSLHSYSPGEINRVASCLRKLGVPPL** RVWRHRARSVRARLLSQGGRAATCGKYLFNWAVRTKLKLTPIPAASQLDLSSWFVA

10 GYSGGDIYHSLSRARPRWFMWCLLLLSVGVGIYLLPNR

SEQ ID NO:16: Amino acid sequence of the NS5A protein of HCV adaptive replicon VII, 15 where amino acid change is highlighted in bold

SGSWLRDVWDWICTVLTDFKTWLQSKLLPRLPGVPFFSCQRGYKGVWRGDGIMOTTCPCGAQITGHVKNGSMRIVGPRTCSNTWHGTFPINAYTTGPCTPSPAPNYSRALWRV AAEEYVEVTRVGDFHYVTGMTTDNVKCPCQVPAPEFFTEVDGVRLHRYAPACKPLL REEVTFLVGLNOYLVGSOLPCEPEPDVAVLTSMLTDPSHITAETAKRRLARGSPPSLA SSSAIQLSAPSLKATCTTRHDSPDADLIEANLLWRQEMGGNITRVESENKVVILDSFEP LOAEEDEREVSVPAEILRRSRKFPRAMPIWARPDYNPPLLESWKDPDYVPPVVHGCP LPPAKAPPIPPPRRKRTVVLSESTVSSALAELATKTFGSSESSAVDSGTATASPDQPSD DGDAGSDVESYSSMPPLEGEPGDPDLSDGSWSTVSEEASEDVVCC

25

20

SEO ID NO:17: Amino acid sequence of the polyprotein of HCV adaptive replicon II, where amino acid changes are highlighted in bold

MAPITAYSOOTRGLLGCIITSLTGRDRNQVEGEVQVVSTATQSFLATCVNGVCWTVY 30 HGAGSKTLAGPKGPITOMYTNVDQDLVGWQAPPGARSLTPCTCGSSDLYLVTRHAD VIPVRRGDSRGSLLSPRPVSYLKGSSGGPLLCPSGHAVGIFRAAVCTRGVAKAVDFV PVESMETTMRSPVFTDNSSPPAVPOTFQVAHLHAPTGSGKSTKVPAAYAAQGYKVL VLNPSVAATLGFGAYMSKAHGIDPNIRTGVRTITTGAPITYSTYGKFLADGGCSGGAY DIIICDECHSTDSTTILGIGTVLDQAETAGARLVVLATATPPGSVTVPHPNIEEVALSST 35 GEIPFYGKAIPIETIKGGRHLIFCHSKKKCDELAAKLSGLGLNAVAYYRGLDVSVIPTS GDVIVVATDALMTGFTGDFDSVIDCNTCVTQTVDFSLDPTFTIETTTVPQDAVSRSQR RGRTGRGRMGIYRFVTPGERPSGMFDSSVLCECYDAGCAWYELTPAETSVRLRAYL NTPGLPVCQDHLEFWESVFTGLTHIDAHFLSQTKQAGDNFPYLVAYQATVCARAQA PPPSWDQMWECLIRLKPTLHGPTPLLYRLGAVQNEVTTTHPITKYIMACMSADLEVV 40 TSTWVLVGGVLAALAAYCLTTGSVVIVGRIILSGKPAIIPDREVLYREFDEMEECASH LPYIEOGMOLAEOFKOKAIGLLOTATKOAEAAAPVVESKWRTLEAFWAKHMWNFIS GIQYLAGLSTLPGNPAIASLMAFTASITSPLTTQHTLLFNILGGWVAAQLAPPSAASAF VGAGIAGAAVGSIGLGKVLVDILAGYGAGVAGALVAFKVMSGEMPSTEDLVNLLPA ILSPGALVVGVVCAAILRRHVGPGEGAVQWMNRLIAFASRGNHVSPTHYVPESDAA 45 ARVTOILSGLTITOLLKRLHOWINEDCSTPCSGSWLRDVWDWICTVLTDFKTWLQSK LLPRLPGVPFFSCQRGYKGVWRGDGIMQTTCPCGAQITGHVKNGSMRIVGPRTCSNT WHGTFPINAYTTGPCTPSPAPNYSRALWRVAAEEYVEVTRVGDFHYVTGMTTDNVK CPCOVPAPEFFTEVDGVRLHRYAPACKPLLREEVTFLVGLNQYLVGSQLPCEPEPDV AVLTSMLTDPSHITAETAKRGLARGSPPSLASSSASQLSAPSLKATCTTRHDSPDADLI 50 EANLLWRQEMGGNITRVESENKVVILDSFEPLQAEEDEREVSVPAEILRRSRKFPRAM PIWARPDYNPPLLESWKDPDYVPPVVHGCPLPPAKAPPIPPPRRKRTVVLSESTVSSAL

AELATKTFGSSESSAVDSGTATASPDQPSDDGDAGSDVESYSSMPPLEGEPGDPDLSD

GSWSTVSEEASEDVVCCSMSYTWTGALITPCAAEETKLPINALSNSLLRHHNLVYAT TSRSASLRQKKVTFDRLQVLDDHYRDVLKEMKAKASTVKAKLLSVEEACKLTPPHS ARSKFGYGAKDVRNLSSKAVNHIRSVWKDLLEDTETPIDTTIMAKNEVFCVQPEKGG RKPARLIVFPDLGVRVCEKMALYDVVSTLPQAVMGSSYGFQYSPGQRVEFLVNAWK AKKCPMGFAYDTRCFDSTVTENDIRVEESIYQCCDLAPEARQAIRSLTERLYIGGPLT NSKGQNCGYRRCRASGVLTTSCGNTLTCYLKAAAACRAAKLQDCTMLVCGDDLVV ICESAGTQEDEASLRAFTEAMTRYSAPPGDPPKPEYDLELITSCSSNVSVAHDASGKR VYYLTRDPTTPLARAAWETARHTPVNSWLGNIIMYAPTLWARMILMTHFFSILLAQE QLEKALDCQIYGACYSIEPLDLPQIIQRLHGLSAFSLHSYSPGEINRVASCLRKLGVPPL RVWRHRARSVRARLLSQGGRAATCGKYLFNWAVRTKLKLTPIPAASQLDLSSWFVA

10 GYSGGDIYHSLSRARPRWFMWCLLLLSVGVGIYLLPNR

SEQ ID NO:18: Amino acid sequence of the NS5A protein of HCV adaptive replicon II, where amino acid change is highlighted in bold 15

SGSWLRDVWDWICTVLTDFKTWLQSKLLPRLPGVPFFSCQRGYKGVWRGDGIMQTT CPCGAQITGHVKNGSMRIVGPRTCSNTWHGTFPINAYTTGPCTPSPAPNYSRALWRV AAEEYVEVTRVGDFHYVTGMTTDNVKCPCQVPAPEFFTEVDGVRLHRYAPACKPLL REEVTFLVGLNQYLVGSQLPCEPEPDVAVLTSMLTDPSHITAETAKRGLARGSPPSLA 20 SSSASQLSAPSLKATCTTRHDSPDADLIEANLLWRQEMGGNITRVESENKVVILDSFE PLQAEEDEREVSVPAEILRRSRKFPRAMPIWARPDYNPPLLESWKDPDYVPPVVHGCP LPPAKAPPIPPPRRKRTVVLSESTVSSALAELATKTFGSSESSAVDSGTATASPDQPSD DGDAGSDVESYSSMPPLEGEPGDPDLSDGSWSTVSEEASEDVVCC

25

SEQ ID NO:19: Amino acid sequence of the NS5A protein of HCV adaptive replicon V, where amino acid change is highlighted in bold

SGSWLRDVWDWICTVLTDFKTWLQSKLLPRLPGVPFFSCQRGYKGVWRGDGIMQTT 30 CPCGAOITGHVKNGSMRIVGPRTCSNTWHGTFPINAYTTGPCTPSPAPNYSRALWRV AAEEYVEVTRVGDFHYVTGMTTDNVKCPCQVPAPEFFTEVDGVRLHRYAPACKPLL REEVTFLVGLNQYLVGSQLPCEPEPDVAVLTSMLTDPSHITAETAKRRLARGSPPSLS SSSASQLSAPSLKATCTTRHDSPDADLIEANLLWRQEMGGNITRVESENKVVILDSFE

PLQAEEDEREVSVPAEILRRSRKFPRAMPIWARPDYNPPLLESWKDPDYVPPVVHGCP 35 LPPAKAPPIPPPRRKRTVVLSESTVSSALAELATKTFGSSESSAVDSGTATASPDQPSD DGDAGSDVESYSSMPPLEGEPGDPDLSDGSWSTVSEEASEDVVCC

SEQ ID NO:20: Amino acid sequence of the NS5A protein of HCV adaptive replicon IV, 40 where amino acid change is highlighted in bold

SGSWLRDVWDWICTVLTDFKTWLQSKLLPRLPGVPFFSCQRGYKGVWRGDGIMQTT CPCGAQITGHVKNGSMRIVGPRTCSNTWHGTFPINAYTTGPCTPSPAPNYSRALWRV

AAEEYVEVTRVGDFHYVTGMTTDNVKCPCQVPAPEFFTEVDGVRLHRYAPACKPLL 45 REEVTFLVGLNQYLVGSQLPCEPEPDVAVLTSMLTDPSHITAETAKRRLARGSPPCLA SSSASQLSAPSLKATCTTRHDSPDADLIEANLLWRQEMGGNITRVESENKVVILDSFE PLOAEEDEREVSVPAEILRRSRKFPRAMPIWARPDYNPPLLESWKDPDYVPPVVHGCP LPPAKAPPIPPPRRKRTVVLSESTVSSALAELATKTFGSSESSAVDSGTATASPDQPSD DGDAGSDVESYSSMPPLEGEPGDPDLSDGSWSTVSEEASEDVVCC 50

SEQ ID NO:21: Amino acid sequence of the NS5A protein of HCV adaptive replicon III, where amino acid change is highlighted in bold

SGSWLRDVWDWICTVLTDFKTWLQSKLLPRLPGVPFFSCQRGYKGVWRGDGIMOTT CPCGAOITGHVKNGSMRIVGPRTCSNTWHGTFPINAYTTGPCTPSPAPNYSRALWRV 5 AAEEYVEVTRVGDFHYVTGMTTDNVKCPCQVPAPEFFTEVDGVRLHRYAPACKPLL REEVTFLVGLNOYLVGSOLPCEPEPDVAVLTSMLTDPSHITAETAKRRLARGSPPPLA SSSASOLSAPSLKATCTTRHDSPDADLIEANLLWRQEMGGNITRVESENKVVILDSFE PLQAEEDEREVSVPAEILRRSRKFPRAMPIWARPDYNPPLLESWKDPDYVPPVVHGCP LPPAKAPPIPPPRRKRTVVLSESTVSSALAELATKTFGSSESSAVDSGTATASPDQPSD 10 DGDAGSDVESYSSMPPLEGEPGDPDLSDGSWSTVSEEASEDVVCC

SEQ ID NO:22: Nucleotide sequence of DNA clone of HCV adaptive replicon HCVrep/NS2-5B (see Figure 9)

15

GCCAGCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT 20 GGAGATTTGGGCGTGCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT AGACCGTGCACCAGACCACACGGTTTCCCTCTAGCGGGATCAATTCCGCCCCTC TCCTCCCCCCCCTAACGTTACTGGCCGAAGCCGCTTGGAATAAGGCCGGTGT GCGTTTGTCTATATGTTATTTTCCACCATATTGCCGTCTTTTGGCAATGTGAGGGC CCGGAAACCTGCCCTGTCTTCTTGACGAGCATTCCTAGGGGTCTTTCCCCTCTCG 25 CCAAAGGAATGCAAGGTCTGTTGAATGTCGTGAAGGAAGCAGTTCCTCTGGAAG ACCTGGCGACAGGTGCCTCTGCGGCCAAAAGCCACGTGTATAAGATACACCTGC AAAGGCGGCACAACCCCAGTGCCACGTTGTGAGTTGGATAGTTGTGGAAAGAGT CAAATGGCTCTCCAAGCGTATTCAACAAGGGCTGAAGGATGCCCAGAAGGT 30 ACCCCATTGTATGGGATCTGATCTGGGGCCTCGGTGCACATGCTTTACATGTGTTT AGTCGAGGTTAAAAAACGTCTAGGCCCCCCGAACCACGGGGACGTGGTTTTCCTT TGAAAAACACGATAATACCATGGACCGGGAGATGGCAGCATCGTGCGGAGGCGC GGTTTTCGTAGGTCTGATACTCTTGACCTTGTCACCGCACTATAAGCTGTTCCTCG 35 CTAGGCTCATATGGTGGTTACAATATTTTATCACCAGGGCCGAGGCACACTTGCA AGTGTGGATCCCCCCCTCAACGTTCGGGGGGGCCGCGATGCCGTCATCCTCCTC ACGTGCGCGATCCACCCAGAGCTAATCTTTACCATCACCAAAATCTTGCTCGCCA TACTCGGTCCACTCATGGTGCTCCAGGCTGGTATAACCAAAGTGCCGTACTTCGT GCGCGCACACGGGCTCATTCGTGCATGCATGCTGGTGCGGAAGGTTGCTGGGGGT 40 ATGACCATCTCACCCCACTGCGGGACTGGGCCCACGCGGGCCTACGAGACCTTGC GGTGGCAGTTGAGCCCGTCGTCTTCTCTGATATGGAGACCAAGGTTATCACCTGG GGGGCAGACACCGCGCGTGTGGGGACATCATCTTGGGCCTGCCCGTCTCCGCCC GCAGGGGAGGGAGATACATCTGGGACCGGCAGACAGCCTTGAAGGGCAGGGG TGGCGACTCCTCGCGCCTATTACGGCCTACTCCCAACAGACGCGAGGCCTACTTG 45 GCTGCATCACTAGCCTCACAGGCCGGGACAGGAACCAGGTCGAGGGGGAGG TCCAAGTGGTCTCCACCGCAACACAATCTTTCCTGGCGACCTGCGTCAATGGCGT GTGTTGGACTGTCTATCATGGTGCCGGCTCAAAGACCCTTGCCGGCCCAAAGGGC CCAATCACCCAAATGTACACCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCG CCCCCGGGGCGCGTTCCTTGACACCATGCACCTGCGGCAGCTCGGACCTTTACT 50 TGGTCACGAGGCATGCCGATGTCATTCCGGTGCGCCGGCGGGGCGACAGCAGGG GGAGCCTACTCTCCCCAGGCCCGTCTCCTACTTGAAGGGCTCTTCGGGCGGTCC

ACTGCTCTGCCCCTCGGGGCACGCTGTGGGCATCTTTCGGGCTGCCGTGTGCACC

CGAGGGGTTGCGAAGGCGGTGGACTTTGTACCCGTCGAGTCTATGGAAACCACTA TGCGGTCCCCGGTCTTCACGGACAACTCGTCCCCTCCGGCCGTACCGCAGACATT CCAGGTGGCCCATCTACACGCCCCTACTGGTAGCGGCAAGAGCACTAAGGTGCC GCCACCCTAGGTTTCGGGGCGTATATGTCTAAGGCACATGGTATCGACCCTAACA TCAGAACCGGGTAAGGACCATCACCACGGGTGCCCCCATCACGTACTCCACCTA TGGCAAGTTTCTTGCCGACGGTGGTTGCTCTGGGGGCGCCTATGACATCATAATA TGTGATGAGTGCCACTCAACTGACTCGACCACTATCCTGGGCATCGGCACAGTCC TGGACCAAGCGGAGACGGCTGGAGCGCGACTCGTCGTGCTCGCCACCGCTACGC CTCCGGGATCGGTCACCGTGCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAG 10 CACTGGAGAAATCCCCTTTTATGGCAAAGCCATCCCCATCGAGACCATCAAGGGG GGGAGGCACCTCATTTTCTGCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGA AGCTGTCCGGCCTCGGACTCAATGCTGTAGCATATTACCGGGGCCTTGATGTATC CGTCATACCAACTAGCGGAGACGTCATTGTCGTAGCAACGGACGCTCTAATGACG GGCTTTACCGGCGATTTCGACTCAGTGATCGACTGCAATACATGTGTCACCCAGA 15 CAGTCGACTTCAGCCTGGACCCGACCTTCACCATTGAGACGACGACCGTGCCAC AAGACGCGGTGTCACGCTCGCAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGG GCATTTACAGGTTTGTGACTCCAGGAGAACGGCCCTCGGGCATGTTCGATTCCTC GAGACCTCAGTTAGGTTGCGGGCTTACCTAAACACACCAGGGTTGCCCGTCTGCC 20 AGGACCATCTGGAGTTCTGGGAGAGCGTCTTTACAGGCCTCACCCACATAGACGC CCATTTCTTGTCCCAGACTAAGCAGGCAGGAGACAACTTCCCCTACCTGGTAGCA TACCAGGCTACGGTGTGCGCCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAA TGTGGAAGTGTCTCATACGGCTAAAGCCTACGCTGCACGGGCCAACGCCCCTGCT GTATAGGCTGGGAGCCGTTCAAAACGAGGTTACTACCACACACCCCATAACCAA 25 ATACATCATGGCATGCATGTCGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTG CTGGTAGGCGGAGTCCTAGCAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCG TGGTCATTGTGGGCAGGATCATCTTGTCCGGAAAGCCGGCCATCATTCCCGACAG GGAAGTCCTTTACCGGGAGTTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCT TACATCGAACAGGGAATGCAGCTCGCCGAACAATTCAAACAGAAGGCAATCGGG 30 TTGCTGCAAACAGCCACCAAGCAAGCGGAGGCTGCTGCTCCCGTGGTGGAATCC AAGTGGCGGACCCTCGAAGCCTTCTGGGCGAAGCATATGTGGAATTTCATCAGCG GGATACAATATTTAGCAGGCTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATC ACTGATGGCATTCACAGCCTCTATCACCAGCCCGCTCACCACCCAACATACCCTC CTGTTTAACATCCTGGGGGGATGGGTGGCCGCCCAACTTGCTCCTCCCAGCGCT 35 GCTTCTGCTTTCGTAGGCGCCGGCATCGCTGGAGCGGCTGTTGGCAGCATAGGCC TTGGGAAGGTGCTTGTGGATATTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGC GCTCGTGGCCTTTAAGGTCATGAGCGGCGAGATGCCCTCCACCGAGGACCTGGTT AACCTACTCCCTGCTATCCTCTCCCCTGGCGCCCTAGTCGTCGGGGTCGTGTGCGC AGCGATACTGCGTCGGCACGTGGGCCCAGGGGAGGGGGCTGTGCAGTGGATGAA 40 CCGGCTGATAGCGTTCGCTTCGCGGGGTAACCACGTCTCCCCCACGCACTATGTG CCTGAGAGCGACGCTGCAGCACGTGTCACTCAGATCCTCTCTAGTCTTACCATCA CTCAGCTGCTGAAGAGGCTTCACCAGTGGATCAACGAGGACTGCTCCACGCCATG CTCCGGCTCGTGGCTAAGAGATGTTTGGGATTGGATATGCACGGTGTTGACTGAT TTCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTT 45 CTCATGTCAACGTGGGTACAAGGGAGTCTGGCGGGGGGGCGACGGCATCATGCAAAC CACCTGCCCATGTGGAGCACAGATCACCGGACATGTGAAAAACGGTTCCATGAG GATCGTGGGGCCTAGGACCTGTAGTAACACGTGGCATGGAACATTCCCCATTAAC GCGTACACCACGGGCCCTGCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGC TGTGGCGGGTGGCTGAGGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCC 50 ACTACGTGACGGGCATGACCACTGACAACGTAAAGTGCCCGTGTCAGGTTCC GGCCCCGAATTCTTCACAGAAGTGGATGGGGTGCGGTTGCACAGGTACGCTCCA

ACCTGGTTGGGTCACAGCTCCCATGCGAGCCCGAACCGGACGTAGCAGTGCTCAC TTCCATGCTCACCGACCCCTCCCACATTACGGCGGAGACGGCTAAGCGTAGGCTG GCCAGGGGATCTCCCCCCTCTTGGCCAGCTCATCAGCTATCCAGCTGTCTGCGC CTTCCTTGAAGGCAACATGCACTACCCGTCATGACTCCCCGGACGCTGACCTCAT CGAGGCCAACCTCCTGTGGCGGCAGGAGATGGGCGGGAACATCACCCGCGTGGA GTCAGAAAATAAGGTAGTAATTTTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAG GATGAGAGGGAAGTATCCGTTCCGGCGGAGATCCTGCGGAGGTCCAGGAAATTC CCTCGAGCGATGCCCATATGGGCACGCCCGGATTACAACCCTCCACTGTTAGAGT CCTGGAAGGACCCGGACTACGTCCCTCCAGTGGTACACGGGTGTCCATTGCCGCC TGCCAAGGCCCTCCGATACCACCTCCACGGAGGAAGAGGACGGTTGTCCTGTCA 10 GAATCTACCGTGTCTTCTGCCTTGGCGGAGCTCGCCACAAAGACCTTCGGCAGCT CCGAATCGTCGGCCGTCGACAGCGGCACGGCAACGGCCTCTCCTGACCAGCCCTC CGACGACGCGACGCGGATCCGACGTTGAGTCGTACTCCTCCATGCCCCCCTT GAGGGGGAGCCGGGGATCCCGATCTCAGCGACGGGTCTTGGTCTACCGTAAGC GAGGAGGCTAGTGAGGACGTCGTCTGCTGCTCGATGTCCTACACATGGACAGGC 15 GCCTGATCACGCCATGCGCTGCGGAGGAAACCAAGCTGCCCATCAATGCACTG AGCAACTCTTTGCTCCGTCACCACACTTGGTCTATGCTACAACATCTCGCAGCG CAAGCCTGCGGCAGAAGAAGGTCACCTTTGACAGACTGCAGGTCCTGGACGACC ACTACCGGGACGTGCTCAAGGAGATGAAGGCGAAGGCGTCCACAGTTAAGGCTA A ACTTCTATCCGTGGAGGAAGCCTGTAAGCTGACGCCCCCACATTCGGCCAGATC 20 TAAATTTGGCTATGGGGCAAAGGACGTCCGGAACCTATCCAGCAAGGCCGTTAA CCACATCCGCTCCGTGTGGAAGGACTTGCTGGAAGACACTGAGACACCAATTGAC ACCACCATCATGGCAAAAAATGAGGTTTTCTGCGTCCAACCAGAGAAGGGGGGC CGCAAGCCAGCTCGCCTTATCGTATTCCCAGATTTGGGGGTTCGTGTGTGCGAGA AAATGGCCCTTTACGATGTGGTCTCCACCCTCCCTCAGGCCGTGATGGGCTCTTCA 25 TACGGATTCCAATACTCTCCTGGACAGCGGGTCGAGTTCCTGGTGAATGCCTGGA AAGCGAAGAAATGCCCTATGGGCTTCGCATATGACACCCGCTGTTTTGACTCAAC GGTCACTGAGAATGACATCCGTGTTGAGGAGTCAATCTACCAATGTTGTGACTTG GCCCCGAAGCCAGACAGGCCATAAGGTCGCTCACAGAGCGGCTTTACATCGGG 30 GGCCCCTGACTAATTCTAAAGGGCAGAACTGCGGCTATCGCCGGTGCCGCGA GCGGTGTACTGACGACCAGCTGCGGTAATACCCTCACATGTTACTTGAAGGCCGC TGCGGCCTGTCGAGCTGCGAAGCTCCAGGACTGCACGATGCTCGTATGCGGAGAC GACCTTGTCGTTATCTGTGAAAGCGCGGGGACCCAAGAGGACGAGCCGAGCCTA CGGGCCTTCACGGAGGCTATGACTAGATACTCTGCCCCCCCTGGGGACCCGCCCA AACCAGAATACGACTTGGAGTTGATAACATCATGCTCCTCCAATGTCTCAGTCGC 35 GCACGATGCATCTGGCAAAAGGGTGTACTATCTCACCCGTGACCCCACCACCCCC CTTGCGCGGGCTGCGTGGGAGACAGCTAGACACACTCCAGTCAATTCCTGGCTAG GCAACATCATCATGTATGCGCCCACCTTGTGGGCAAGGATGATCCTGATGACTCA TTTCTCCCATCCTTCTAGCTCAGGAACAACTTGAAAAAGCCCTAGATTGTCAGA 40 ACTCCATGGCCTTAGCGCATTTTCACTCCATAGTTACTCTCCAGGTGAGATCAATA GGGTGGCTTCATGCCTCAGGAAACTTGGGGTACCGCCCTTGCGAGTCTGGAGACA TCGGGCCAGAAGTGTCCGCGCTAGGCTACTGTCCCAGGGGGGGAGGGCTGCCAC ATCCCGCTGCGTCCCAGTTGGATTTATCCAGCTGGTTCGTTGCTGGTTACAGCGG 45 GGGAGACATATATCACAGCCTGTCTCGTGCCCGACCCCGCTGGTTCATGTGGTGC CTACTCCTACTTTCTGTAGGGGTAGGCATCTATCTACTCCCCAACCGATGAACGG TTCTTTCCTTTGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAGGTCC 50

GTGAGCCGCTTGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCAGATCAAGT

SEQ ID NO:23: Nucleotide sequence of full-length HCV cDNA clone containing the mutation that results in Ser to Ile at position 1179 of SEQ ID NO:3, and where the 5' NTR is fused to the neomycin phosphotransferase gene and the EMCV IRES is inserted upstream of the HCV open reading frame (see Figure 9)

5 GCCAGCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG CCTCCAGGACCCCCCTCCCGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA CACCGGAATTGCCAGGACGACCGGTCCTTTCTTGGATCAACCCGCTCAATGCCT GGAGATTTGGGCGTGCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA 10 AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA GGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT 15 ACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT 20 ACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAG GGGCTCGCGCCAGCCGAACTGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGC GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAA ATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG 25 GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTCGCAGCGCATCGC CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT 30 TGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG CATTCCTAGGGGTCTTTCCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC GTGAAGGAAGCAGTTCCTCTGGAAGCTTCTTGAAGACAACAACGTCTGTAGCG ACCCTTTGCAGGCAGCGGAACCCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCCAGTGCCACGTTG TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA 35 GGGGCTGAAGGATGCCCAGAAGGTACCCCATTGTATGGGATCTGATCTGGGGCCT CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCCC GAACCACGGGGACGTGGTTTTCCTTTGAAAAACACGATAATAATGAGCACGAAT CCTAAACCTCAAAGAAAAACCAAACGTAACACCAACCGCCGCCCACAGGACGTC AAGTTCCCGGGCGGTGGTCAGATCGTCGGTGGAGTTTACCTGTTGCCGCGCAGGG 40 GCCCAGGTTGGGTGTGCGCGCGACTAGGAAGACTTCCGAGCGGTCGCAACCTC GTGGAAGGCGACAACCTATCCCCAAGGCTCGCCAGCCCGAGGGTAGGGCCTGGG CTCAGCCGGGTACCCTGGCCCTCTATGGCAATGAGGGCTTGGGGTGGCCAGG ATGGCTCCTGTCACCCGTGGCTCTCGGCCTAGTTGGGGCCCCACGGACCCCCGG CGTAGGTCGCGCAATTTGGGTAAGGTCATCGATACCCTCACGTGCGGCTTCGCCG 45 ATCTCATGGGGTACATTCCGCTCGTCGGCGCCCCCTAGGGGGCGCTGCCAGGGC CCTGGCGCATGGCGTCCGGGTTCTGGAGGACGGCGTGAACTATGCAACAGGGAA TCTGCCCGGTTGCTCCTTTTCTATCTTCCTTTTGGCTTTGCTGTCCTGTTTGACCAT CCCAGCTTCCGCTTATGAAGTGCGCAACGTATCCGGAGTGTACCATGTCACGAAC GACTGCTCCAACGCAAGCATTGTGTATGAGGCAGCGGACATGATCATGCATACCC 50 CCGGGTGCGTGCCTTCGGGAGAACAACTCCTCCCGCTGCTGGGTAGCGCT CACTCCCACGCTCGCGGCCAGGAACGCTAGCGTCCCCACTACGACGATACGACGC CATGTCGATTTGCTCGTTGGGGCGCTGCTCTCTCTCCCCTATGTACGTGGGAG

ATCTCTGCGGATCTGTTTTCCTCGTCGCCCAGCTGTTCACCTTCTCGCCTCGCCGG CACGAGACAGTACAGGACTGCAATTGCTCAATATATCCCGGCCACGTGACAGGTC ACCGTATGGCTTGGGATATGATGATGAACTGGTCACCTACAGCAGCCCTAGTGGT ATCGCAGTTACTCCGGATCCCACAAGCTGTCGTGGATATGGTGGCGGGGGCCCAT TGGGGAGTCCTAGCGGGCCTTGCCTACTATTCCATGGTGGGGAACTGGGCTAAGG 5 TTCTGATTGTGATGCTACTCTTTGCCGGCGTTGACGGGGGAACCTATGTGACAGG GGGGACGATGCCAAAAACACCCTCGGGATTACGTCCCTCTTTTCACCCGGGTCA TCCCAGAAAATCCAGCTTGTAAACACCAACGGCAGCTGGCACATCAACAGGACT GCCCTGAACTGCAATGACTCCCTCAACACTGGGTTCCTTGCTGCGCTGTTCTACGT GCACAAGTTCAACTCATCTGGATGCCCAGAGCGCATGGCCAGCTGCAGCCCCATC 10 GACGCGTTCGCTCAGGGGTGGGGGCCCATCACTTACAATGAGTCACACAGCTCGG ACCAGAGGCCTTATTGTTGGCACTACGCACCCCGGCCGTGCGGTATCGTACCCGC GGCGCAGGTGTGTGCCCAGTGTACTGCTTCACCCCAAGCCCTGTCGTGGTGGGG ACGACCGACCGCTCGCCTACGTACAGTTGGGGGGAGAATGAGACGGAC GTGCTGCTTCTTAACAACACGCGGCCGCCGCAAGGCAACTGGTTTGGCTGTACAT 15 GGATGAATAGCACTGGGTTCACCAAGACGTGCGGGGGCCCCCCGTGTAACATCG GGGGGATCGCCAATAAAACCTTGACCTGCCCCACGGACTGCTTCCGGAAGCACC CCGAGGCCACTTACACCAAGTGTGGTTCGGGGCCTTGGTTGACACCCAGATGCTT GGTCCACTACCCATACAGGCTTTGGCACTACCCCTGCACTGTCAACTTTACCATCT TCAAGGTTAGGATGTACGTGGGGGGGAGTGGAGCACAGGCTCGAAGCCGCATGCA 20 ATTGGACTCGAGGAGAGCGTTGTAACCTGGAGGACAGGACAGATCAGAGCTTA GCCCGCTGCTGTCTACAACGGAGTGGCAGGTATTGCCCTGTTCCTTCACCAC CCTACCGGCTCTGTCCACTGGTTTGATCCATCTCCATCAGAACGTCGTGGACGTAC AATACCTGTACGGTATAGGGTCGGCGGTTGTCTCCTTTGCAATCAAATGGGAGTA TGTCCTGTTGCTCTTCTTCTGGCGGACGCGCGCGTCTGTGCCTGCTTGTGGA 25 TGATGCTGCTGATAGCTCAAGCTGAGGCCGCCCTAGAGAACCTGGTGGTCCTCAA CGCGGCATCCGTGGCCGGGGCGCATGGCATTCTCTCCTCCTCGTGTTCTTCTGTG CTGCCTGGTACATCAAGGGCAGGCTGGTCCCTGGGGCGGCATATGCCCTCTACGG CGTATGGCCGCTACTCCTGCTCCTGCTGGCGTTACCACCACGAGCATACGCCATG GACCGGGAGATGGCAGCATCGTGCGGAGGCGCGGTTTTCGTAGGTCTGATACTCT 30 TGACCTTGTCACCGCACTATAAGCTGTTCCTCGCTAGGCTCATATGGTGGTTACAA TTCGGGGGGCCGCGATGCCGTCATCCTCCTCACGTGCGCGATCCACCCAGAGCT AATCTTTACCATCACCAAAATCTTGCTCGCCATACTCGGTCCACTCATGGTGCTCC AGGCTGGTATAACCAAAGTGCCGTACTTCGTGCGCGCACACGGGCTCATTCGTGC 35 ATGCATGCTGGTGCGGAAGGTTGCTGGGGGTCATTATGTCCAAATGGCTCTCATG **AAGTTGGCCGCACTGACAGGTACGTACGTTTATGACCATCTCACCCCACTGCGGG** ACTGGGCCCACGCGGCCTACGAGACCTTGCGGTGGCAGTTGAGCCCGTCGTCTT CTCTGATATGGAGACCAAGGTTATCACCTGGGGGGCAGACACCGCGCGTGTGG 40 GGACCGCAGACAGCCTTGAAGGGCAGGGTGGCGACTCCTCGCGCCTATTACG GCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTCACAG GCCGGGACAGGACCAGGTCGAGGGGGAGGTCCAAGTGGTCTCCACCGCAACAC AATCTTTCCTGGCGACCTGCGTCAATGGCGTGTTTTGGACTGTCTATCATGGTGCC GGCTCAAAGACCCTTGCCGGCCCAAAGGGCCCAATCACCCAAATGTACACCAAT GTGGACCAGGACCTCGTCGCCTGGCAAGCGCCCCCCGGGGCGCGTTCCTTGACAC CATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGATGTCAT TCCGGTGCGCCGGCGGGCGACAGCAGGGGGAGCCTACTCTCCCCCAGGCCCGT CTCCTACTTGAAGGGCTCTTCGGGCGGTCCACTGCTCTGCCCCTCGGGGCACGCT GTGGGCATCTTTCGGGCTGCCGTGTGCACCCGAGGGGTTGCGAAGGCGGTGGACT 50 TTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACGGACAA CTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACGCCCCT

ACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAGGGTAT

95

AAGGTGCTTGTCCTGAACCCGTCCGTCGCCGCCACCCTAGGTTTCGGGGCGTATA TGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAGGACCATCA CCACGGGTGCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGACGGTGG TTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAACTGAC TCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGGCTGGA GCGCGACTCGTCGTCGCCACCGCTACGCCTCCGGGATCGGTCACCGTGCCAC ATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTTTATGG CAAAGCCATCCCATCGAGACCATCAAGGGGGGGGGGGGCACCTCATTTTCTGCCAT TCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACTCAAT GCTGTAGCATATTACCGGGGCCTTGATGTATCCGTCATACCAACTAGCGGAGACG 10 TCATTGTCGTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTCGACTC AGTGATCGACTGCAATACATGTGTCACCCAGACAGTCGACTTCAGCCTGGACCCG ACCTTCACCATTGAGACGACGACCGTGCCACAAGACGCGGTGTCACGCTCGCAGC GGCGAGGCAGGACTGGTAGGGGCAGGATGGGCATTTACAGGTTTGTGACTCCAG GAGAACGCCCTCGGGCATGTTCGATTCCTCGGTTCTGTGCGAGTGCTATGACGC 15 GGGCTGTGCTTGGTACGAGCTCACGCCCGCCGAGACCTCAGTTAGGTTGCGGGCT TACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGGGAGA GCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCCAGACTAAGCA GGCAGGAGACAACTTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCGCCAG GGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACGGCTA 20 AAGCTACGCTGCACGGCCAACGCCCTGCTGTATAGGCTGGGAGCCGTTCAAA TGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAGCAGCT CTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGATCATCT TGTCCGGAAAGCCGGCCATCATTCCCGACAGGGAAGTCCTTTACCGGGAGTTCGA 25 TGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGCAGCTC GCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCAAGCAA GCGGAGGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAGCCTTCT GGGCGAAGCATATGTGGAATTTCATCAGCGGGATACAATATTTAGCAGGCTTGTC CACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTCACAGCCTCTATC 30 ACCAGCCGCTCACCACCAACATACCCTCTGTTTAACATCCTGGGGGGATGGG TGGCCGCCCAACTTGCTCCTCCCAGCGCTGCTTCTGCTTTCGTAGGCGCCGGCATC GCTGGAGCGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATATTTTGG CAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCATGAGCG GCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTCTCCCCT 35 GGCGCCTAGTCGTCGGGGTCGTGTGCGCAGCGATACTGCGTCGGCACGTGGGCC CAGGGGAGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTTCGCGGG GTAACCACGTCTCCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGCACGTGT CACTCAGATCCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTCACCAGT GGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAGATGTTTG 40 GGATTGGATATGCACGGTGTTGACTGATTTCAAGACCTGGCTCCAGTCCAAGCTC CTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTACAAGGGAG TCTGGCGGGGCGACGCATCATGCAAACCACCTGCCCATGTGGAGCACAGATCA CCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACCTGTAGTA ACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGCCCCTGCACGCC 45 CTCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGAGGAGTAC GTGGAGGTTACGCGGGGGGATTTCCACTACGTGACGGCATGACCACTGAC AACGTAAAGTGCCCGTGTCAGGTTCCGGCCCCCGAATTCTTCACAGAAGTGGATG GGGTGCGGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGGAGGAGG TCACATTCCTGGTCGGGCTCAATCAATACCTGGTTGGGTCACAGCTCCCATGCGA 50 GCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCCCACATT ACGGCGGAGACGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCCTCCTTGGCC AGCTCATCAGCTATCCAGCTGTCTGCGCCTTCCTTGAAGGCAACATGCACTACCC

GTCATGACTCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGGCAGGA GATGGGCGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATTTTGGA CTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTCCGGC GGAGATCCTGCGGAGGTCCAGGAAATTCCCTCGAGCGATGCCCATATGGGCACG CCCGGATTACAACCCTCCACTGTTAGAGTCCTGGAAGGACCCGGACTACGTCCCT 5 CCAGTGGTACACGGGTGTCCATTGCCGCCTGCCAAGGCCCCTCCGATACCACCTC CACGGAGGAAGAGGACGGTTGTCCTGTCAGAATCTACCGTGTCTTCTGCCTTGGC GGAGCTCGCCACAAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACAGCGG CACGCCACGCCTCTCCTGACCAGCCCTCCGACGACGCGACGCGGGATCCGA CGTTGAGTCGTACTCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGATCCCGAT 10 CTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGTCGTCT GCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCTGCGGA GGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACCACAAC TTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGGTCACCT TTGACAGACTGCAGGTCCTGGACGACCACTACCGGGACGTGCTCAAGGAGATGA 15 AGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGCCTGTA AGCTGACGCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAGGACGT CCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGGACTTG CTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAAAATGAGGTT TTCTGCGTCCAACCAGAGAAGGGGGGCCGCAAGCCAGCTCGCCTTATCGTATTCC 20 CAGATTTGGGGGTTCGTGTGCGAGAAAATGGCCCTTTACGATGTGGTCTCCAC CCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGGACAG CGGGTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGGCTTCG CATATGACACCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGTGTTGA GGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCATAAG 25 GTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGGGCAG AACTGCGGCTATCGCCGGTGCCGCGAGCGGTGTACTGACGACCAGCTGCGGT AATACCCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTCGAGCTGCGAAGCTCC AGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCGTTATCTGTGAAAGCGC GGGGACCCAAGAGGACGAGGCGAGCCTACGGGCCTTCACGGAGGCTATGACTAG 30 ATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAATACGACTTGGAGTTGATA ACATCATGCTCCTCCAATGTGTCAGTCGCGCACGATGCATCTGGCAAAAGGGTGT ACTATCTCACCCGTGACCCCACCACCCCCTTGCGCGGGCTGCGTGGGAGACAGC TAGACACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCCCACC TTGTGGGCAAGGATGATCCTGATGACTCATTTCTCCCATCCTTCTAGCTCAGGA 35 ACAACTTGAAAAAGCCCTAGATTGTCAGATCTACGGGGCCTGTTACTCCATTGAG CCACTTGACCTACCTCAGATCATTCAACGACTCCATGGCCTTAGCGCATTTTCACT CCATAGTTACTCTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAAACTT GGGGTACCGCCTTGCGAGTCTGGAGACATCGGGCCAGAAGTGTCCGCGCTAGG CTACTGTCCCAGGGGGGGGGGGGCTGCCACTTGTGGCAAGTACCTCTTCAACTGGG 40 CAGTAAGGACCAAGCTCAAACTCACTCCAATCCCGGCTGCGTCCCAGTTGGATTT ATCCAGCTGGTTCGTTGCTGGTTACAGCGGGGGAGACATATATCACAGCCTGTCT CGTGCCGACCCGCTGGTTCATGTGGTGCCTACTCCTACTTTCTGTAGGGGTAGG CATCTATCTACTCCCCAACCGATGAACGGGGACCTAAACACTCCAGGCCAATAGG 45 CCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGCTTGACTGCAGAGAGTGC

50

SEQ ID NO:24: Nucleotide sequence of full-length HCV cDNA clone containing the mutation that results in Ser to Ile at position 1179 of SEQ ID NO:3 (see Figure 9)

TGATACTGGCCTCTCTGCAGATCAAGT

GCCAGCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT 5 GGAGATTTGGGCGTGCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAACGTAAC ACCAACCGCCGCCCACAGGACGTCAAGTTCCCGGGCGGTGGTCAGATCGTCGGT GGAGTTTACCTGTTGCCGCGCAGGGGCCCCAGGTTGGGTGTGCGCGCGACTAGGA AGACTTCCGAGCGGTCGCAACCTCGTGGAAGGCGACAACCTATCCCCAAGGCTC 10 GCCAGCCGAGGGTAGGGCTGGGCTCAGCCCGGGTACCCCTGGCCCCTCTATGG CAATGAGGGCTTGGGGTGGGCAGGATGGCTCCTGTCACCCCGTGGCTCTCGGCCT AGTTGGGGCCCCACGGACCCCCGGCGTAGGTCGCGCAATTTGGGTAAGGTCATCG ATACCTCACGTGCGGCTTCGCCGATCTCATGGGGTACATTCCGCTCGTCGGCGC CCCCTAGGGGGCGCTGCCAGGGCCCTGGCGCATGGCGTCCGGGTTCTGGAGGA CGGCGTGAACTATGCAACAGGGAATCTGCCCGGTTGCTCCTTTTCTATCTTCCTTT TGGCTTTGCTGTCCTGTTTGACCATCCCAGCTTCCGCTTATGAAGTGCGCAACGTA TCCGGAGTGTACCATGTCACGAACGACTGCTCCAACGCAAGCATTGTGTATGAGG CAGCGGACATGATCATGCATACCCCCGGGTGCGTGCCCTGCGTTCGGGAGAACA ACTCCTCCGCTGCTGGGTAGCGCTCACTCCCACGCTCGCGGCCAGGAACGCTAG 20 CGTCCCCACTACGACGATACGACGCCATGTCGATTTGCTCGTTGGGGCGGCTGCT CTCTGCTCCGCTATGTACGTGGGAGATCTCTGCGGATCTGTTTTCCTCGTCGCCCA GCTGTTCACCTTCTCGCCTCGCCGGCACGACAGTACAGGACTGCAATTGCTCA ATATATCCCGGCCACGTGACAGGTCACCGTATGGCTTGGGATATGATGAACT GGTCACCTACAGCAGCCCTAGTGGTATCGCAGTTACTCCGGATCCCACAAGCTGT 25 CGTGGATATGGTGGCGGGGCCCATTGGGGAGTCCTAGCGGGCCTTGCCTACTAT TCCATGGTGGGGAACTGGGCTAAGGTTCTGATTGTGATGCTACTCTTTGCCGGCG TTGACGGGGAACCTATGTGACAGGGGGGACGATGGCCAAAAACACCCTCGGGA TTACGTCCCTCTTTTCACCCGGGTCATCCCAGAAAATCCAGCTTGTAAACACCAA CGGCAGCTGGCACATCAACAGGACTGCCCTGAACTGCAATGACTCCCTCAACACT 30 GGGTTCCTTGCTGCGCTGTTCTACGTGCACAAGTTCAACTCATCTGGATGCCCAG AGCGCATGGCCAGCTGCAGCCCCATCGACGCTTCGCTCAGGGGTGGGGGCCCA TCACTTACAATGAGTCACACAGCTCGGACCAGAGGCCTTATTGTTGGCACTACGC ACCCGGCCGTGCGGTATCGTACCCGCGGCGCAGGTGTGTGGTCCAGTGTACTGC 35 TTCACCCCAAGCCTGTCGTGGTGGGGACGACCGACCGGTTCGGCGTCCCTACGT ACAGTTGGGGGGAGAATGAGACGGACGTGCTGCTTCTTAACAACACGCGGCCGC CGCAAGGCAACTGGTTTGGCTGTACATGGATGAATAGCACTGGGTTCACCAAGAC GTGCGGGGGCCCCCGTGTAACATCGGGGGGATCGGCAATAAAACCTTGACCTG CCCCACGGACTGCTTCCGGAAGCACCCCGAGGCCACTTACACCAAGTGTGGTTCG GGGCCTTGGTTGACACCCAGATGCTTGGTCCACTACCCATACAGGCTTTGGCACT 40 ACCCCTGCACTGTCAACTTTACCATCTTCAAGGTTAGGATGTACGTGGGGGGAGT GGAGCACAGGCTCGAAGCCGCATGCAATTGGACTCGAGGAGAGCGTTGTAACCT GGAGGACAGGACAGATCAGAGCTTAGCCCGCTGCTGTCTACAACGGAGTG GCAGGTATTGCCCTGTTCCTTCACCACCCTACCGGCTCTGTCCACTGGTTTGATCC 45 ATCTCCATCAGAACGTCGTGGACGTACAATACCTGTACGGTATAGGGTCGGCGGT ACGCGCGCGTCTGTGCCTGCTTGTGGATGATGCTGATAGCTCAAGCTGAGGC CGCCTAGAGAACCTGGTGGTCCTCAACGCGGCATCCGTGGCCGGGCGCATGG CATTCTCTCCTCCTCGTGTTCTTCTGTGCTGCCTGGTACATCAAGGGCAGGCTGG TCCCTGGGGCGCATATGCCCTCTACGGCGTATGGCCGCTACTCCTGCTCCTGCTG GCGTTACCACCACGAGCATACGCCATGGACCGGGAGATGGCAGCATCGTGCGGA GGCGCGGTTTTCGTAGGTCTGATACTCTTGACCTTGTCACCGCACTATAAGCTGTT

CCTCGCTAGGCTCATATGGTGGTTACAATATTTTATCACCAGGGCCGAGGCACAC

TTGCAAGTGTGGATCCCCCCCTCAACGTTCGGGGGGCCGCGATGCCGTCATCC TCCTCACGTGCGCGATCCACCCAGAGCTAATCTTTACCATCACCAAAATCTTGCTC GCCATACTCGGTCCACTCATGGTGCTCCAGGCTGGTATAACCAAAGTGCCGTACT TCGTGCGCGCACACGGGCTCATTCGTGCATGCATGCTGGTGCGGAAGGTTGCTGG 5 GTTTATGACCATCTCACCCACTGCGGGACTGGGCCCACGCGGGCCTACGAGACC TTGCGGTGGCAGTTGAGCCCGTCGTCTTCTCTGATATGGAGACCAAGGTTATCAC CTGGGGGCAGACACCGCGGCGTGTGGGGACATCATCTTGGGCCTGCCCGTCTCC GCCCGCAGGGGAGGGAGATACATCTGGGACCGGCAGACAGCCTTGAAGGGCAG GGGTGGCGACTCCTCGCGCCTATTACGGCCTACTCCCAACAGACGCGAGGCCTAC 10 TTGGCTGCATCATCACTAGCCTCACAGGCCGGGACAGGAACCAGGTCGAGGGGG AGGTCCAAGTGGTCTCCACCGCAACACAATCTTTCCTGGCGACCTGCGTCAATGG CGTGTGTTGGACTGTCTATCATGGTGCCGGCTCAAAGACCCTTGCCGGCCCAAAG GGCCCAATCACCCAAATGTACACCAATGTGGACCAGGACCTCGTCGGCTGGCAA GCGCCCCCGGGGCGCGTTCCTTGACACCATGCACCTGCGGCAGCTCGGACCTTT 15 ACTTGGTCACGAGGCATGCCGATGTCATTCCGGTGCGCCGGCGGGGGCGACAGCA GGGGGAGCCTACTCTCCCCCAGGCCCGTCTCCTACTTGAAGGGCTCTTCGGGCGG TCCACTGCTCTGCCCCTCGGGGCACGCTGTGGGCATCTTTCGGGCTGCCGTGTGC ACCCGAGGGGTTGCGAAGGCGGTGGACTTTGTACCCGTCGAGTCTATGGAAACC ACTATGCGGTCCCCGGTCTTCACGGACAACTCGTCCCCTCCGGCCGTACCGCAGA 20 CATTCCAGGTGGCCCATCTACACGCCCCTACTGGTAGCGCCAAGAGCACTAAGGT GCCGCCACCTAGGTTTCGGGGCGTATATGTCTAAGGCACATGGTATCGACCCTA ACATCAGAACCGGGTAAGGACCATCACCACGGGTGCCCCCATCACGTACTCCA CCTATGGCAAGTTTCTTGCCGACGGTGGTTGCTCTGGGGGCGCCTATGACATCAT 25 AATATGTGATGAGTGCCACTCAACTGACTCGACCACTATCCTGGGCATCGGCACA GTCCTGGACCAAGCGGAGACGGCTGGAGCGCGACTCGTCGTGCTCGCCACCGCT ACGCCTCCGGGATCGGTCACCGTGCCACATCCAAACATCGAGGAGGTGGCTCTGT CCAGCACTGGAGAAATCCCCTTTTATGGCAAAGCCATCCCCATCGAGACCATCAA GGGGGGGAGCACCTCATTTCTGCCATTCCAAGAAGAAATGTGATGAGCTCGCC 30 GCGAAGCTGTCCGGCCTCGGACTCAATGCTGTAGCATATTACCGGGGCCTTGATG TATCCGTCATACCAACTAGCGGAGACGTCATTGTCGTAGCAACGGACGCTCTAAT GACGGCTTTACCGCCGATTTCGACTCAGTGATCGACTGCAATACATGTCACC CAGACAGTCGACTTCAGCCTGGACCCGACCTTCACCATTGAGACGACGACCGTGC 35 CACAAGACGCGGTGTCACGCTCGCAGCGGCGGGGCAGGACTGGTAGGGGCAGGA TGGGCATTTACAGGTTTGTGACTCCAGGAGAACGGCCCTCGGGCATGTTCGATTC CTCGGTTCTGTGCGAGTGCTATGACGCGGGCTGTGCTTGGTACGAGCTCACGCCC GCCGAGACCTCAGTTAGGTTGCGGGCTTACCTAAACACACCAGGGTTGCCCGTCT GCCAGGACCATCTGGAGTTCTGGGAGAGCGTCTTTACAGGCCTCACCCACATAGA CGCCCATTTCTTGTCCCAGACTAAGCAGGCAGGAGACAACTTCCCCTACCTGGTA 40 GCATACCAGGCTACGGTGTGCGCCAGGGCTCAGGCTCCACCTCCATCGTGGGACC AAATGTGGAAGTGTCTCATACGGCTAAAGCCTACGCTGCACGGGCCAACGCCCCT GCTGTATAGGCTGGGAGCCGTTCAAAACGAGGTTACTACCACACACCCCATAACC AAATACATCATGGCATGCATGTCGGCTGACCTGGAGGTCGTCACGAGCACCTGGG TGCTGGTAGGCGGAGTCCTAGCAGCTCTGGCCGCGTATTGCCTGACAACAGGCAG 45 CGTGGTCATTGTGGGCAGGATCATCTTGTCCGGAAAGCCGGCCATCATTCCCGAC AGGGAAGTCCTTTACCGGGAGTTCGATGAGATGGAAGAGTGCGCCTCACACCTCC CTTACATCGAACAGGGAATGCAGCTCGCCGAACAATTCAAACAGAAGGCAATCG GGTTGCTGCAAACAGCCACCAAGCAAGCGAGGCTGCTGCTCCCGTGGTGGAAT CCAAGTGGCGGACCCTCGAAGCCTTCTGGGCGAAGCATATGTGGAATTTCATCAG 50 CGGGATACAATATTTAGCAGGCTTGTCCACTCTGCCTGGCAACCCCGCGATAGCA TCACTGATGGCATTCACAGCCTCTATCACCAGCCCGCTCACCACCCAACATACCC

TCCTGTTTAACATCCTGGGGGGATGGGTGGCCGCCCAACTTGCTCCTCCCAGCGC

TGCTTCTGCTTTCGTAGGCGCCGGCATCGCTGGAGCGGCTGTTGGCAGCATAGGC CTTGGGAAGGTGCTTGTGGATATTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCG CGCTCGTGGCCTTTAAGGTCATGAGCGGCGAGATGCCCTCCACCGAGGACCTGGT TAACCTACTCCTGCTATCCTCTCCCCTGGCGCCCTAGTCGTCGGGGTCGTGTGCG CAGCGATACTGCGTCGGCACGTGGGCCCAGGGGAGGGGGCTGTGCAGTGGATGA ACCGCTGATAGCGTTCGCTTCGCGGGGTAACCACGTCTCCCCCACGCACTATGT GCCTGAGAGCGACGCTGCAGCACGTGTCACTCAGATCCTCTAGTCTTACCATC ACTCAGCTGCTGAAGAGGCTTCACCAGTGGATCAACGAGGACTGCTCCACGCCAT GCTCCGGCTCGTGGCTAAGAGATGTTTGGGATTGGATATGCACGGTGTTGACTGA TITCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCT 10 TCTCATGTCAACGTGGGTACAAGGGAGTCTGGCGGGGGGGCGACGGCATCATGCAAA CCACCTGCCCATGTGGAGCACAGATCACCGGACATGTGAAAAACGGTTCCATGA GGATCGTGGGGCCTAGGACCTGTAGTAACACGTGGCATGGAACATTCCCCATTAA CGCGTACACCACGGCCCTGCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCG CTGTGGCGGGTGGCTGCTGAGGAGTACGTGGAGGTTACGCGGGTGGGGGATTTC 15 CACTACGTGACGGCATGACCACTGACAACGTAAAGTGCCCGTGTCAGGTTCCGG CCCCGAATTCTTCACAGAAGTGGATGGGGTGCGGTTGCACAGGTACGCTCCAGC CTGGTTGGGTCACAGCTCCCATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTT CCATGCTCACCGACCCCTCCCACATTACGGCGGAGACGGCTAAGCGTAGGCTGGC 20 CAGGGGATCTCCCCCCTCTTGGCCAGCTCATCAGCTATCCAGCTGTCTGCGCCTT CCTTGAAGGCAACATGCACTACCCGTCATGACTCCCCGGACGCTGACCTCATCGA GGCCAACCTCCTGTGGCGGCAGGAGATGGGCGGGAACATCACCCGCGTGGAGTC AGAAAATAAGGTAGTAATTTTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGA TGAGAGGGAAGTATCCGTTCCGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCC 25 TCGAGCGATGCCCATATGGGCACGCCCGGATTACAACCCTCCACTGTTAGAGTCC TGGAAGGACCCGGACTACGTCCCTCCAGTGGTACACGGGTGTCCATTGCCGCCTG CCAAGGCCCCTCCGATACCACCTCCACGGAGGAAGAGGACGGTTGTCCTGTCAG AATCTACCGTGTCTTCTGCCTTGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTC CGAATCGTCGGCCGTCGACAGCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCC 30 GACGACGCGACGCGGGATCCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTG AGGGGGAGCCGGGGATCCCGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCG AGGAGGCTAGTGAGGACGTCGTCTGCTCGATGTCCTACACATGGACAGGCGC CCTGATCACGCCATGCGCTGCGGAGGAAACCAAGCTGCCCATCAATGCACTGAG CAACTCTTTGCTCCGTCACCACAACTTGGTCTATGCTACAACATCTCGCAGCGCA 35 AGCCTGCGGCAGAAGAAGGTCACCTTTGACAGACTGCAGGTCCTGGACGACCAC TACCGGGACGTGCTCAAGGAGATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAA CTTCTATCCGTGGAGGAAGCCTGTAAGCTGACGCCCCACATTCGGCCAGATCTA AATTTGGCTATGGGGCAAAGGACGTCCGGAACCTATCCAGCAAGGCCGTTAACC ACATCCGCTCCGTGTGGAAGGACTTGCTGGAAGACACTGAGACACCAATTGACA 40 CCACCATCATGGCAAAAAATGAGGTTTTCTGCGTCCAACCAGAGAAGGGGGGCC GCAAGCCAGCTCGCCTTATCGTATTCCCAGATTTGGGGGTTCGTGTGTGCGAGAA AATGGCCCTTTACGATGTGGTCTCCACCCTCCCTCAGGCCGTGATGGGCTCTTCAT ACGGATTCCAATACTCTCCTGGACAGCGGGTCGAGTTCCTGGTGAATGCCTGGAA AGCGAAGAAATGCCCTATGGGCTTCGCATATGACACCCGCTGTTTTGACTCAACG 45 GTCACTGAGAATGACATCCGTGTTGAGGAGTCAATCTACCAATGTTGTGACTTGG CCCCGAAGCCAGACAGGCCATAAGGTCGCTCACAGAGCGGCTTTACATCGGGG GCCCCTGACTAATTCTAAAGGGCAGAACTGCGGCTATCGCCGGTGCCGCGAG CGGTGTACTGACGACCAGCTGCGGTAATACCCTCACATGTTACTTGAAGGCCGCT GCGGCCTGTCGAGCTGCGAAGCTCCAGGACTGCACGATGCTCGTATGCGGAGAC 50 GACCTTGTCGTTATCTGTGAAAGCGCGGGGACCCAAGAGGACGAGGCGAGCCTA CGGGCCTTCACGGAGGCTATGACTAGATACTCTGCCCCCCTGGGGACCCGCCCA

AACCAGAATACGACTTGGAGTTGATAACATCATGCTCCTCCAATGTGTCAGTCGC

WO 01/089364

PCT/US01/16822

100

GCACGATGCATCTGGCAAAAGGGTGTACTATCTCACCCGTGACCCCACCACCCCC CTTGCGCGGGCTGCGTGGGAGACAGCTAGACACACTCCAGTCAATTCCTGGCTAG GCAACATCATGTATGCGCCCACCTTGTGGGCAAGGATGATCCTGATGACTCA TTTCTTCTCCATCCTTCTAGCTCAGGAACAACTTGAAAAAGCCCTAGATTGTCAGA 5 ACTCCATGGCCTTAGCGCATTTTCACTCCATAGTTACTCTCCAGGTGAGATCAATA GGGTGGCTTCATGCCTCAGGAAACTTGGGGTACCGCCCTTGCGAGTCTGGAGACA TCGGGCCAGAAGTGTCCGCGCTAGGCTACTGTCCCAGGGGGGGAGGGCTGCCAC ATCCCGGCTGCGTCCCAGTTGGATTTATCCAGCTGGTTCGTTGCTGGTTACAGCGG 10 GGGAGACATATATCACAGCCTGTCTCGTGCCCGACCCCGCTGGTTCATGTGGTGC CTACTCCTACTTCTGTAGGGGTAGGCATCTATCTACTCCCCAACCGATGAACGG TTCTTCCTTTGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAGGTCC 15 GTGAGCCGCTTGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCAGATCAAGT

SEQ ID NO:25: Nucleotide sequence of DNA clone of HCV adaptive replicon 5'NTR-EMCV/HCVrepVII

20

GCCAGCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT GGAGATTTGGGCGTGCCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA 25 AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT AGACCGTGCACCAGACCACAACGGTTTCCCTCTAGCGGGATCAATTCCGCCCCTC TCCTCCCCCCCTAACGTTACTGGCCGAAGCCGCTTGGAATAAGGCCGGTGT GCGTTTGTCTATATGTTATTTTCCACCATATTGCCGTCTTTTGGCAATGTGAGGGC CCGGAAACCTGGCCCTGTCTTCTTGACGAGCATTCCTAGGGGTCTTTCCCCTCTCG 30 CCAAAGGAATGCAAGGTCTGTTGAATGTCGTGAAGGAAGCAGTTCCTCTGGAAG ACCTGGCGACAGGTGCCTCTGCGGCCAAAAGCCACGTGTATAAGATACACCTGC AAAGGCGGCACAACCCCAGTGCCACGTTGTGAGTTGGATAGTTGTGGAAAGAGT CAAATGGCTCTCCAAGCGTATTCAACAAGGGGCTGAAGGATGCCCAGAAGGT 35 ACCCCATTGTATGGGATCTGATCTGGGGCCTCGGTGCACATGCTTTACATGTGTTT AGTCGAGGTTAAAAAACGTCTAGGCCCCCCGAACCACGGGGACGTGGTTTTCCTT TGAAAAACACGATAATACCATGGCGCCTATTACGGCCTACTCCCAACAGACGCG AGGCCTACTTGGCTGCATCATCACTAGCCTCACAGGCCGGGACAGGAACCAGGTC GAGGGGGAGGTCCAAGTGGTCTCCACCGCAACACAATCTTTCCTGGCGACCTGCG 40 TCAATGGCGTGTGTTGGACTGTCTATCATGGTGCCGGCTCAAAGACCCTTGCCGG CCCAAAGGGCCCAATCACCCAAATGTACACCAATGTGGACCAGGACCTCGTCGG CTGGCAAGCGCCCCCGGGGCGCGTTCCTTGACACCATGCACCTGCGGCAGCTCG GACCTTTACTTGGTCACGAGGCATGCCGATGTCATTCCGGTGCGCCGGCGGGGCG ACAGCAGGGGGAGCCTACTCTCCCCCAGGCCCGTCTCCTACTTGAAGGGCTCTTC GGGCGGTCCACTGCTCTGCCCCTCGGGGCACGCTGTGGGCATCTTTCGGGCTGCC GTGTGCACCCGAGGGGTTGCGAAGGCGGTGGACTTTGTACCCGTCGAGTCTATGG AAACCACTATGCGGTCCCCGGTCTTCACGGACAACTCGTCCCCTCCGGCCGTACC GCAGACATTCCAGGTGGCCCATCTACACGCCCCTACTGGTAGCGCCAAGAGCACT AAGGTGCCGCTGCGTATGCAGCCCAAGGGTATAAGGTGCTTGTCCTGAACCCGT 50 CCGTCGCCGCCACCCTAGGTTTCGGGGCGTATATGTCTAAGGCACATGGTATCGA CCTAACATCAGAACCGGGTAAGGACCATCACCACGGGTGCCCCCATCACGTA CTCCACCTATGGCAAGTTTCTTGCCGACGGTGGTTGCTCTGGGGGCGCCTATGAC

ATCATAATATGTGATGAGTGCCACTCAACTGACTCGACCACTATCCTGGGCATCG GCACAGTCCTGGACCAAGCGGAGACGGCTGGAGCGCGACTCGTCGTCGCCA CCGCTACGCCTCCGGGATCGGTCACCGTGCCACATCCAAACATCGAGGAGGTGGC TCTGTCCAGCACTGGAGAAATCCCCTTTTATGGCAAAGCCATCCCCATCGAGACC ATCAAGGGGGGGAGCACCTCATTTTCTGCCATTCCAAGAAGAAATGTGATGAG CTCGCCGCGAAGCTGTCCGGCCTCGGACTCAATGCTGTAGCATATTACCGGGGCC TTGATGTATCCGTCATACCAACTAGCGGAGACGTCATTGTCGTAGCAACGGACGC TCTAATGACGGGCTTTACCGGCGATTTCGACTCAGTGATCGACTGCAATACATGT GTCACCCAGACAGTCGACTTCAGCCTGGACCCGACCTTCACCATTGAGACGACGA 10 CCGTGCCACAAGACGCGGTGTCACGCTCGCAGCGGCGAGGCAGGACTGGTAGGG GCAGGATGGGCATITACAGGTTTGTGACTCCAGGAGAACGGCCCTCGGGCATGTT CGATTCTCGGTTCTGTGCGAGTGCTATGACGCGGGCTGTGCTTGGTACGAGCTC ACGCCCGCCGAGACCTCAGTTAGGTTGCGGGCTTACCTAAACACACCAGGGTTGC CCGTCTGCCAGGACCATCTGGAGTTCTGGGAGAGCGTCTTTACAGGCCTCACCCA CATAGACGCCCATTTCTTGTCCCAGACTAAGCAGGCAGGAGACAACTTCCCCTAC 15 CTGGTAGCATACCAGGCTACGGTGTGCGCCAGGGCTCAGGCTCCACCTCCATCGT GGGACCAAATGTGGAAGTGTCTCATACGGCTAAAGCCTACGCTGCACGGGCCAA CGCCCTGCTGTATAGGCTGGGAGCCGTTCAAAACGAGGTTACTACCACACACCC CATAACCAAATACATCATGGCATGCATGTCGGCTGACCTGGAGGTCGTCACGAGC ACCTGGGTGCTGGTAGGCGGAGTCCTAGCAGCTCTGGCCGCGTATTGCCTGACAA 20 CAGGCAGCGTGGTCATTGTGGGCAGGATCATCTTGTCCGGAAAGCCGGCCATCAT TCCCGACAGGGAAGTCCTTTACCGGGAGTTCGATGAGATGGAAGAGTGCGCCTC ACACCTCCCTTACATCGAACAGGGAATGCAGCTCGCCGAACAATTCAAACAGAA GGCAATCGGGTTGCTGCAAACAGCCACCAAGCAAGCGAGGCTGCTGCTCCCGT GGTGGAATCCAAGTGGCGGACCCTCGAAGCCTTCTGGGCGAAGCATATGTGGAA TTTCATCAGCGGGATACAATATTTAGCAGGCTTGTCCACTCTGCCTGGCAACCCC GCGATAGCATCACTGATGGCATTCACAGCCTCTATCACCAGCCCGCTCACCACCC TCCCAGCGCTGCTTCTGCTTTCGTAGGCGCCGGCATCGCTGGAGCGGCTGTTGGC AGCATAGGCCTTGGGAAGGTGCTTGTGGATATTTTGGCAGGTTATGGAGCAGGGG 30 TGGCAGGCGCGCTCGTGGCCTTTAAGGTCATGAGCGGCGAGATGCCCTCCACCGA GGACCTGGTTAACCTACTCCCTGCTATCCTCTCCCCTGGCGCCCCTAGTCGTCGGGG TCGTGTGCGCAGCGATACTGCGTCGGCACGTGGGCCCAGGGGAGGGGGCTGTGC AGTGGATGAACCGGCTGATAGCGTTCGCTTCGCGGGGTAACCACGTCTCCCCCAC GCACTATGTGCCTGAGAGCGACGCTGCAGCACGTGTCACTCAGATCCTCTAGT 35 CTTACCATCACTCAGCTGCTGAAGAGGCTTCACCAGTGGATCAACGAGGACTGCT CCACGCCATGCTCCGGCTCGTGGCTAAGAGATGTTTGGGATTGGATATGCACGGT GTTGACTGATTTCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGCGATTGCCGGGA GTCCCCTTCTTCTCATGTCAACGTGGGTACAAGGGAGTCTGGCGGGGCGACGGCA TCATGCAAACCACCTGCCCATGTGGAGCACAGATCACCGGACATGTGAAAAACG 40 GTTCCATGAGGATCGTGGGGCCTAGGACCTGTAGTAACACGTGGCATGGAACATT CCCATTAACGCGTACACCACGGGCCCTGCACGCCCTCCCCGGCGCCAAATTAT TCTAGGGCGCTGTGGCGGGTGCTGAGGAGTACGTGGAGGTTACGCGGGTG GGGGATTTCCACTACGTGACGGGCATGACCACTGACAACGTAAAGTGCCCGTGTC AGGTTCCGGCCCCGAATTCTTCACAGAAGTGGATGGGGTGCGGTTGCACAGGTA 45 CGCTCCAGCGTGCAAACCCCTCCTACGGGAGGAGGTCACATTCCTGGTCGGGCTC AATCAATACCTGGTTGGGTCACAGCTCCCATGCGAGCCCGAACCGGACGTAGCA GTGCTCACTTCCATGCTCACCGACCCCTCCCACATTACGGCGGAGACGGCTAAGC GTAGGCTGGCCAGGGGATCTCCCCCCCTCCTTGGCCAGCTCATCAGCTATCCAGCT GTCTGCGCCTTCCTTGAAGGCAACATGCACTACCCGTCATGACTCCCCGGACGCT 50 GACCTCATCGAGGCCAACCTCCTGTGGCGGCAGGAGATGGGCGGGAACATCACC CGCGTGGAGTCAGAAAATAAGGTAGTAATTTTGGACTCTTTCGAGCCGCTCCAAG

CGGAGGAGGATGAGAGGGAAGTATCCGTTCCGGCGGAGATCCTGCGGAGGTCCA

GGAAATTCCCTCGAGCGATGCCCATATGGGCACGCCCGGATTACAACCCTCCACT GTTAGAGTCCTGGAAGGACCCGGACTACGTCCCTCCAGTGGTACACGGGTGTCCA TTGCCGCCTGCCAAGGCCCCTCCGATACCACCTCCACGGAGGAAGAGACGGTTG TCCTGTCAGAATCTACCGTGTCTTCTGCCTTGGCGGAGCTCGCCACAAAGACCTTC 5 AGCCTCCGACGACGCGACGCGGGATCCGACGTTGAGTCGTACTCCTCCATGCC CCCCTTGAGGGGAGCCGGGGATCCCGATCTCAGCGACGGGTCTTGGTCTACC GTAAGCGAGGAGGTAGTGAGGACGTCGTCTGCTCGATGTCCTACACATGGA CAGGCGCCTGATCACGCCATGCGCTGCGGAGGAAACCAAGCTGCCCATCAATG CACTGAGCAACTCTTTGCTCCGTCACCACACTTGGTCTATGCTACAACATCTCGC 10 AGCGCAAGCCTGCGGCAGAAGAAGGTCACCTTTGACAGACTGCAGGTCCTGGAC GACCACTACCGGGACGTGCTCAAGGAGATGAAGGCGAAGGCGTCCACAGTTAAG GCTAAACTTCTATCCGTGGAGGAAGCCTGTAAGCTGACGCCCCCACATTCGGCCA GATCTAAATTTGGCTATGGGGCAAAGGACGTCCGGAACCTATCCAGCAAGGCCG TTAACCACATCCGCTCCGTGTGGAAGGACTTGCTGGAAGACACTGAGACACCAAT 15 TGACACCACCATCATGGCAAAAAATGAGGTTTTCTGCGTCCAACCAGAGAAGGG GGGCCGCAAGCCAGCTCGCCTTATCGTATTCCCAGATTTGGGGGTTCGTGTGC CTTCATACGGATTCCAATACTCTCCTGGACAGCGGGTCGAGTTCCTGGTGAATGC CTGGAAAGCGAAGAAATGCCCTATGGGCTTCGCATATGACACCCGCTGTTTTGAC 20 TCAACGGTCACTGAGAATGACATCCGTGTTGAGGAGTCAATCTACCAATGTTGTG ACTTGGCCCCGAAGCCAGACAGGCCATAAGGTCGCTCACAGAGCGGCTTTACAT CGGGGGCCCCTGACTAATTCTAAAGGGCAGAACTGCGGCTATCGCCGGTGCCGC GCGAGCGGTGTACTGACGACCAGCTGCGGTAATACCCTCACATGTTACTTGAAGG CCGCTGCGGCCTGTCGAGCTGCGAAGCTCCAGGACTGCACGATGCTCGTATGCGG 25 AGACGACCTTGTCGTTATCTGTGAAAGCGCGGGGACCCAAGAGGACGAGGCGAG CCTACGGGCCTTCACGGAGGCTATGACTAGATACTCTGCCCCCCTGGGGACCCG CCCAAACCAGAATACGACTTGGAGTTGATAACATCATGCTCCTCCAATGTGTCAG TCGCGCACGATGCATCTGGCAAAAGGGTGTACTATCTCACCCGTGACCCCACCAC CCCCTTGCGCGGGCTGCGTGGGAGACAGCTAGACACTCCAGTCAATTCCTGG 30 CTAGGCAACATCATCATGTATGCGCCCACCTTGTGGGCAAGGATGATCCTGATGA CTCATTTCTTCTCCATCCTTCTAGCTCAGGAACAACTTGAAAAAGCCCTAGATTGT AACGACTCCATGGCCTTAGCGCATTTTCACTCCATAGTTACTCTCCAGGTGAGATC AATAGGGTGGCTTCATGCCTCAGGAAACTTGGGGTACCGCCCTTGCGAGTCTGGA 35 GACATCGGGCCAGAAGTGTCCGCGCTAGGCTACTGTCCCAGGGGGGGAGGGCTG CCACTTGTGGCAAGTACCTCTTCAACTGGGCAGTAAGGACCAAGCTCAAACTCAC TCCAATCCCGGCTGCGTCCCAGTTGGATTTATCCAGCTGGTTCGTTGCTGGTTACA GCGGGGGAGACATATATCACAGCCTGTCTCGTGCCCGACCCCGCTGGTTCATGTG 40 CCTTTCTTTCCTTTGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAG

GTCCGTGAGCCGCTTGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCAGATCAA

45

GT

5

What is claimed is:

- 1. A polynucleotide comprising a non-naturally occurring HCV sequence that is capable of productive replication in a host cell, or is capable of being transcribed into a non-naturally occurring HCV sequence that is capable of productive replication in a host cell, wherein the HCV sequence comprises, from 5' to 3' on the positive-sense nucleic acid, a functional 5' non-translated region (5' NTR); one or more protein coding regions, including at least one polyprotein coding region that is capable of replicating HCV RNA; and a functional HCV 3' non-translated region (3' NTR).
 - 2. The polynucleotide of claim 1, further comprising an adaptive mutation.
 - 3. The polynucleotide of claim 2, having a transfection efficiency into mammalian cells of greater than 0.01%.
 - 4. The polynucleotide of claim 3, wherein the transfection efficiency into mammalian cells is greater than 0.1%.
 - 5. The polynucleotide of claim 3, wherein the transfection efficiency into mammalian cells is greater than 1%.
 - 6. The polynucleotide of claim 3, wherein the transfection efficiency into mammalian cells is greater than 5%.
 - 7. The polynucleotide of claim 2, wherein the polynucleotide is capable of replication in a non-hepatic cell.
 - 8. The polynucleotide of claim 7, wherein the non-hepatic cell is a HeLa cell.
 - 9. The polynucleotide of claim 2, wherein the HCV is impaired in its ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.
 - 10. The polynucleotide of claim 2, wherein the polyprotein region comprises an NS5A gene that is not a wild-type NS5A gene.
 - 11. The polynucleotide of claim 10, wherein the NS5A gene comprises a mutation.

- 12. The polynucleotide of claim 11, wherein the mutation is within 50 nucleotides of an ISDR or includes the ISDR.
- 13. The polynucleotide of claim 12, wherein the mutation is within 20 nt of the ISDR, or includes the ISDR.
- 14. The polynucleotide of claim 13, wherein the mutation encodes an amino acid sequence change selected from the group consisting of Ser (1179) to Ile, Arg (1164) to Gly, Ala(1174) to Ser, Ser(1172) to Cys, and Ser(1172) to Pro of SEQ ID NO:3.
- 15. The polynucleotide of claim 11, wherein the mutation comprises a deletion of at least a portion of the ISDR.
- 16. The polynucleotide of claim 15, wherein the mutation comprises a deletion of the entire ISDR.
- 17. The polynucleotide of claim 16, wherein the mutation comprises a deletion of nucleotides corresponding to nucleotides 5345 to 5485 of SEQ ID NO:6.
- 18. The polynucleotide of claim 1, wherein the polynucleotide comprises at least one IRES selected from the group consisting of a viral IRES, a cellular IRES, and an artificial IRES.
- 19. The polynucleotide of claim 18, wherein the HCV polyprotein coding region encodes all HCV structural and nonstructural proteins.
- 20. The polynucleotide of claim 19, further comprising a foreign gene operably linked to a first IRES and the HCV polyprotein coding region operably linked to a second IRES.
- 21. The polynucleotide of claim 18, wherein the polyprotein coding region is incapable of making infectious HCV particles.

105

- 22. The polynucleotide of claim 21, wherein the polyprotein coding region comprises a mutation and/or a deletion in the structural protein coding region.
- 23. The polynucleotide of claim 22, further comprising a foreign gene operably linked to a first IRES and the HCV polyprotein coding region operably linked to a second IRES.
- 24. The polynucleotide of claim 23, wherein the foreign gene is a gene encoding a selectable marker or a reporter gene.
 - 25. The polynucleotide of claim 24, further comprising an adaptive mutation.
- 26. The polynucleotide of claim 25, having a transfection efficiency into mammalian cells of greater than 0.01%.
- 27. The polynucleotide of claim 26, wherein the transfection efficiency into mammalian cells is greater than 1%.
- 28. The polynucleotide of claim 26, wherein the transfection efficiency into mammalian cells is greater than 5%.
- 29. The polynucleotide of claim 26, wherein the transfection efficiency into mammalian cells is about 6%.
- 30. The polynucleotide of claim 25, wherein the polynucleotide is capable of replication in a non-hepatic cell.
 - 31. The polynucleotide of claim 30, wherein the non-hepatic cell is a HeLa cell.
- 32. The polynucleotide of claim 25, wherein the HCV is impaired in its ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.
- 33. The polynucleotide of claim 25, wherein the polyprotein region comprises an NS5A gene that is not a wild-type NS5A gene.

- 34. The polynucleotide of claim 33, wherein the NS5A gene comprises a mutation.
- 35. The polynucleotide of claim 34, wherein the mutation is within 50 nucleotides of an ISDR or includes the ISDR.
- 36. The polynucleotide of claim 34, wherein the mutation is within 20 nt of the ISDR, or includes the ISDR.
- 37. The polynucleotide of claim 36, wherein the mutation encodes an amino acid sequence change selected from the group consisting of Ser (1179) to Ile, Arg (1164) to Gly, Ala(1174) to Ser, Ser(1172) to Cys, and Ser(1172) to Pro of SEQ ID NO:3.
- 38. The polynucleotide of claim 34, wherein the mutation comprises a deletion of at least a portion of the ISDR.
- 39. The polynucleotide of claim 38, wherein the mutation comprises a deletion of the entire ISDR.
- 40. The polynucleotide of claim 39, wherein the mutation comprises a deletion of nucleotides corresponding to nucleotides 5345 to 5485 of SEQ ID NO:6.
 - 41. The polynucleotide of claim 24, wherein:
 - (a) the first IRES is an HCV IRES;
 - (b) the foreign gene is a neo gene; and
 - (c) the second IRES is a EMCV IRES.
- 42. The polynucleotide of claim 41, wherein the HCV sequence is a genotype 1 HCV sequence.
 - 43. The polynucleotide of claim 42, wherein the HCV sequence is subtype 1b.
 - 44. The polynucleotide of claim 41, comprising SEQ ID NO:5 or SEQ ID NO:6.
 - 45. The polynucleotide of claim 41, further comprising an adaptive mutation.

107


- 46. The polynucleotide of claim 45, having a transfection efficiency into mammalian cells of greater than 0.01%.
- 47. The polynucleotide of claim 46, wherein the transfection efficiency into mammalian cells is greater than 1%.
- 48. The polynucleotide of claim 46, wherein the transfection efficiency into mammalian cells is greater than 5%.
- 49. The polynucleotide of claim 46, wherein the transfection efficiency into mammalian cells is about 6%.
- 50. The polynucleotide of claim 45, wherein the polynucleotide is capable of replication in a non-hepatic cell.
 - 51. The polynucleotide of claim 50, wherein the non-hepatic cell is a HeLa cell.
- 52. The polynucleotide of claim 45, wherein the HCV is impaired in its ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.
- 53. The polynucleotide of claim 45, wherein the polyprotein region comprises an NS5A gene that is not a wild-type NS5A gene.
 - 54. The polynucleotide of claim 53, wherein the NS5A gene comprises a mutation.
- 55. The polynucleotide of claim 54, wherein the mutation is within 50 nucleotides of an ISDR or includes the ISDR.
- 56. The polynucleotide of claim 54, wherein the mutation is within 20 nt of the ISDR, or includes the ISDR.
- 57. The polynucleotide of claim 56, wherein the mutation encodes an amino acid sequence change selected from the group consisting of Ser (1179) to Ile, Arg (1164) to Gly, Ala(1174) to Ser, Ser(1172) to Cys, and Ser(1172) to Pro of SEQ ID NO:3.

- 58. The polynucleotide of claim 54, wherein the mutation comprises a deletion of at least a portion of the ISDR.
- 59. The polynucleotide of claim 58, wherein the mutation comprises a deletion of the entire ISDR.
- 60. The polynucleotide of claim 59, wherein the mutation comprises a deletion of nucleotides corresponding to nucleotides 5345 to 5485 of SEQ ID NO:6.
- 61. The polynucleotide of claim 1, wherein the polynucleotide is double-stranded DNA.
- 62. A vector comprising the polynucleotide of claim 61 operably associated with a promoter.
- 63. The polynucleotide of claim 41 wherein the polynucleotide is double-stranded DNA.
- 64. A vector comprising the polynucleotide of claim 63 operably associated with a promoter.
 - 65. The vector of claim 64, further comprising a mutation in the NS5A gene.
- 66. The vector of claim 65, wherein the mutation is selected from the group consisting of mutations encoding the amino acid changes Ser (1179) to Ile, Arg (1164) to Gly, Ala(1174) to Ser, Ser(1172) to Cys, and Ser(1172) to Pro of SEQ ID NO:3; and an in frame deletion of nucleotides encoding amino acids comprising at least a portion of the ISDR.
- 67. The vector of claim 66, wherein the mutation comprises a deletion of the entire ISDR.
- 68. The vector of claim 67, wherein the mutation comprises a deletion of nucleotides corresponding to nucleotides 5345 to 5485 of SEQ ID NO:6.
 - 69. A cell comprising the vector of claim 62.

5

- 70. A host cell comprising the polynucleotide of claim 2, wherein the host cell is a mammalian cell.
- 71. The host cell of claim 70, wherein the polynucleotide comprises an adaptive mutation.
 - 72. The host cell of claim 71 wherein the host cell is a human cell.
 - 73. The host cell of claim 72 wherein the host cell is a liver cell.
 - 74. The host cell of claim 72 wherein the host cell is a T-cell or a B-cell.
 - 75. The host cell of claim 72 wherein the host cell is a HeLa cell.
- 76. A method for identifying a cell line that is permissive for infection with HCV, comprising contacting a cell in tissue culture with an infectious amount of the polynucleotide of claim 1, and detecting replication of HCV in cells of the cell line.
- 77. A method for producing a cell line comprising replicating HCV, the method comprising
 - (a) transcribing the vector of claim 62 to synthesize HCV RNA;
 - (b) transfecting a cell with the HCV RNA of step (a); and
 - (c) culturing the cell.
- 78. A vaccine comprising the polynucleotide of claim 1 in a pharmaceutically acceptable carrier.
- 79. The vaccine of claim 78, wherein the polynucleotide further comprises an adaptive mutation.
- 80. The vaccine of claim 79, wherein the adaptive mutation comprises a deletion of nucleotides corresponding to nucleotides 5345 to 5485 of SEQ ID NO:6.

- 81. The vaccine of claim 80, wherein the HCV is impaired in its ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.
- 82. A method of inducing immunoprotection to HCV in a primate, comprising administering to the primate the vaccine of claim 78.
- 83. A method of inducing immunoprotection to HCV in a primate, comprising administering to the primate the vaccine of claim 81.
 - 84. A method of testing a compound for inhibiting HCV replication, comprising
 - (a) treating the host cell of claim 70 with the compound;
- (b) evaluating the treated host cell for reduced HCV replication, wherein reduced HCV replication indicates the ability of the compound to inhibit HCV replication.
- 85. A method of testing a compound for inhibiting HCV infection comprising treating a host cell with the compound before, during or after infecting or transfecting the host cell with the polynucleotide of claim 1.



SUBSTITUTE SHEET (RULE 26)






Figure 2





- DNase digest RNA transcripts
- Electroporate RNA into Huh7 cells
- G418-resistant colonies were generated at low frequency
- 28 colonies were picked & 90% of these could be passaged
- No colonies observed for the replicon RNA containing an inactive RDRP

Clone	Copy number/cell	Cytoplasmic NS3	Growth Rate Fast	
I	>1000	Yes		
n	~1000-5000	Yes	Fast	
IV	ND	Yes	Fast	
V	500 .	ND	Moderate	
VI	~1000	Yes	Fast	
VII	>800	Yes	Fast	
Clone E	<400	No	Very slow	

Figure 4




Figure 5A





figure 5B




igure (

SUBSTITUTE SHEET (RULE 26)

1229	Asp GAC	:	•	•	•	•	•
12	₹3	Tyr 24788	:	:	:	:	:
1182	Ser TCT	F/2					
•	CTG					•	:
	Gh CAG	•.	•	•	•	:	•
	Ser AGC (:	•	•	:	:	lle ATC •
	Ala GCT A	:	•	•	•	•	• •
	Ser TCA	:	•	•	•	•	•
	Ser TCA 1	•	:	•	:	•	•
	Ser AGC 1	:	•	•	•	•	•
	Ala S GCC A	:	•	:	•	Ser TCC •	:
	Leu TTG G	:	•	•	•	S T	• .
	Ser I	:	•	• ည	٠ ي ي	•	•
	Pro S CCC T	•	•	Pro CCC	_	•	•
			:	:		:	•
	CCC	•	:	:	:	•	•
	Ser TCT						•
	GGA GGA	•	•	•	:	•	•
	Arg AGG	:	•	•	:	•	. •
	Ala	•	•	:	•	•	•
	CTG CTG	:	•	•	•	•	:
	Arg AGG	:	GGG	•	•	•	
aa 1163	Arg CGT	•	:	•	:	•	•
88		H	п	Ħ	2	>	NI/AII

Figure 7





SUBSTITUTE SHEET (RULE 26)





Figure 9



SUBSTITUTE SHEET (RULE 26)

SEQUENCE LISTING

<110> Rice III, Charles Blight, Keril <120> HCV Variants <130> 6029-7868 <140> <141> <150> 09/576,989 <151> 2000-05-23 <150> 09/034,756 <151> 1998-03-04 <160> 24 <170> PatentIn Ver. 2.0 <210> 1 <211> 21 <212> DNA <213> Hepatitis C virus <400> 1 ggcgacactc caccatagat c <210> 2 <211> 99 <212> DNA <213> Hepatitis C virus tggtggctcc atcttagccc tagtcacggc tagctgtgaa aggtccgtga gccgcatgac 60 tgcagagagt gctgatactg gcctctctgc tgatcatgt <210> 3 <211> 1985 <212> PRT <213> Hepatitis C virus <400> 3 Met Ala Pro Ile Thr Ala Tyr Ser Gln Gln Thr Arg Gly Leu Leu Gly Cys Ile Ile Thr Ser Leu Thr Gly Arg Asp Arg Asn Gln Val Glu Gly 25 Glu Val Gln Val Val Ser Thr Ala Thr Gln Ser Phe Leu Ala Thr Cys Val Asn Gly Val Cys Trp Thr Val Tyr His Gly Ala Gly Ser Lys Thr 55 Leu Ala Gly Pro Lys Gly Pro Ile Thr Gln Met Tyr Thr Asn Val Asp Gln Asp Leu Val Gly Trp Gln Ala Pro Pro Gly Ala Arg Ser Leu Thr Pro Cys Thr Cys Gly Ser Ser Asp Leu Tyr Leu Val Thr Arg His Ala 100 105

21

Asp Val Ile Pro Val Arg Arg Gly Asp Ser Arg Gly Ser Leu Leu Ser Pro Arg Pro Val. Ser Tyr Leu Lys Gly Ser Ser Gly Gly Pro Leu Leu Cys Pro Ser Gly His Ala Val Gly Ile Phe Arg Ala Ala Val Cys Thr Arg Gly Val Ala Lys Ala Val Asp Phe Val Pro Val Glu Ser Met 170 Glu Thr Thr Met Arg Ser Pro Val Phe Thr Asp Asn Ser Ser Pro Pro 185 Ala Val Pro Gln Thr Phe Gln Val Ala His Leu His Ala Pro Thr Gly 200 Ser Gly Lys Ser Thr Lys Val Pro Ala Ala Tyr Ala Ala Gln Gly Tyr Lys Val Leu Val Leu Asn Pro Ser Val Ala Ala Thr Leu Gly Phe Gly Ala Tyr Met Ser Lys Ala His Gly Ile Asp Pro Asn Ile Arg Thr Gly Val Arg Thr Ile Thr Thr Gly Ala Pro Ile Thr Tyr Ser Thr Tyr Gly Lys Phe Leu Ala Asp Gly Gly Cys Ser Gly Gly Ala Tyr Asp Ile Ile Ile Cys Asp Glu Cys His Ser Thr Asp Ser Thr Thr Ile Leu Gly Ile Gly Thr Val Leu Asp Gln Ala Glu Thr Ala Gly Ala Arg Leu Val Val Leu Ala Thr Ala Thr Pro Pro Gly Ser Val Thr Val Pro His Pro Asn 325 330 Ile Glu Glu Val Ala Leu Ser Ser Thr Gly Glu Ile Pro Phe Tyr Gly 345 Lys Ala Ile Pro Ile Glu Thr Ile Lys Gly Gly Arg His Leu Ile Phe Cys His Ser Lys Lys Lys Cys Asp Glu Leu Ala Ala Lys Leu Ser Gly 375 Leu Gly Leu Asn Ala Val Ala Tyr Tyr Arg Gly Leu Asp Val Ser Val Ile Pro Thr Ser Gly Asp Val Ile Val Val Ala Thr Asp Ala Leu Met 410 Thr Gly Phe Thr Gly Asp Phe Asp Ser Val Ile Asp Cys Asn Thr Cys Val Thr Gln Thr Val Asp Phe Ser Leu Asp Pro Thr Phe Thr Ile Glu

Thr Thr Thr Val Pro Gln Asp Ala Val Ser Arg Ser Gln Arg Arg Gly

455

Arg Thr Gly Arg Gly Arg Met Gly Ile Tyr Arg Phe Val Thr Pro Gly Glu Arg Pro Ser Gly Met Phe Asp Ser Ser Val Leu Cys Glu Cys Tyr Asp Ala Gly Cys Ala Trp Tyr Glu Leu Thr Pro Ala Glu Thr Ser Val Arg Leu Arg Ala Tyr Leu Asn Thr Pro Gly Leu Pro Val Cys Gln Asp 520 His Leu Glu Phe Trp Glu Ser Val Phe Thr Gly Leu Thr His Ile Asp 535 Ala His Phe Leu Ser Gln Thr Lys Gln Ala Gly Asp Asn Phe Pro Tyr Leu Val Ala Tyr Gln Ala Thr Val Cys Ala Arg Ala Gln Ala Pro Pro Pro Ser Trp Asp Gln Met Trp Lys Cys Leu Ile Arg Leu Lys Pro Thr Leu His Gly Pro Thr Pro Leu Leu Tyr Arg Leu Gly Ala Val Gln Asn 600 Glu Val Thr Thr His Pro Ile Thr Lys Tyr Ile Met Ala Cys Met 615 Ser Ala Asp Leu Glu Val Val Thr Ser Thr Trp Val Leu Val Gly Gly 635 Val Leu Ala Ala Leu Ala Ala Tyr Cys Leu Thr Thr Gly Ser Val Val 650 Ile Val Gly Arg Ile Ile Leu Ser Gly Lys Pro Ala Ile Ile Pro Asp Arg Glu Val Leu Tyr Arg Glu Phe Asp Glu Met Glu Glu Cys Ala Ser 680 His Leu Pro Tyr Ile Glu Gln Gly Met Gln Leu Ala Glu Gln Phe Lys 695 Gln Lys Ala Ile Gly Leu Leu Gln Thr Ala Thr Lys Gln Ala Glu Ala Ala Ala Pro Val Val Glu Ser Lys Trp Arg Thr Leu Glu Ala Phe Trp Ala Lys His Met Trp Asn Phe Ile Ser Gly Ile Gln Tyr Leu Ala Gly Leu Ser Thr Leu Pro Gly Asn Pro Ala Ile Ala Ser Leu Met Ala Phe Thr Ala Ser Ile Thr Ser Pro Leu Thr Thr Gln His Thr Leu Leu Phe Asn Ile Leu Gly Gly Trp Val Ala Ala Gln Leu Ala Pro Pro Ser Ala Ala Ser Ala Phe Val Gly Ala Gly Ile Ala Gly Ala Ala Val Gly Ser

- Ile Gly Leu Gly Lys Val Leu Val Asp Ile Leu Ala Gly Tyr Gly Ala 820 825 830
- Gly Val Ala Gly Ala Leu Val Ala Phe Lys Val Met Ser Gly Glu Met 835 840 845
- Pro Ser Thr Glu Asp Leu Val Asn Leu Leu Pro Ala Ile Leu Ser Pro 850 855 860
- Gly Ala Leu Val Val Gly Val Val Cys Ala Ala Ile Leu Arg Arg His 865 870 875 880
- Val Gly Pro Gly Glu Gly Ala Val Gln Trp Met Asn Arg Leu Ile Ala 885 890 895
- Phe Ala Ser Arg Gly Asn His Val Ser Pro Thr His Tyr Val Pro Glu 900 905 910
- Ser Asp Ala Ala Arg Val Thr Gln Ile Leu Ser Ser Leu Thr Ile 915 920 925
- Thr Gln Leu Leu Lys Arg Leu His Gln Trp Ile Asn Glu Asp Cys Ser 930 935 940
- Thr Pro Cys Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys 945 950 955 960
- Thr Val Leu Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro 965 970 975
- Arg Leu Pro Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly 980 985 990
- Val Trp Arg Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala 995 1000 1005
- Gln Ile Thr Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro 1010 1015 1020
- Arg Thr Cys Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr 1025 1030 1035 1040
- Thr Thr Gly Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala
 1045 1050 1055
- Leu Trp Arg Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly 1060 1065 1070
- Asp Phe His Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro 1075 1085
- Cys Gln Val Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg 1090 1095 1100
- Leu His Arg Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val 1105 1110 1115 1120
- Thr Phe Leu Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro 1125 1130 1135
- Cys Glu Pro Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp 1140 1145 1150
- Pro Ser His Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly 1155 1160 1165

- Ser Pro Pro Ser Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro 1170 1175 1180
- Ser Leu Lys Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp 1185 1190 1195 1200
- Leu Ile Glu Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile 1205 1210 1215
- Thr Arg Val Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu 1220 1225 1230
- Pro Leu Gln Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu 1235 1240 1245
- Ile Leu Arg Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala 1250 1255 1260
- Arg Pro Asp Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp 1265 1270 1275 1280
- Tyr Val Pro Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala 1285 1290 1295
- Pro Pro Ile Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu 1300 1305 1310
- Ser Thr Val Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly 1315 1320 1325
- Ser Ser Glu Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro 1330 1335 1340
- Asp Gln Pro Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr 1345 1350 1355 1360
- Ser Ser Met Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser 1365 1370 1375
- Asp Gly Ser Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val 1380 1385 1390
- Cys Cys Ser Met Ser Tyr Thr Trp Thr Gly Ala Leu Ile Thr Pro Cys 1395 1400 1405
- Ala Ala Glu Glu Thr Lys Leu Pro Ile Asn Ala Leu Ser Asn Ser Leu 1410 1415 1420
- Leu Arg His His Asn Leu Val Tyr Ala Thr Thr Ser Arg Ser Ala Ser 1425 1430 1435 1440
- Leu Arg Gln Lys Lys Val Thr Phe Asp Arg Leu Gln Val Leu Asp Asp 1445 1450 1455
- His Tyr Arg Asp Val Leu Lys Glu Met Lys Ala Lys Ala Ser Thr Val 1460 1465 1470
- Lys Ala Lys Leu Leu Ser Val Glu Glu Ala Cys Lys Leu Thr Pro Pro 1475 1480 1485
- His Ser Ala Arg Ser Lys Phe Gly Tyr Gly Ala Lys Asp Val Arg Asn 1490 1495 1500
- Leu Ser Ser Lys Ala Val Asn His Ile Arg Ser Val Trp Lys Asp Leu 1505 1510 1515 1520

- Leu Glu Asp Thr Glu Thr Pro Ile Asp Thr Thr Ile Met Ala Lys Asn 1525 1530 1535
- Glu Val Phe Cys Val Gln Pro Glu Lys Gly Gly Arg Lys Pro Ala Arg 1540 1545 1550
- Leu Ile Val Phe Pro Asp Leu Gly Val Arg Val Cys Glu Lys Met Ala 1555 1560 1565
- Leu Tyr Asp Val Val Ser Thr Leu Pro Gln Ala Val Met Gly Ser Ser 1570 1575 1580
- Tyr Gly Phe Gln Tyr Ser Pro Gly Gln Arg Val Glu Phe Leu Val Asn 1585 1590 1595 1600
- Ala Trp Lys Ala Lys Lys Cys Pro Met Gly Phe Ala Tyr Asp Thr Arg 1605 1610 1615
- Cys Phe Asp Ser Thr Val Thr Glu Asn Asp Ile Arg Val Glu Ser 1620 1625 1630
- Ile Tyr Gln Cys Cys Asp Leu Ala Pro Glu Ala Arg Gln Ala Ile Arg 1635 1640 1645
- Ser Leu Thr Glu Arg Leu Tyr Ile Gly Gly Pro Leu Thr Asn Ser Lys 1650 1655 1660
- Gly Gln Asn Cys Gly Tyr Arg Arg Cys Arg Ala Ser Gly Val Leu Thr 1665 1670 1675 1680
- Thr Ser Cys Gly Asn Thr Leu Thr Cys Tyr Leu Lys Ala Ala Ala Ala 1685 1690 1695
- Cys Arg Ala Ala Lys Leu Gln Asp Cys Thr Met Leu Val Cys Gly Asp 1700 1705 1710
- Asp Leu Val Val Ile Cys Glu Ser Ala Gly Thr Gln Glu Asp Glu Ala 1715 1720 1725
- Ser Leu Arg Ala Phe Thr Glu Ala Met Thr Arg Tyr Ser Ala Pro Pro 1730 1735 1740
- Gly Asp Pro Pro Lys Pro Glu Tyr Asp Leu Glu Leu Ile Thr Ser Cys 1745 1750 1755 1760
- Ser Ser Asn Val Ser Val Ala His Asp Ala Ser Gly Lys Arg Val Tyr 1765 1770 1775
- Tyr Leu Thr Arg Asp Pro Thr Thr Pro Leu Ala Arg Ala Ala Trp Glu 1780 1785 1790
- Thr Ala Arg His Thr Pro Val Asn Ser Trp Leu Gly Asn Ile Ile Met 1795 1800 1805
- Tyr Ala Pro Thr Leu Trp Ala Arg Met Ile Leu Met Thr His Phe Phe 1810 1815 1820
- Ser Ile Leu Leu Ala Gln Glu Gln Leu Glu Lys Ala Leu Asp Cys Gln 1825 1830 1835 1840
- Ile Tyr Gly Ala Cys Tyr Ser Ile Glu Pro Leu Asp Leu Pro Gln Ile 1845 1850 1855
- Ile Gln Arg Leu His Gly Leu Ser Ala Phe Ser Leu His Ser Tyr Ser 1860 1865 1870

Pro Gly Glu Ile Asn Arg Val Ala Ser Cys Leu Arg Lys Leu Gly Val 1875 1880 1885

Pro Pro Leu Arg Val Trp Arg His Arg Ala Arg Ser Val Arg Ala Arg 1890 1895 1900

Leu Leu Ser Gln Gly Gly Arg Ala Ala Thr Cys Gly Lys Tyr Leu Phe 1905 1910 1915 1920

Asn Trp Ala Val Arg Thr Lys Leu Lys Leu Thr Pro Ile Pro Ala Ala 1925 1930 1935

Ser Gln Leu Asp Leu Ser Ser Trp Phe Val Ala Gly Tyr Ser Gly Gly 1940 1945 1950

Asp Ile Tyr His Ser Leu Ser Arg Ala Arg Pro Arg Trp Phe Met Trp 1955 1960 1965

Cys Leu Leu Leu Ser Val Gly Val Gly Ile Tyr Leu Leu Pro Asn 1970 1975 1980

Arg 1985

<210> 4

<211> 447

<212> PRT

<213> Hepatitis C virus

<400> 4

Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu 1 10 15

Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro 20 25 30

Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg
35 40 45

Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr 50 55 60

Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys
65 70 75 80

Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly 85 90 95

Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg

Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His 115 120 125

Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val 130 135 140

Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg 145 150 155 160

Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu 165 170 175

Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro 180 185 190 Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His
195
200
205

Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro

.0 215 22

Ser Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro Ser Leu Lys 225 230 235 240

Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp Leu Ile Glu 245 250 255

Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile Thr Arg Val 260 · 265 270

Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu Pro Leu Gln 275 280 285

Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg 290 295 300

Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro Asp 305 310 315 320

Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val Pro 325 330 335

Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro Ile 340 345 350

Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr Val 355 360 365

Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser Glu 370 375 380

Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln Pro 385 390 395 400

Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met 405 410 415

Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser 420 425 430

Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys 435 440 445

<210> 5

<211> 7987

<212> DNA

<213> Hepatitis C virus

<400> 5

gecagecee gattgggge gacactecae catagateae teceetgtga ggaactactg 60 tetteaegea gaaagegtet agecatggeg ttagtatgag tgtegtgeag ceteeaggae 120 eeceeteee gggaageea tagtggtetg eggaaceggt gagtacaeeg gaattgeeag 180 gacgaceggg teettettg gateaaeeeg etcaatgeet ggagatttgg gegtgeeeee 240 gegagactge tageegagta gtgttgggte gegaaaggee ttgtggtaet geetgatagg 300 gtgettgega gtgeeeeggg aggtetegta gacegtgeae eatgageaeg aateetaaae 360 etcaaagaaa aaceaaaggg eggeeatga ttgaacaaga tggattgeae geaggtete 420 eggeegettg ggtggagagg etattegget atgaetgge acaacagaca ateggetget 480 etgatgeege egtgtteegg etgeeeggaaeeggeegee ggttetttt gteaagaeeg 540 aeetgteegg tgeeetgaat gaactgeagg aegaggeage geggetateg tggetggeea 600

cgacgggcgt tccttgcgca gctgtgctcg acgttgtcac tgaagcggga agggactggc 660 tgctattggg cgaagtgccg gggcaggatc tcctgtcatc tcaccttgct cctgccgaga 720 aagtatecat catggetgat geaatgegge ggetgeatae gettgateeg getacetgee 780 cattegacca ccaagegaaa categeateg agegageacg tacteggatg gaageeggte 840 ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900 ccaggeteaa ggegegeatg cccgaeggeg aggatetegt egtgaeceat ggegatgeet 960 gettgeegaa tateatggtg gaaaatggee gettttetgg atteategae tgtggeegge 1020 tgggtgtgge ggaeegetat caggacatag egttggetae eegtgatatt getgaagage 1080 ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 1140 agogoatogo ettetatogo ettettgaeg agttettetg agtttaaaca gaccacaacg 1200 gtttccctct agcgggatca attccgccc tctccctcc cccccctaa cgttactggc 1260 cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320 ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380 aggggtcttt cccctctcgc caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca 1440 gttcctctgg aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg 1500 aacececeae etggegacag gtgeetetge ggecaaaage caegtgtata agatacaeet 1560 gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620 tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggt accccattgt 1680 atgggatetg atetggggcc teggtgcaca tgetttacat gtgtttagte gaggttaaaa 1740 aacgtetagg ccccccgaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800 atggcgccta ttacggccta ctcccaacag acgcgaggcc tacttggctg catcatcact 1860 agecteacag geogggacag gaaccaggte gagggggagg tecaagtggt etecacegea 1920 acacaatett teetggegae etgegteaat ggegtgtgtt ggaetgteta teatggtgee 1980 ggctcaaaga cccttgccgg cccaaagggc ccaatcaccc aaatgtacac caatgtggac 2040 caggaceteg teggetggea agegeeece ggggegegtt cettgacace atgeacetge 2100 ggcagetegg acctttactt ggtcacgagg catgccgatg teatteeggt gegeeggegg 2160 ggcgacagca gggggagcct actetecece aggecegtet cetaettgaa gggetetteg 2220 ggcggtccac tgctctgccc ctcggggcac gctgtgggca tctttcgggc tgccgtgtgc 2280 accogagggg ttgcgaaggc ggtggacttt gtacccgtcg agtctatgga aaccactatg 2340 cggtccccgg tcttcacgga caactcgtcc cctccggccg taccgcagac attccaggtg 2400 geceatetae acgeeectae tggtagegge aagageacta aggtgeegge tgegtatgea 2460 gcccaagggt ataaggtgct tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520 gcgtatatgt ctaaggcaca tggtatcgac cctaacatca gaaccggggt aaggaccatc 2580 accaegggtg ecceeateae gtactecaee tatggcaagt ttettgeega eggtggttge 2640 tetgggggeg cetatgacat cataatatgt gatgagtgcc actcaactga etegaccact 2700 atectgggca teggeacagt cetggaccaa geggagaegg etggagegeg actegtegtg 2760 ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggaggtg 2820 getetgteca geactggaga aateceettt tatggeaaag ceateceeat egagaceate 2880 aaggggggga ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 2940 aagctgtccg gcctcggact caatgctgta gcatattacc ggggccttga tgtatccgtc 3000 ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaatgac gggctttacc 3060 ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3120 ctggacccga ccttcaccat tgagacgacg accgtgccac aagacgcggt gtcacgctcg 3180 cageggegag geaggactgg taggggeagg atgggeattt acaggtttgt gactecagga 3240 gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3300 gettggtacg agetcaegee egeegagace teagttaggt tgegggetta cetaaacaca 3360 ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420 acceacatag acgeecattt ettgteecag actaageagg caggagacaa etteecetae 3480 ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540 caaatgtgga agtgtctcat acggctaaag cctacgctgc acgggccaac gcccctgctg 3600 tataggetgg gageegttea aaacgaggtt actaccacae accecataac caaatacate 3660 atggcatgca tgtcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 3720 gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtggtcat tgtgggcagg 3780 atcatcttgt ccggaaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840 gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcgcc 3900 gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 3960 gctgctcccg tggtggaatc caagtggcgg accetcgaag cettetgggc gaagcatatg 4020 tggaatttca tcagcgggat acaatattta gcaggcttgt ccactctgcc tggcaacccc 4080 gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac cacccaacat 4140 accetectgt ttaacateet ggggggatgg gtggeegeec aacttgetee teecageget 4200 gettetgett tegtaggege eggeateget ggageggetg ttggcageat aggeettggg 4260 aaggtgcttg tggatatttt ggcaggttat ggagcagggg tggcaggcgc gctcgtggcc 4320 tttaaggtca tgageggega gatgeeetee accgaggace tggttaacet acteeetget 4380 atcetetece etggegeeet agtegteggg gtegtgtgeg cagegatact gegteggeae 4440 gtgggcccag gggaggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500 ggtaaccacg tetececcae geactatgtg cetgagageg acgetgeage acgtgteact 4560

```
cagatectet etagtettae cateacteag etgetgaaga ggetteacea gtggateaac 4620
gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680
acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740
gtccccttct tctcatgtca acgtgggtac aagggagtct ggcggggcga cggcatcatg 4800
caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860
atcqtqqqqc ctaqqacctq taqtaacacq tqqcatqqaa cattccccat taacqcqtac 4920
accacqqqcc cctqcacqcc ctccccqqcq ccaaattatt ctaqqqcqct qtqqcqqtq 4980
gctgctgagg agtacgtgga ggttacgcgg gtgggggatt tccactacgt gacgggcatg 5040
accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100
gatggggtgc ggttgcacag gtacgctcca gcgtgcaaac ccctcctacg ggaggaggtc 5160
acattectgg tegggeteaa teaatacetg gttgggteae ageteecatg egageeegaa 5220
ceggacgtag cagtgeteac ttecatgete acegacecet eccacattae ggcggagar/g 5280
getaagegta ggetggeeag gggateteee eeeteettgg ceageteate agetageeag 5340
ctgtctgcgc cttccttgaa ggcaacatgc actacccgtc atgactcccc ggacgctgac 5400
ctcatcgagg ccaacctcct gtggcggcag gagatgggcg ggaacatcac ccgcgtggag 5460
tcagaaaata aggtagtaat tttggactct ttcgagccgc tccaagcgga ggaggatgag 5520
agggaagtat ccgttccggc ggagatcctg cgc-gtcca ggaaattccc tcgagcgatg 5580
cccatatggg cacgcccgga ttacaaccct ccactgttag agtcctggaa ggacccggac 5640
tacgtccctc cagtggtaca cgggtgtcca ttgccgcctg ccaaggcccc tccgatacca 5700
cctccacgga ggaagaggac ggttgtcctg tcagaatcta ccgtgtcttc tgccttggcg 5760
gagetegeca caaagacett eggeagetee gaategtegg eegtegacag eggeaeggea 5820
acggcctctc ctgaccagcc ctccgacgac ggcgacgcgg gatccgacgt tgagtcgtac 5880
tectecatge ecceettga gggggageeg ggggateeeg ateteagega egggtettgg 5940
tctaccgtaa gcgaggaggc tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg 6000
acaggegece tgateaegee atgegetgeg gaggaaacea agetgeecat caatgeaetg 6060
agcaactctt tgctccgtca ccacaacttg gtctatgcta caacatctcg cagcgcaagc 6120
ctgcggcaga agaaggtcac ctttgacaga ctgcaggtcc tggacgacca ctaccgggac 6180
gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaacttct atccgtggag 6240
gaageetgta agetgaegee eecacatteg geeagateta aatttggeta tggggcaaag 6300
gacgtccgga acctatccag caaggccgtt aaccacatcc gctccgtgtg gaaggacttg 6360
ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420
gtccaaccag agaaggggg ccgcaagcca gctcgcctta tcgtattccc agatttgggg 6480
gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccaccctccc tcaggccgtg 6540
atgggetett catacggatt ccaatactet cetggacage gggtegagtt cetggtgaat 6600
gcctggaaag cgaagaaatg ccctatgggc ttcgcatatg acacccgctg ttttgactca 6660
acggtcactg agaatgacat ccgtgttgag gagtcaatct accaatgttg tgacttggcc 6720
cccgaagcca gacaggccat aaggtcgctc acagagcggc tttacatcgg gggccccctg 6780
actaattcta aagggcagaa ctgcggctat cgccggtgcc gcgcgagcgg tgtactgacg 6840
accagetgeg gtaataccet cacatgttac ttgaaggeeg ctgeggeetg tegagetgeg 6900
aagctccagg actgcacgat gctcgtatgc ggagacgacc ttgtcgttat ctgtgaaagc 6960
gcggggaccc aagaggacga ggcgagccta cgggccttca cggaggctat gactagatac 7020
tetgecece etggggace geceaaace gaatacgact tggagttgat aacateatge 7080
tectecaatg tgtcagtcgc gcacgatgca tetggcaaaa gggtgtacta tetcacccgt 7140
gaccccacca cccccttgc gcgggctgcg tgggagacag ctagacacac tccagtcaat 7200
tectggetag geaacateat catgtatgeg eccacettgt gggeaaggat gateetgatg 7260
actcatttct tctccatcct tctagctcag gaacaacttg aaaaagccct agattgtcag 7320
atctacgggg cetgttactc cattgagcca cttgacctac ctcagatcat tcaacgactc 7380
catggcetta gegeatttte actecatagt tactetecag gtgagateaa tagggtgget 7440
tcatgcctca ggaaacttgg ggtaccgccc ttgcgagtct ggagacatcg ggccagaagt 7500
gtccgcgcta ggctactgtc ccaggggggg agggctgcca cttgtggcaa gtacctcttc 7560
aactgggcag taaggaccaa gctcaaactc actccaatcc cggctgcgtc ccagttggat 7620
ttatccagct ggttcgttgc tggttacagc gggggagaca tatatcacag cctgtctcgt 7680
gcccgacccc gctggttcat gtggtgccta ctcctacttt ctgtaggggt aggcatctat 7740
ctactcccca accgatgaac ggggagctaa acactccagg ccaataggcc atcctgtttt 7800
tttcctcttt ttttcctttt ctttcctttg gtggctccat cttagcccta gtcacggcta 7920
gctgtgaaag gtccgtgagc cgcttgactg cagagagtgc tgatactggc ctctctgcag 7980
atcaagt
<210> 6
 <211> 7989
 <212> DNA
```

<213> Hepatitis C virus

<400> 6

gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60

tottcacqca qaaaqcqtct aqccatqqcq ttaqtatqaq tqtcqtqcag cctccaggac 120 ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180 gacgaccggg tcctttcttg gatcaacccg ctcaatgcct ggagatttgg gcgtgcccc 240 gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300 gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360 ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420 cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480 ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc ggttcttttt gtcaagaccg 540 acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600 cgacgggcgt tccttgcgca gctgtgctcg acgttgtcac tgaagcggga agggactggc 660 tgctattggg cgaagtgccg gggcaggatc tcctgtcatc tcaccttgct cctgccgaga 720 aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780 cattegacca ccaagegaaa categeateg agegageaeg tacteggatg gaageeggte 840 ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900 ccaggctcaa ggcgcgcatg cccgacggcg aggatctcgt cgtgacccat ggcgatgcct 960 gcttgccgaa tatcatggtg gaaaatggcc gcttttctgg attcatcgac tgtggccggc 1020 tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080 ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 1140 agggcatcgc cttctatcqc cttcttgacg agttcttctq agtttaaaca gaccacaacg 1200 gtttecctet agegggatea attecgeece tetecetece eccecetaa egttactgge 1260 cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320 ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380 aggggtcttt cccctctcgc caaaggaatg caaqqtctqt tqaatqtcqt gaaggaaqca 1440 gttcctctgg aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg 1500 aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560 gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620 tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggt accccattgt 1680 atgggatetg atetggggee teggtgeaca tgetttaeat gtgtttagte gaggttaaaa 1740 aacgictagg cccccgaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800 atggcgccta ttacggccta ctcccaacag acgcgaggcc tacttggctg catcatcact 1860 agceteacag geegggacag gaaccaggte gagggggagg tecaagtggt etecacegea 1920 acacaatett teetggegae etgegteaat ggegtgtgtt ggaetgteta teatggtgee 1980 ggctcaaaga cccttgccgg cccaaagggc ccaatcaccc aaatgtacac caatgtggac 2040 caggaceteg teggetggea agegeeece ggggegegtt cettgacace atgeacetge 2100 ggcagctcgg acctttactt ggtcacgagg catgccgatg tcattccggt gcgccggcgg 2160 ggcgacagca gggggagcct actctcccc aggcccgtct cctacttgaa gggctcttcg 2220 ggeggtecac tgctctgccc ctcggggcac gctgtgggca tctttcgggc tqccqtqtqc 2280 accogagggg ttgcgaaggc ggtggacttt gtacccgtcg agtctatgga aaccactatg 2340 eggteeeegg tetteaegga caactegtee ceteeggeeg tacegeagae atteeaggtg 2400 gcccatctac acgcccctac tggtagcggc aagagcacta aggtgccggc tgcgtatgca 2460 gcccaagggt ataaggtgct tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520 gcgtatatgt ctaaggcaca tggtatcgac cctaacatca gaaccggggt aaggaccatc 2580 accacgggtg cocccatcac gtactccacc tatggcaagt ttcttgccga cggtggttgc 2640 totgggggcg cotatgacat cataatatgt gatgagtgcc actcaactga ctcgaccact 2700 atcctgggca tcggcacagt cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg 2760 ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggaggtg 2820 getetgteca geactggaga aateceettt tatggeaaag ceateceeat egagaceate 2880 aagggggga ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 2940 aagetgteeg geeteggaet caatgetgta geatattace ggggeettga tqtateeqte 3000 ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaatgac gggctttacc 3060 ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3120 ctggacccga ccttcaccat tgagacgacg accgtgccac aagacgcggt gtcacgctcg 3180 cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240 gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3300 gcttggtacg agctcacgcc cgccgagacc tcagttaggt tgcgggctta cctaaacaca 3360 ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420 acccacatag acgcccattt cttgtcccag actaagcagg caggagacaa cttcccctac 3480 ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540 caaatgtgga agtgtctcat acggctaaag cctacgctgc acgggccaac gcccctgctg 3600 tataggctgg gagccgttca aaacgaggtt actaccacac accccataac caaatacatc 3660 atggcatgca tgtcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 3720 gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtggtcat tgtgggcagg 3780 atcatcttgt ccggaaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840 gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcgcc 3900 gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 3960 getgeteecg tggtggaate caagtggegg accetegaag cettetggge gaageatatg 4020

tggaatttca tcagcgggat acaatattta gcaggettgt ccactctgcc tggcaacccc 4080 gegatageat cactgatgge atteacagee tetateacea gecegeteae cacceaacat 4140 accetectgt ttaacatect ggggggatgg gtggeegeec aacttgetee teecageget 4200 gettetgett tegtaggege eggeateget ggageggetg ttggeageat aggeettggg 4260 aaqqtqcttq tqqatatttt gqcaggttat ggaqcaqqqq tqqcagqcqc qctcqtqqcc 4320 tttaaggtca tgagcggcga gatgccetcc accgaggacc tggttaacct actccctgct 4380 atcctctccc ctggcgccct agtcgtcggg gtcgtgtgcg cagcgatact gcgtcggcac 4440 gtgggcccag gggaggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500 ggtaaccacg tctcccccac gcactatgtg cctgagagcg acgctgcagc acgtgtcact 4560 cagatectet etagtettae cateacteag etgetgaaga ggetteacea gtggateaac 4620 gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680 acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740 gtccccttct tctcatgtca acgtgggtac aagggagtct ggcggggcga cggcatcatg 4800 caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860 atcqtqqqqc ctaqqacctq taqtaacacq tqqcatqqaa cattccccat taacqcqtac 4920 accacgggcc cctgcacgcc ctccccggcg ccaaattatt ctagggcgct gtggcgggtg 4980 gctgctgagg agtacgtgga ggttacgcgg gtgggggatt tccactacgt gacgggcatg 5040 accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100 gatggggtgc ggttgcacag gtacgctcca gcgtgcaaac ccctcctacg ggaggaggtc 5160 acatteetgg tegggeteaa teaatacetg gttgggteac ageteecatg egageeegaa 5220 ccqqacqtag cagtgctcac ttccatgctc accgaccct cccacattac ggcqgaqacg 5280 gctaagcgta ggctggccag gggatctccc ccctccttgg ccagctcatc agctagccag 5340 ctgtctgcgc cttccttgaa ggcaacatgc actacccgtc atgactcccc ggacgctgac 5400 ctcatcgagg ccaacctcct gtggcggcag gagatgggcg ggaacatcac ccgcgtggag 5460 tcagaaaata aggtagtaat tttggactct ttcgagccgc tccaagcgga ggaggatgag 5520 agggaagtat ccgttccggc ggagatcctg cggaggtcca ggaaattccc tcgagcgatg 5580 cccatatggg cacgccgga ttacaaccct ccactgttag agtcctggaa ggacccggac 5640 tacgtccctc cagtggtaca cgggtgtcca ttgccgcctg ccaaggcccc tccgatacca 5700 cctccacgga ggaagaggac ggttgtcctg tcagaatcta ccgtgtcttc tgccttggcg 5760 gagetegeca caaagacett eggeagetee gaategtegg eegtegacag eggeaeggea 5820 acggcctctc ctgaccagcc ctccgacgac ggcgacgcgg gatccgacgt tgagtcgtac 5880 tectecatge ecceettga gggggageeg ggggateeeg ateteagega egggtettgg 5940 tctaccgtaa gcgaggaggc tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg 6000 acaggegeee tgateaegee atgegetgeg gaggaaacca agetgeeeat caatgeaetg 6060 agcaactett tgeteegtea ceacaacttg gtetatgeta caacateteg cagegeaage 6120 ctgcggcaga agaaggtcac ctttgacaga ctgcaggtcc tggacgacca ctaccgggac 6180 gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaacttct atccgtggag 6240 gaageetgta agetgaegee eccaeatteg geeagateta aatttggeta tggggeaaag 6300 gaegteegga acetateeag eaaggeegtt aaceacatee geteegtgtg gaaggaettg 6360 ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420 gtccaaccag agaagggggg ccgcaagcca gctcgcctta tcgtattccc agatttgggg 6480 gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccaccctccc tcaggccgtg 6540 atgggctctt catacggatt ccaatactct cctggacagc gggtcgagtt cctggtgaat 6600 gcctggaaag cgaagaaatg ccctatgggc ttcgcatatg acacccgctg ttttgactca 6660 acqqtcactq agaatgacat ccgtgttgag gagtcaatct accaatgttq tgacttgqcc 6720 cccgaagcca gacaggccat aaggtcgctc acagagcggc tttacatcgg gggccccctg 6780 actaattcta aagggcagaa ctgcggctat cgccggtgcc gcgcgagcgg tgtactgacg 6840 accagetgeg gtaataceet cacatgttae ttgaaggeeg etgeggeetg tegagetgeg 6900 aagctccagg actgcacgat gctcgtatgc ggagacgacc ttgtcgttat ctgtgaaagc 6960 gcggggaccc aagaggacga ggcgagccta cgggccttca cggaggctat gactagatac 7020 tetgecece etggggaece geceaaacea gaatacgaet tggagttgat aacateatge 7080 tcctccaatg tgtcagtcgc gcacgatgca tctggcaaaa gggtgtacta tctcacccgt 7140 gaccccacca cccccttgc gcgggctgcg tgggagacag ctagacacac tccagtcaat 7200 tcctggctag gcaacatcat catgtatgcg cccaccttgt gggcaaggat gatcctgatg 7260 actcatttct tctccatcct tctagctcag gaacaacttg aaaaagccct agattgtcag 7320 atctacgggg cctgttactc cattgagcca cttgacctac ctcagatcat tcaacgactc 7380 catggcctta gcgcattttc actccatagt tactctccag gtgagatcaa tagggtggct 7440 tcatgcctca ggaaacttgg ggtaccgccc ttgcgagtct ggagacatcg ggccagaagt 7500 gtccgcgcta ggctactgtc ccaggggggg agggctgcca cttgtggcaa gtacctcttc 7560 aactgggcag taaggaccaa gctcaaactc actccaatcc cggctgcqtc ccaqttggat 7620 ttatccagct ggttcgttgc tggttacagc gggggagaca tatatcacag cctgtctcgt 7680 georgacee getggtteat gtggtgeeta etectaettt etgtaggggt aggeatetat 7740 ctactcccca accgatgaac ggggacctaa acactccagg ccaataggcc atcctgtttt 7800 tttttcctct ttttttcctt ttctttcctt tggtggctcc atcttagccc tagtcacggc 7920 tagctgtgaa aggtccgtga gccgcttgac tgcagagagt gctgatactg gcctctctgc 7980

7989 agatcaagt <210> 7 <211> 7848 <212> DNA <213> Hepatitis C virus <400> 7 gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60 tetteacgea gaaagegtet agceatggeg ttagtatgag tgtegtgeag cetecaggae 120 ccccctccc qqqaqaqcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180 gacgaccggg teettettg gateaacccg etcaatgeet ggagatttgg gegtgeecce 240 qcqaqactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300 qtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360 ctcaaaqaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420 cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480 ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc ggttcttttt gtcaagaccg 540 acctqtccqq tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600 cgacgggcgt teettgegca getgtgeteg acgttgteac tgaageggga agggaetgge 660 tgctattggg cgaagtgccg gggcaggatc tcctgtcatc tcaccttgct cctgccgaga 720 aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780 cattegacea ceaagegaaa categeateg agegageaeg tacteggatg gaageeggte 840 ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900 ccaggeteaa ggegegeatg cccgaeggeg aggatetegt egtgaeceat ggegatgeet 960 gcttgccgaa tatcatggtg gaaaatggcc gcttttctgg attcatcgac tgtggccggc 1020 tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080 tiggeggega atgggetgae egetteeteg tgetttaegg tategeeget eeegattege 1140 aggreatege ettetatege ettettgaeg agttettetg agtttaaaca gaccacaacg 1200 gtttccctct agcgggatca attccgcccc tctccctccc cccccctaa cgttactggc 1260 cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320 ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380 aggggtcttt cccctctcgc caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca 1440 gttcctctqq aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg 1500 aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560 gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620 tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggt accccattgt 1680 atgggatctg atctggggcc tcggtgcaca tgctttacat gtgtttagtc gaggttaaaa 1740 aacgtctagg ccccccgaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800 atggcgccta ttacggccta ctcccaacag acgcgaggcc tacttggctg catcatcact 1860 agcctcacag gccgggacag gaaccaggtc gagggggagg tccaagtggt ctccaccgca 1920 acacaatett teetggegae etgegteaat ggegtgtgtt ggaetgteta teatggtgee 1980 ggctcaaaga cccttgccgg cccaaagggc ccaatcaccc aaatgtacac caatgtggac 2040 caggaceteg teggetggea agegeeecee ggggegegtt cettgacace atgeacetge 2100 ggcagctcgg acctttactt ggtcacgagg catgccgatg tcattccggt gcgccggcgg 2160 ggcgacagca gggggagcct actotococc aggcccgtct cotacttgaa gggctcttcg 2220 ggcggtccac tgctctgccc ctcggggcac gctgtgggca tctttcgggc tgccgtgtgc 2280 accogaggg ttgcgaaggc ggtggacttt gtacccgtcg agtctatgga aaccactatg 2340 cggtccccgg tcttcacgga caactcgtcc cctccggccg taccgcagac attccaggtg 2400 gcccatctac acgcccctac tggtagcggc aagagcacta aggtgccggc tgcgtatgca 2460 gcccaagggt ataaggtgct tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520 qcqtatatqt ctaaggcaca tggtatcgac cctaacatca gaaccggggt aaggaccatc 2580 accaegggtg cececateac gtactecace tatggeaagt ttettgeega eggtggttge 2640 tctgggggcg cctatgacat cataatatgt gatgagtgcc actcaactga ctcgaccact 2700 atcctgggca tcggcacagt cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg 2760 ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggaggtg 2820 gctctgtcca gcactggaga aatccccttt tatggcaaag ccatccccat cgagaccatc 2880 aaqqqqqqa ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 2940 aagctgtccg gcctcggact caatgctgta gcatattacc ggggccttga tgtatccgtc 3000 ataccaacta geggagaegt cattgtegta geaacggaeg etetaatgae gggetttace 3060 ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3120 ctggacccga ccttcaccat tgagacgacg accgtgccac aagacgcggt gtcacgctcg 3180 cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240 gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3300 gettggtacg ageteacgee egeegagace teagttaggt tgegggetta cetaaacaca 3360 ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420 acccacatag acgcccattt cttgtcccag actaagcagg caggagacaa cttcccctac 3480 ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540 caaatqtqqa aqtqtctcat acggctaaag cctacgctgc acgggccaac gcccctqctq 3600 tataggetgg gageegttea aaacgaggtt actaccacac accccataac caaatacatc 3660 atggcatgca tgtcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 3720 gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtggtcat tgtgggcagg 3780 atcatcttgt ccggaaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840 gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcgcc 3900 gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 3960 gctgctcccg tggtggaatc caagtggcgg accctcgaag ccttctgggc gaagcatatg 4020 tgqaatttca tcagcgggat acaatattta gcaggcttgt ccactctqcc tggcaacccc 4080 gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac cacccaacat 4140 accetectgt ttaacatect ggggggatgg gtggccgccc aacttgetec teccageget 4200 gettetgett tegtaggege eggeateget ggageggetg ttggeageat aggeettggg 4260 aaggtgcttg tggatatttt ggcaggttat ggagcagggg tggcaggcgc gctcgtggcc 4320 tttaaggtca tgagcggcga gatgccctcc accgaggacc tggttaacct actccctgct 4380 atcetetece etggegeeet agtegteggg gtegtgtgeg cagegatact gegteggeae 4440 gtgggcccag gggaggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500 ggtaaccacg tctcccccac gcactatgtg cctgagagcg acgctgcagc acgtgtcact 4560 cagatectet ctagtettae cateacteag etgetgaaga ggetteacea gtggateaac 4620 gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttqgga ttggatatgc 4680 acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740 gtccccttct tctcatgtca acgtgggtac aagggagtct ggcggggcga cggcatcatg 4800 caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860 atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 4920 accacqqqcc cctqcacqcc ctccccgqcg ccaaattatt ctaqqqcqct qtqqcgqtt 4980 gctgctgagg agtacgtgga ggttacgcgg gtgggggatt tccactacgt gacgggcatg 5040 accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100 gatggggtgc ggttgcacag gtacgctcca gcgtgcaaac ccctcctacg ggaggaggtc 5160 acattectgg tegggeteaa teaatacetg gttgggteac ageteecatg egageecgaa 5220 ccggacgtag cagtgctcac ttccatgctc accgacccct cccacattac ggcggagacg 5280 gctaagcgta ggctggccag gggatctccc ccctccttgg ccagctcatc agctagccag 5340 ctgtactctt tcgagccgct ccaagcggag gaggatgaga gggaagtatc cgttccggcg 5400 gagatcctgc ggaggtccag gaaattccct cgagcgatgc ccatatgggc acgcccggat 5460 tacaaccctc cactgttaga gtcctggaag gacccggact acgtccctcc agtggtacac 5520 gggtgtccat tgccgcctgc caaggcccct ccgataccac ctccacggag gaagaggacg 5580 gttgtcctgt cagaatctac cgtgtcttct gccttggcgg agctcgccac aaagaccttc 5640 ggcagetecg aategtegge egtegacage ggcaeggcaa eggeetetee tgaccageee 5700 tecgaegaeg gegaegeggg atecgaegtt gagtegtaet cetecatgee ecceettgag 5760 ggggagccgg gggatcccga tctcagcgac gggtcttggt ctaccgtaag cgaggaggct 5820 agtgaggacg tcgtctgctg ctcgatgtcc tacacatgga caggcgccct gatcacgcca 5880 tgcgctgcgg aggaaaccaa gctgcccatc aatgcactga gcaactcttt gctccgtcac 5940 cacaacttgg tetatgetac aacatetege agegeaagee tgeggeagaa gaaggteace 6000 tttgacagac tgcaggtcct ggacgaccac taccgggacg tgctcaagga gatgaaggcg 6060 aaggogtoca cagttaaggo taaacttota toogtggagg aagcotgtaa gotgacgooc 6120 ccacattegg ccagatetaa atttggetat ggggcaaagg acgteeggaa cetatecage 6180 aaggeegtta accacateeg eteegtgtgg aaggaettge tggaagaeac tgagaeacea 6240 attgacacca ccatcatggc aaaaaatgag gttttctgcg tccaaccaga gaaqqqqqc 6300 cgcaagccag ctcgccttat cgtattccca gatttggggg ttcgtgtgtg cgagaaaatg 6360 gccctttacg atgtggtctc caccctccct caggccgtga tgggctcttc atacggattc 6420 caatactctc ctggacagcg ggtcgagttc ctggtgaatg cctggaaagc gaagaaatgc 6480 cctatgggct tcgcatatga cacccgctgt tttgactcaa cggtcactga gaatgacatc 6540 cgtgttgagg agtcaatcta ccaatgttgt gacttggccc ccgaagccag acaggccata 6600 aggtcgctca cagagcggct ttacatcggg ggccccctga ctaattctaa agggcagaac 6660 tgcggctatc gccggtgccg cgcgagcggt gtactgacga ccagctgcgg taataccctc 6720 acatgttact tgaaggccgc tgcggcctgt cgagctgcga agctccagga ctgcacgatg 6780 ctcqtatgcg gagacgacct tgtcgttatc tgtgaaagcg cggggaccca agaggacgag 6840 gegagectae gggeetteae ggaggetatg actagataet etgeeceee tggggaeeeg 6900 cccaaaccag aatacgactt ggagttgata acatcatgct cctccaatgt gtcagtcgcg 6960 cacgatgcat ctggcaaaag ggtgtactat ctcacccgtg accccaccac ccccttgcg 7020 cgggctgcgt gggagacagc tagacacact ccagtcaatt cctggctagg caacatcatc 7080 atgtatgcgc ccaccttgtg ggcaaggatg atcctgatga ctcatttctt ctccatcctt 7140 ctagctcagg aacaacttga aaaagcccta gattgtcaga tctacqqqqc ctqttactcc 7200 attgagccac ttgacctacc tcagatcatt caacgactcc atggccttag cgcattttca 7260 ctccatagtt actctccagg tgagatcaat agggtggctt catgcctcag gaaacttggg 7320 gtaccgccct tgcgagtctg gagacatcgg gccagaagtg tccgcgctag gctactgtcc 7380 cagggggga gggctgccac ttgtggcaag tacctcttca actgggcagt aaggaccaag 7440

```
ctcaaactca ctccaatccc ggctgcgtcc cagttggatt tatccagctg gttcgttgct 7500
ggttacagcg ggggagacat atatcacagc ctgtctcgtg cccgaccccg ctggttcatg 7560
tggtgcctac tectaettte tgtaggggta ggcatetate taeteeceaa cegatgaaeg 7620
gggacctaaa cactccaggc caataggcca tcctgttttt ttcccttttt tttttcttt 7680
ttttttttt tttttttt tttttttt teteetttt tttteetet tttteettt 7740
tettteettt ggtggeteca tettageeet agteaegget agetgtgaaa ggteegtgag 7800
ccgcttgact gcagagagtg ctgatactgg cctctctgca gatcaagt
<210> 8
<211> 7987
<212> DNA
<213> Hepatitis C virus
<400> 8
gecageeece gattggggge gacacteeae catagateae teecetgtga ggaactactg 60
tetteaegea gaaagegtet ageeatggeg ttagtatgag tgtegtgeag eetceaggae 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg tcctttcttg gatcaacccg ctcaatgcct ggagatttgg gcgtgccccc 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420
cggccqcttq ggtgqagagg ctattcggct atgactgggc acaacagaca atcgctqct 480
ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc ggttcttttt gtcaagaccg 540
acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600
cqacqqqcqt tccttqcqca gctqtqctcq acqttqtcac tqaaqcqqqa aqqqactqqc 660
tgctattggg cgaagtgccg gggcaggatc tcctgtcatc tcaccttgct cctgccgaga 720
aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780
cattcgacca ccaagcgaaa catcgcatcg agcgagcacg tactcggatg gaagccggtc 840
ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900
ccaggeteaa ggegegeatg cccgaeggeg aggatetegt egtgaeceat ggegatgeet 960
gettgeegaa tateatggtg gaaaatggee gettttetgg atteategae tgtggeegge 1020
tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080
ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 1140
agegeatege ettetatege ettettgaeg agttettetg agtttaaaca gaccacaacg 1200
gtttccctct agcgggatca attccgccc tctccctccc cccccctaa cgttactggc 1260
cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320
ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380
aggggtcttt cccctctcgc caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca 1440
gttcctctgg aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg 1500
aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560
gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620
tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggt acccattgt 1680
atgggatctg atctggggcc tcggtgcaca tgctttacat gtgtttagtc gaggttaaaa 1740
aacgtctagg ccccccgaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800
atggcgccta ttacggccta ctcccaacag acgcgaggcc tacttggctg catcatcact 1860
agcctcacag gccgggacag gaaccaggtc gagggggagg tccaagtggt ctccaccgca 1920
acacaatett teetggegae etgegteaat ggegtgtgtt ggaetgteta teatggtgee 1980
ggctcaaaga cccttgccgg cccaaagggc ccaatcaccc aaatgtacac caatgtggac 2040
caggaceteg teggetggeg agegeeece ggggegegtt cettgacace atgeacetge 2100
ggcagetegg acetttaett ggtcacgagg catgeegatg teatteeggt gegeeggegg 2160
qqcqacaqca qqqqqaqcct acteteeec aggeeegtet ectaettqaa qqqetetteq 2220
ggeggtccac tgctctgccc cteggggcac gctgtgggca tctttcgggc tgccgtgtgc 2280
accogagggg ttgcgaaggc ggtggacttt gtacccgtcg agtctatgga aaccactatg 2340
 eggteeeegg tetteaegga caactegtee ceteeggeeg tacegeagae atteeaggtg 2400
 gcccatctac acgcccctac tggtagcggc aagagcacta aggtgccggc tgcgtatgca 2460
gcccaagggt ataaggtgct tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520
gcgtatatgt ctaaggcaca tggtatcgac cctaacatca gaaccggggt aaggaccatc 2580
 accacgggtg cccccatcac gtactccacc tatggcaagt ttcttgccga cggtggttgc 2640
 tctgggggcg cctatgacat cataatatgt gatgagtgcc actcaactga ctcgaccact 2700
 atcctgggca tcggcacagt cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg 2760
 ctcqccaccg ctacqcctcc qqqatcqqtc accqtqccac atccaaacat cqaqqaqqtq 2820
 gctctgtcca gcactggaga aatccccttt tatggcaaag ccatccccat cgagaccatc 2880
 aaggggggga ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 2940
 aagetgtccg gcctcggact caatgctgta gcatattacc ggggccttga tgtatccgtc 3000
 ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaatgac gggctttacc 3060
 ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3120
```

ctggacccga ccttcaccat tgagacgacg accgtgccac aagacgcggt gtcacgctcg 3180 cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240 gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3300 gcttggtacg agctcacgcc cgccgagacc tcagttaggt tgcgggctta cctaaacaca 3360 ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420 acceacatag acgcccattt cttgtcccag actaagcagg caggagacaa cttcccctac 3480 ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540 caaatqtqqa aqtqtctcat acggctaaag cctacgctgc acgggccaac gcccctqctq 3600 tataggetgg gageegttea aaacgaggtt actaccacac accccataac caaatacatc 3660 atggcatgca tgtcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 3720 gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtggtcat tgtgggcagg 3780 atcatcitgt coggaaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840 gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcgcc 3900 gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 3960 gctgctcccg tggtggaatc caagtggcgg accctcgaag ccttctgggc gaagcatatg 4020 tggaatttca tcagcgggat acaatattta gcaggettgt ccactctgcc tggcaacccc 4080 gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac cacccaacat 4140 accetectgt ttaacatect ggggggatgg gtggccgccc aacttgctcc tcccagcgct 4200 gcttctgctt tcgtaggcgc cggcatcgct ggagcggctg ttggcagcat aggccttggg 4260 aaggtgcttg tggatatttt ggcaggttat ggagcagggg tggcaggcgc gctcgtggcc 4320 tttaaggtca tgagcggcga gatgccctcc accgaggacc tggttaacct actccctgct 4380 atcctctccc ctggcgccct agtcgtcggg gtcgtgtgcg cagcgatact gcgtcggcac 4440 gtgggcccag gggaggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500 ggtaaccacg tctcccccac gcactatgtg cctgagageg acgctgcagc acgtgtcact 4560 cagatectet etagtettae cateacteag etgetgaaga ggetteacea gtggateaac 4620 gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680 acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740 gtccccttct tctcatgtca acgtgggtac aagggagtct ggcggggcga cggcatcatg 4800 caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860 atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 4920 accaegggcc cetgcaegcc etceeggcg ccaaattatt etagggcgct gtggeggtg 4980 gctgctgagg agtacgtgga ggttacgcgg gtggggggatt tccactacgt gacgggcatg 5040 accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100 gatggggtgc ggttgcacag gtacgctcca gcgtgcaaac ccctcctacg ggaggaggtc 5160 acattectgg tegggeteaa teaatacetg gttgggteac ageteecatg egageeegaa 5220 ccggacgtag cagtgctcac ttccatgctc accgaccct cccacattac ggcggagacg 5280 gctaagcgta ggctggccag gggatctccc ccctccttgg ccagctcatc agctatccag 5340 ctgtctgcgc cttccttgaa ggcaacatgc actacccgtc atgactcccc ggacgctgac 5400 ctcatcgagg ccaacctcct gtggcggcag gagatgggcg ggaacatcac ccgcgtggag 5460 tcagaaaata aggtagtaat tttggactct ttcgagccgc tccaagcgga ggaggatgag 5520 agggaagtat ccgttccggc ggagatcctg cggaggtcca ggaaattccc tcgagcgatg 5580 cccatatggg cacgccgga ttacaaccct ccactgttag agtcctggaa ggacccggac 5640 tacgtccctc cagtggtaca cgggtgtcca ttgccgcctg ccaaggcccc tccgatacca 5700 cctccacgga ggaagaggac ggttgtcctg tcagaatcta ccgtgtcttc tgccttggcg 5760 gagetegeca caaagacett eggeagetee gaategtegg eegtegacag eggeaeggea 5820 acggcctctc ctgaccagcc ctccgacgac ggcgacgcgg gatccgacgt tgagtcgtac 5880 tectecatge ecceettga gggggageeg ggggateeeg ateteagega egggtettgg 5940 tetacegtaa gegaggagge tagtgaggae gtegtetget getegatgte ctacacatgg 6000 acaggegeee tgateaegee atgegetgeg gaggaaacca agetgeeeat caatgeaetg 6060 agcaactett tgeteegtea ceacaacttg gtetatgeta caacateteg cagegeaage 6120 ctgcggcaga agaaggtcac ctttgacaga ctgcaggtcc tggacgacca ctaccgggac 6180 gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaacttct atccgtggag 6240 gaagcctgta agctgacgcc cccacattcg gccagatcta aatttggcta tggggcaaag 6300 gacgtccgga acctatccag caaggccgtt aaccacatcc gctccgtgtg gaaggacttg 6360 ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420 gtccaaccag agaaggggg ccgcaagcca gctcgcctta tcgtattccc agatttgggg 6480 gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccaccctccc tcaggccgtg 6540 atgggetett catacggatt ccaatactet cetggacage gggtegagtt cetggtgaat 6600 gcctggaaag cgaagaaatg ccctatgggc ttcgcatatg acacccgctg ttttgactca 6660 acggtcactg agaatgacat ccgtgttgag gagtcaatct accaatgttg tgacttggcc 6720 cccgaagcca gacaggccat aaggtcgctc acagagcggc tttacatcgg gggccccttg 6780 actaattcta aagggcagaa ctgcggctat cgccggtgcc gcgcgaqcqg tqtactgacg 6840 accagetgeg gtaataceet cacatgttae ttgaaggeeg ctgeggeetg tegagetgeg 6900 aagctccagg actgcacqat gctcgtatgc ggagacgacc ttgtcgttat ctgtgaaaqc 6960 geggggacce aagaggacga ggegageeta egggeettea eggaggetat gactagatae 7020 tetgecece etggggace geceaaacca gaatacgaet tggagttgat aacateatge 7080 tcctccaatg tgtcagtcgc gcacgatgca tctggcaaaa gggtgtacta tctcacccgt 7140 gaccccacca cccccttgc gcgggctgcg tgggagacag ctagacacac tccagtcaat 7200 tcctggctag gcaacatcat catgtatgcg cccaccttgt gggcaaggat gatcctgatg 7260 acteatttet tetecateet tetageteag gaacaacttg aaaaageeet agattgteag 7320 atctacgggg cctgttactc cattgagcca cttgacctac ctcagatcat tcaacgactc 7380 catggcctta gcgcattttc actccatagt tactctccag gtgagatcaa tagggtggct 7440 tcatgcctca ggaaacttgg ggtaccgccc ttgcgagtct ggagacatcg ggccagaagt 7500 gtccgcgcta ggctactgtc ccaggggggg agggctgcca cttgtggcaa gtacctcttc 7560 aactgggcag taaggaccaa gctcaaactc actccaatcc cggctgcgtc ccagttggat 7620 ttatccagct ggttcgttgc tggttacagc gggggagaca tatatcacag cctgtctcgt 7680 qcccqaccc gctggttcat gtggtgccta ctcctacttt ctgtaggggt aggcatctat 7740 ctactcccca accgatgaac ggggagctaa acactccagg ccaataggcc atcctgtttt 7800 tttcctcttt ttttcctttt ctttcctttg gtggctccat cttagcccta gtcacggcta 7920 gctgtgaaag gtccgtgagc cgcttgactg cagagagtgc tgatactggc ctctctgcag 7980 atcaagt

<210> 9 <211> 7989 <212> DNA

<213> Hepatitis C virus

<400> 9 gccagcccc gattggggc gacactccac catagatcac tcccctgtga ggaactactg 60 tetteacqca gaaagcqtct agccatggcg ttagtatgag tgtcgtgcag cetecaggae 120 ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180 gacgaccggg tcctttcttg gatcaacccg ctcaatgcct ggagatttgg gcgtgccccc 240 gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300 gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360 ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420 cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480 ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc ggttcttttt gtcaagaccg 540 acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600 cqacqqqcqt tccttqcqca gctqtqctcq acqttqtcac tqaaqcqqqa agggactgqc 660 tgctattggg cgaagtgccg gggcaggatc tcctgtcatc tcaccttgct cctgccgaga 720 aaqtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780 cattcgacca ccaagcgaaa catcgcatcg agcgagcacg tactcggatg gaagccggtc 840 ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900 ccaggctcaa ggcgcgcatg cccgacggcg aggatctcgt cgtgacccat ggcgatgcct 960 gcttgccgaa tatcatggtg gaaaatggcc gcttttctgg attcatcgac tgtggccggc 1020 tqqqtqtqqc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080 ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 1140 agegeatege ettetatege ettettgaeg agttettetg agtttaaaca gaccacaacg 1200 gtttccctct agcgggatca attccgcccc tctccctccc cccccctaa cgttactggc 1260 cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320 ccqtcttttq qcaatqtqaq ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380 aggggtettt eccetetege caaaggaatg caaggtetgt tgaatgtegt gaaggaagca 1440 gttcctctgg aagcttcttg aagacaaca acgtctgtag cgaccctttg caggcagcgg 1500 aaccccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560 qcaaaqqcqq cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620 tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggt accccattgt 1680 atgggatctg atctggggcc tcggtgcaca tgctttacat gtgtttagtc gaggttaaaa 1740 aacqtctagg cccccqaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800 atggcgccta ttacggccta ctcccaacag acgcgaggcc tacttggctg catcatcact 1860 agcetcacag gccgggacag gaaccaggte gagggggagg tecaagtggt etecacegca 1920 acacaatctt tcctggcgac ctgcgtcaat ggcgtgtgtt ggactgtcta tcatggtgcc 1980 ggctcaaaga cccttgccgg cccaaagggc ccaatcaccc aaatgtacac caatgtggac 2040 caggaceteg teggetggea agegeeece ggggegegtt cettgacace atgeacetge 2100 ggcagctcgg acctttactt ggtcacgagg catgccgatg tcattccggt gcgccggcgg 2160 qqcqacagca qggggagcct actctcccc aggcccgtct cctacttgaa gggctcttcg 2220 ggcggtccac tgctctgccc ctcggggcac gctgtgggca tctttcgggc tgccgtgtgc 2280 accogagggg ttgcgaaggc ggtggacttt gtacccgtcg agtctatgga aaccactatg 2340 cggtccccgg tcttcacgga caactcgtcc cctccggccg taccgcagac attccaggtg 2400 qcccatctac acgcccctac tggtagcggc aagagcacta aggtgccggc tgcgtatgca 2460 gcccaagggt ataaggtgct tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520 gcgtatatgt ctaaggcaca tggtatcgac cctaacatca gaaccggggt aaggaccatc 2580 accacqqqtg cccccatcac qtactccacc tatggcaagt ttcttqccga cqqtqqttqc 2640 tctgggggcg cctatgacat cataatatgt gatgagtgcc actcaactga ctcgaccact 2700 atcctgggca tcggcacagt cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg 2760 ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggaggtg 2820 gctctgtcca gcactggaga aatccccttt tatggcaaag ccatccccat cgagaccatc 2880 aaggggggga ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 2940 aagctgtccg gcctcggact caatgctgta gcatattacc ggggccttga tgtatccgtc 3000 ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaatgac gggctttacc 3060 ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3120 ctggacccga ccttcaccat tgagacgacg accgtgccac aagacgcggt gtcacgctcg 3180 cagoggogag goaggactgg taggggcagg atgggcattt acaggtttgt gactocagga 3240 gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3300 gettggtacg ageteacgcc cgccgagacc teagttaggt tgcgggetta cetaaacaca 3360 ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420 acccacatag acgcccattt cttgtcccag actaagcagg caggagacaa cttcccctac 3480 ctggtagcat accaggetac ggtgtgcgcc agggetcagg etccacetec atcgtgggac 3540 caaatgtggg agtgtctcat acggctaaag cctacgctgc acgggccaac.gcccctqctg 3600 tataggetgg gageegttea aaacgaggtt actaccacac accccataac caaatacatc 3660 atggcatgca tgtcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 3720 gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtggtcat tgtgggcagg 3780 atcatcttgt ccggaaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840 gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcgcc 3900 gaacaattca aacagaaggc aategggttg ctgcaaacag ccaccaagca agcggaggct 3960 gctgctcccg tggtggaatc caagtggcgg accctcgaag ccttctgggc gaagcatatg 4020 tggaatttca tcagcgggat acaatattta gcaggcttgt ccactctgcc tggcaacccc 4080 gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac cacccaacat 4140 accetectgt ttaacateet ggggggatgg gtggeegeec aacttgetee teecageget 4200 gcttctgctt tcgtaggcgc cggcatcgct ggagcggctg ttggcagcat aggccttggg 4260 aaggtgcttg tggatatttt ggcaggttat ggagcagggg tggcaggcgc gctcgtggcc 4320 tttaaggtca tgagcggcga gatgccctcc accgaggacc tggttaacct actccctgct 4380 atcetetece etggegeeet agtegteggg gtegtgtgeg eagegatact gegteggeac 4440 gtgggcccag gggaggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500 ggtaaccacg tetececcac geactatgtg cetgagageg acgetgeage acgtgteaet 4560 cagatectet etggtettae cateacteag etgetgaaga ggetteacea gtggateaac 4620 gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680 acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740 gtccccttct tctcatgtca acgtgggtac aagggagtct ggcggggcga cggcatcatg 4800 caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860 atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 4920 accacgggcc cctgcacgcc ctccccggcg ccaaattatt ctagggcgct gtggcggtg 4980 gctgctgagg agtacgtgga ggttacgcgg gtggggggatt tccactacgt gacgggcatg 5040 accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100 gatggggtgc ggttgcacag gtacgctcca gcgtgcaaac ccctcctacg ggaggaggtc 5160 acattectgg tegggeteaa teaatacetg gttgggteae ageteecatg egageecgaa 5220 ccqqacqtaq caqtqctcac ttccatqctc accqacccct cccacattac ggcgqaqacq 5280 gctaagcgtg ggctggccag gggatctccc ccctccttgg ccagctcatc agctagccag 5340 ctgtctgcgc cttccttgaa ggcaacatgc actacccgtc atgactcccc ggacgctgac 5400 ctcatcgagg ccaacctcct gtggcggcag gagatgggcg ggaacatcac ccgcgtggag 5460 tcagaaaata aggtagtaat tttggactct ttcgagccgc tccaagcgga ggaggatgag 5520 agggaagtat ccgttccggc ggagatcctg cggaggtcca ggaaattccc tcgagcgatg 5580 cccatatggg cacgcccgga ttacaaccct ccactgttag agtcctggaa ggacccggac 5640 tacgtccctc cagtggtaca cgggtgtcca ttgccgcctg ccaaggcccc tccgatacca 5700 cctccacgga ggaagaggac ggttgtcctg tcagaatcta ccgtgtcttc tgccttggcq 5760 gagetegeca caaagacett eggeagetee gaategtegg eegtegacag eggeaeggea 5820 acggcctctc ctgaccagcc ctccgacgac ggcgacgcgg gatccgacgt tgagtcgtac 5880 tectecatge ecceettga gggggageeg ggggateeeg ateteagega egggtettgg 5940 tctaccgtaa gcgaggaggc tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg 6000 acaggegeee tgateacgee atgegetgeg gaggaaacca agetgeeeat caatgeactg 6060 agcaactctt tgctccgtca ccacaacttg gtctatgcta caacatctcg cagcgcaagc 6120 ctgcggcaga agaaggtcac ctttgacaga ctgcaggtcc tggacgacca ctaccgggac 6180 gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaacttct atccgtggag 6240 gaagcctgta agctgacgcc cccacattcg gccagatcta aatttggcta tggggcaaag 6300 gacgteegga acctatecag caaggeegtt aaccacatee geteegtgtg gaaggaettg 6360 ctqqaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420 gtccaaccag agaagggggg ccgcaagcca gctcgcctta tcgtattccc agatttgggg 6480 gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccaccctccc tcaggccgtg 6540

7989

atgggetett catacggatt ccaatactet cetggacage gggtegagtt cetggtgaat 6600 geetggaaag egaagaaatg ceetatggge ttegeatatg acaceegetg ttttgaetea 6660 acggteactg agaatgacat eegtgttgag gagteaatet aceaatgttg tgaettggee 6720 eecgaageea gacaggeagaa etgeegete acagagegge tttaeateegg gggeeeeetg 6780 aceaagetgeg gtaataceet eacatgttae tgaaggeegg tgaetgaeg 6840 aageteeagg actgeagat geeegtate egggeggeeet tegtgaegeg 6900 aageteeagg actgeagatg geeggaeeet etgtegtat etgtgaaage 6960 geggggaeee aagaggaega ggeggaeeta egggeettea eggaggetat gaetagatae 7020

geggggacce aagaggacga ggcgagccta cgggcttca cggaggctat gactagatac 7020 tetgeccce ctggggacce gccaaacca gaatacgact tggaggtgat aacatcatgc 7080 tectecaatg tgtcagtcge gcacgatgca tetggcaaaa gggtgtacta tetcaccegt 7140 gaccecacca ccccettge gegggetgeg tgggagacag ctagacacac tecagtcaat 7200 tectggetag gcaacatcat catgtatgeg cecacettg gggcaaggat gateetgatg 7260 acteattet tetcateet tetagetcag gaacaacttg aaaaagceet agattgtcag 7320 atetacgggg cetgttacte cattgagca cttgacetaa etcaaggact 7380 catggeetta gegcattte actecatagt tactetecag gtgagatcaa tagggtgget 7440 teatgeetca ggaaacttg ggtaccgee ttgegagtet ggagacateg ggccagaagt 7500 gteegegeta ggetactgte ecagggggg agggetgeea ettgtggcaa gtacetette 7560 aactggcag taaggacaa getcaaacte actecaatec eggetgegte ecagttggat 7620 ttatecaget ggttegttge tggttacage gggggagaca tatatecacg ectgtetegt 7680

agatcaagt

<210> 10 <211> 7989

<212> DNA

<213> Hepatitis C virus

<400> 10

gccagcccc gattggggc gacactccac catagatcac tcccctgtga ggaactactg 60 tettcacgca gaaagcgtct agccatggcg ttagtatgag tgtcgtgcag cctccaggac 120 ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180 gacgaccggg tcctttcttg gatcaacccg ctcaatgcct ggagatttgg gcgtgcccc 240 gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300 gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360 ctcaaaqaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420 cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480 ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc ggttctttt gtcaagaccg 540 acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600 cgacgggcgt tccttgcgca gctgtgctcg acgttgtcac tgaagcggga agggactggc 660 tgctattggg cgaagtgccg gggcaggatc tectgtcatc teacettgct cetgeegaga 720 aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780 cattegacea ceaagegaaa categeateg agegageaeg tacteggatg gaageeggte 840 ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900 ccaggeteaa ggegegeatg eccgaeggeg aggatetegt egtgaeceat ggegatgeet 960 gettgeegaa tateatggtg gaaaatggee gettttetgg atteategae tgtggeegge 1020 tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080 ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 1140 agggeatege ettetatege ettettgaeg agttettetg agtttaaaca gaccacaacg 1200 gtttccctct agcgggatca attccgccc tctccctccc cccccctaa cgttactggc 1260 cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320 ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380 aggggtcttt cccctctcgc caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca 1440 gttcctctgg aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg 1500 aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560 gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620 tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggt accccattgt 1680 atgggatctg atctggggcc tcggtgcaca tgctttacat gtgtttagtc gaggttaaaa 1740 aacgtctagg cccccgaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800 atggcgccta ttacggccta ctcccaacag acgcgaggcc tacttggctg catcatcact 1860 agcctcacag gccgggacag gaaccaggtc gagggggagg tccaagtggt ctccaccgca 1920 acacaatctt teetggegae etgegteaat ggegtgtgtt ggaetgteta teatggtgee 1980 ggctcaaaga cccttgccgg cccaaagggc ccaatcaccc aaatgtacac caatgtggac 2040 caggaceteg teggetggca agegeeeece ggggegegtt cettgacace atgeacetge 2100 ggcagetegg acetttaett ggteacgagg catgeegatg teatteeggt gegeeggegg 2160 ggcgacagca gggggagcct actetecece aggecegtet cetaettgaa gggetetteg 2220 ggcggtccac tgctctgccc ctcggggcac gctgtgggca tctttcgggc tgccgtgtgc 2280 accegagggg ttgcgaaggc ggtggacttt gtaccegtcg agtctatgga aaccactatg 2340 eggteeeegg tetteaegga caactegtee ecteeggeeg tacegeagae atteeaggtg 2400 geceatetac aegecectae tggtagegge aagageacta aggtgeegge tgegtatgea 2460 gcccaagggt ataaggtgct tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520 gcgtatatgt ctaaggcaca tggtatcgac cctaacatca gaaccggggt aaggaccatc 2580 accacgggtg cccccatcac gtactccacc tatggcaagt ttcttgccga cggtggttgc 2640 tctgggggcg cctatgacat cataatatgt gatgagtgcc actcaactga ctcgaccact 2700 atcctgggca tcggcacagt cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg 2760 ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggaggtg 2820 gctctgtcca gcactggaga aatccccttt tatggcaaag ccatccccat cgagaccatc 2880 aaggggggga ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 2940 aagctgtccg gcctcggact caatgctgta gcatattacc ggggccttga tgtatccgtc 3000 ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaatgac gggctttacc 3060 ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3120 ctggacccga ccttcaccat tgagacgacg accgtgccac aagacgcggt gtcacgctcg 3180 cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240 gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3300 gcttggtacg agctcacgcc cgccgagacc tcagttaggt tgcgggctta cctaaacaca 3360 ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420 acccacatag acgcccattt cttgtcccag actaagcagg caggagacaa cttcccctac 3480 ctggtagcat accaggetac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540 caaatgtgga agtgtctcat acggctaaag cctacgctgc acgggccaac gcccctgctg 3600 tataggctgg gagccgttca aaacgaggtt actaccacac accccataac caaatacatc 3660 atggcatgca tgtcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 3720 gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtggtcat tgtgggcagg 3780 atcatcttgt ccggaaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840 gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcqcc 3900 gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 3960 gctgctcccg tggtggaatc caagtggcgg accctcgaag ccttctgggc gaagcatatg 4020 tggaatttca tcagcgggat acaatattta gcaggcttgt ccactctgcc tggcaacccc 4080 gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac cacccaacat 4140 accetectgt ttaacateet ggggggatgg gtggeegeee aacttgetee teecageget 4200 gcttctgctt tcgtaggcgc cggcatcgct ggagcggctg ttggcagcat aggccttggg 4260 aaggtgcttg tggatatttt ggcaggttat ggagcagggg tggcaggcgc gctcgtggcc 4320 tttaaggtca tgagcggcga gatgccctcc accgaggacc tggttaacct actccctgct 4380 atcetetece etggegeect agtegteggg gtegtgtgeg cagegatact gegteggeac 4440 gtgggcccag gggaggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcqg 4500 ggtaaccacg tetececcae geactatgtg cetgagageg acgetgeage acgtgteact 4560 cagatectet etagtettae cateacteag etgetgaaga ggetteacea gtggateaac 4620 gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680 acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740 gtccccttct tctcatgtca acgtgggtac aagggagtct ggcggggcga cggcatcatg 4800 caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860 atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 4920 accacgggcc cctgcacgcc ctccccggcg ccaaattatt ctagggcgct gtggcggtg 4980 gctgctgagg agtacgtgga ggttacgcgg gtgggggatt tccactacgt gacgggcatg 5040 accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100 gatggggtgc ggttgcacag gtacgctcca gcgtgcaaac ccctcctacg ggaggaggtc 5160 acatteetgg tegggeteaa teaatacetg gttgggteae ageteecatg egageecgaa 5220 ccggacgtag cagtgctcac ttccatgctc accgacccct cccacattac ggcggagacg 5280 gctaagcgta ggctggccag gggatctccc ccctccttgt ccagctcatc agctagccag 5340 ctgtctgcgc cttccttgaa ggcaacatgc actacccgtc atgactcccc ggacgctgac 5400 ctcatcgagg ccaacctcet gtggcggcag gagatgggcg ggaacatcac ccgcgtggag 5460 tcagaaaata aggtagtaat tttggactct ttcgagccgc tccaagcgga ggaggatgag 5520 agggaagtat ccgttccggc ggagatcctg cggaggtcca ggaaattccc tcgagcgatg 5580 cccatatggg cacgccgga ttacaacct ccactgttag agtcctggaa ggacccggac 5640 tacgtccctc cagtggtaca cgggtgtcca ttgccgcctg ccaaggcccc tccgatacca 5700 cctccacgga ggaagaggac ggttgtcctg tcagaatcta ccgtgtcttc tgccttggcg 5760 gagetegeca caaagacett eggeagetee gaategtegg eegtegacag eggeaeggea 5820 acggcetete etgaceagee etecgacgae ggcgacgegg gateegacgt tgagtegtae 5880 tectecatge ecceettga gggggageeg ggggateeeg ateteagega egggtettgg 5940 tctaccgtaa gcgaggaggc tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg 6000 WO 01/089364 PCT/US01/16822 21/51

```
acaggeque tqatcacque atgegetgeg gaggaaacca agetgeceat caatgeactg 6060
agcaactett tgeteegtea ceacaacttg gtetatgeta caacateteg cagegeaage 6120
ctgcggcaga agaaggtcac ctttgacaga ctgcaggtcc tggacgacca ctaccgggac 6180
gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaacttct atccgtggag 6240
gaaqcctgta agctgacgcc cccacattcg gccagatcta aatttggcta tggggcaaag 6300
gacgtccgga acctatccag caaggccgtt aaccacatcc gctccgtgtg gaaggacttg 6360
ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420
qtccaaccaq agaaggggg ccgcaagcca gctcgcctta tcgtattccc agatttgggg 6480
gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccaccctccc tcaggccgtg 6540
atgggctctt catacggatt ccaatactct cctggacagc gggtcgagtt cctggtgaat 6600
gcctggaaag cgaagaaatg ccctatgggc ttcgcatatg acaccegctg ttttgactca 6660
acggtcactg agaatgacat ccgtgttgag gagtcaatct accaatgttg tgacttggcc 6720
cccgaagcca gacaggccat aaggtcgctc acagagcggc tttacatcgg gggccccctg 6780
actaaticta aagggcagaa ctgcggctat cgccggtgcc gcgcgagcgg tgtactgacg 6840
accaretgeg gtaataccet cacatgttac ttgaaggeeg etgeggeetg tegagetgeg 6900
aagctccagg actgcacgat gctcgtatgc ggagacgacc ttgtcgttat ctgtgaaagc 6960
qcgqqqaccc aagaggacga ggcgagccta cgggccttca cggaggctat gactagatac 7020
tetgececee etggggacce geccaaacca gaatacgact tggagttgat aacateatge 7080
tectecaatg tgtcagtege geacgatgea tetggeaaaa gggtgtaeta teteaceegt 7140
gaccccacca ecceettge gegggetgeg tgggagaeag etagacacae tecagteaat 7200
teetggetag geaacateat catgtatgeg eccacettgt gggeaaggat gateetgatg 7260
actcatttct tctccatcct tctagctcag gaacaacttg aaaaagccct agattgtcag 7320
atctacqqqq cetqttactc cattgagcca cttgacctac ctcagatcat tcaacgactc 7380
catggcctta gcgcattttc actccatagt tactctccag gtgagatcaa tagggtggct 7440
tcatgcctca ggaaacttgg ggtaccgccc ttgcgagtct ggagacatcg ggccagaagt 7500
gtccgcgcta ggctactgtc ccaggggggg agggctgcca cttgtggcaa gtacctcttc 7560
aactgggcag taaggaccaa gctcaaactc actccaatcc cggctgcgtc ccagttggat 7620
ttatecaget ggttegttge tggttacage gggggagaca tatateacag cetgtetegt 7680
gcccgaccc gctggttcat gtggtgccta ctcctacttt ctgtaggggt aggcatctat 7740
ctactcccca accgatgaac ggggacctaa acactccagg ccaataggcc atcctgtttt 7800
tttttcctct ttttttcctt ttctttcctt tggtggctcc atcttagccc tagtcacggc 7920
tagctgtgaa aggtccgtga gccgcttgac tgcagagagt gctgatactg gcctctctgc 7980
agatcaagt
                                                                 7989
<210> 11
<211> 1341
<212> DNA
<213> Hepatitis C virus
<400> 11
teeggetegt ggetaagaga tgtttgggat tggatatgea eggtgttgae tgattteaag 60
acctggctcc agtccaagct cctgccgcga ttgccgggag tccccttctt ctcatgtcaa 120
cqtqqqtaca agggagtctg gcggggcgac qqcatcatqc aaaccacctq cccatqtqqa 180
gcacagatca coggacatgt gaaaaacggt tocatgagga togtggggcc taggacotgt 240
agtaacacgt ggcatggaac attecccatt aacgcgtaca ccacgggccc ctgcacgccc 300
tecceggege caaattatte tagggegetg tggegggtgg etgetgagga gtacgtggag 360
gttacgcggg tgggggattt ccactacgtg acgggcatga ccactgacaa cgtaaagtgc 420
ccgtgtcagg ttccggcccc cgaattcttc acagaagtgg atggggtgcg gttgcacagg 480
tacgctccag cgtgcaaacc cctcctacgg gaggaggtca cattcctggt cgggctcaat 540
caatacctgg ttgggtcaca gctcccatgc gagcccgaac cggacgtagc agtgctcact 600
tecatgetea ecgacecete ecacattacg geggagaegg etaagegtag getggeeagg 660
ggatctcccc cetgettggc cagetcatea getagecage tgtctgegee tteettgaag 720
gcaacatgca ctaccegtca tgactecceg gacgetgace teategagge caaceteetg 780
tggcggcagg agatgggcgg gaacatcacc cgcgtggagt cagaaaataa ggtagtaatt 840
ttggactctt tcgagccgct ccaagcggag gaggatgaga gggaagtatc cgttccggcg 900
gagatectge ggaggteeag gaaatteeet egagegatge ecatatggge acgeeeggat 960
tacaaccctc cactgttaga gtcctggaag gacccggact acgtccctcc agtggtacac 1020
gggtgtccat tgccgcctgc caaggcccct ccgataccac ctccacggag gaagaggacg 1080
gtigtcctgt cagaatctac cgtgtcttct gccttggcgg agctcgccac aaagaccttc 1140
 ggcagctccg aatcgtcggc cgtcgacagc ggcacggcaa cggcctctcc tgaccagccc 1200
 tecgaegaeg gegaegeggg atecgaegtt gagtegtaet cetecatgee ecceettgag 1260
 ggggagccgg gggatcccga tctcagcgac gggtcttggt ctaccgtaag cgaggaggct 1320
```

1341

agtgaggacg tcgtctgctg c

PCT/US01/16822

```
<211> 1341
<212> DNA
<213> Hepatitis C virus
<400> 12
tccggctcgt ggctaagaga tgtttgggat tggatatgca cggtgttgac tgatttcaag 60
acctggctcc agtccaagct cctgccgcga ttgccgggag tccccttctt ctcatgtcaa 120
cgtgggtaca agggagtctg gcggggcgac ggcatcatgc aaaccacctg cccatgtgga 180
gcacagatca ccggacatgt gaaaaacggt tccatgagga tcgtggggcc taggacctgt 240
agtaacacgt ggcatggaac attecccatt aacgcgtaca ccacgggccc ctgcacgccc 300
tccccggcgc caaattattc tagggcgctg tggcgggtgg ctgctgagga gtacgtggag 360
gttacgcggg tgggggattt ccactacgtg acgggcatga ccactgacaa cgtaaagtgc 420
ccgtqtcagg ttccggcccc cgaattcttc acagaagtgg atggggtgcg gttgcacagg 480
tacgetecag egtgcaaacc cetectacgg gaggaggtea catteetggt egggeteaat 540
caatacctgg ttgggtcaca gctcccatgc gagcccgaac cggacgtagc agtgctcact 600
tocatgotca cogaccocto coacattacg goggagacgg ctaagogtag gotggocagg 660
ggatetecee ecceettgge cageteatea getagecage tgtetgegee tteettgaag 720
gcaacatgca ctacccgtca tgactccccg gacgctgacc tcatcgaggc caacctcctg 780
tggcggcagg agatgggcgg gaacatcacc cgcgtggagt cagaaaataa ggtagtaatt 840
ttggactett tegageeget eeaageggag gaggatgaga gggaagtate egtteeggeg 900
gagatectge ggaggtecag gaaatteet egagegatge ceatatggge acgeeeggat 960
tacaaccctc cactgttaga gtcctggaag gacccggact acgtccttcc agtggtacac 1020 gggtgtccat tgccgcctgc caaggcccct ccgataccac ctccacggag gaagaggacg 1080
gtigicctgt cagaatctac cgtgtcttct gccttggcgg agctcgccac aaagaccttc 1140
ggcagctccg aatcgtcggc cgtcgacagc ggcacggcaa cggcctctcc tgaccagccc 1200
teegacgacg gegacgeggg ateegacgtt gagtegtact cetecatgee ecceettgag 1260
ggggagccgg gggatcccga tctcagcgac gggtcttggt ctaccgtaag cgaggaggct 1320
agtgaggacg tcgtctgctg c
<210> 13
<211> 7987
<212> DNA
<213> Hepatitis C virus
<400> 13
gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tcttcacgca gaaagcgtct agccatggcg ttagtatgag tgtcgtgcag cctccaggac 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg tcctttcttg gatcaacccg ctcaatgcct ggagatttgg gcgtgcccc 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catqagcacg aatcctaaac 360
ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420
cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480
ctgatgccgc cgtgttccgg ctgtcagcgc agggggccc ggttcttttt gtcaagaccg 540
acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600
cgacgggcgt tccttgcgca gctgtgctcg acgttgtcac tgaagcggga agggactggc 660
tgctattggg cgaagtgccg gggcaggatc tcctgtcatc tcaccttgct cctgccgaga 720
aagtatocat catggotgat gcaatgoggo ggotgoatac gottgatoog gotacotgoo 780
cattegacea ceaagegaaa categeateg agegageaeg tacteggatg qaageeqqte 840
ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900
ccaggctcaa ggcgcgcatg cccgacggcg aggatctcgt cgtgacccat ggcgatgcct 960
gcttgccgaa tatcatggtg gaaaatggcc gcttttctgg attcatcgac tgtggccggc 1020
tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080
ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 1140
agggeatege ettetatege ettettgaeg agttettetg agtttaaaca gaccacaaeg 1200
gtttccctct agcgggatca attccgcccc tctccctccc cccccctaa cqttactqqc 1260
cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320
ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380
aggggtcttt cccctctcgc caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca 1440
 gttcctctgg aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg 1500
aaccccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560
 qcaaaqqcqq cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620
 tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggt accccattgt 1680
 atgggatctg atctggggcc tcggtgcaca tgctttacat gtgtttagtc gaggttaaaa 1740
 aacgtctagg ccccccgaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800
 atggcgccta ttacggccta ctcccaacag acgcgaggcc tacttggctg catcatcact 1860
```

agcctcacag geegggacag gaaccaggte gagggggagg tecaagtggt etecacegea 1920 acacaatett teetggegae etgegteaat ggegtgtgtt ggaetgteta teatggtgee 1980 ggctcaaaga cccttgccgg cccaaagggc ccaatcaccc aaatgtacac caatgtggac 2040 caqqaceteg teggetggea agegeeece ggggegegtt cettgacace atgeacetge 2100 ggcagctcgg acctttactt ggtcacgagg catgccgatg tcattccggt gcgccggcgg 2160 ggcgacagca gggggagcct actetecece aggecegtet cetaettgaa gggetetteg 2220 agegatecae tactetace eteggacae getatagaca tetttegage taceatatac 2280 accegagggg ttgcgaaggc ggtggacttt gtaccegtcg agtctatgga aaccactatg 2340 cggtccccgg tcttcacgga caactcgtcc cctccggccg taccgcagac attccaggtg 2400 geceatetae aegecectae tggtagegge aagageaeta aggtgeegge tgegtatgea 2460 gcccaagggt ataaggtgct tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520 gcgtatatgt ctaaggcaca tggtatcgac cctaacatca gaaccggggt aaggaccatc 2580 accacgggtg cccccatcac gtactccacc tatggcaagt ttcttgccga cggtggttgc 2640 tctgggggg cctatgacat cataatatgt gatgagtgcc actcaactga ctcgaccact 2700 atcctgggca tcggcacagt cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg 2760 ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggaggtg 2820 gctctgtcca gcactggaga aatccccttt tatggcaaag ccatccccat cgagaccatc 2880 aaggggggga ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 2940 aagctgtccg gcctcggact caatgctgta gcatattacc ggggccttga tgtatccgtc 3000 ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaatgac gggctttacc 3060 ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3120 ctggacccga ccttcaccat tgagacgacg accgtgccac aagacgcggt gtcacgctcg 3180 cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240 gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3300 gcttggtacg agctcacgcc cgccgagacc tcagttaggt tgcgggctta cctaaacaca 3360 ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420 acceacatag acgeceattt ettgteecag actaageagg caggagacaa etteecetae 3480 ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540 caaatgtgga agtgtctcat acggctaaag cctacgctgc acgggccaac gcccctgctg 3600 tataggctgg gagccgttca aaacgaggtt actaccacac accccataac caaatacatc 3660 atggcatgca tgtcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 3720 qtcctaqcag ctctggccgc gtattgcctg acaacaggca gcgtggtcat tgtgggcagg 3780 atcatcttgt ccggaaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840 gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcgcc 3900 gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 3960 getgeteccg tggtggaate caagtggegg accetegaag cettetggge gaageatatg 4020 tggaatttca tcagcgggat acaatattta gcaggcttgt ccactctgcc tggcaacccc 4080 gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac cacccaacat 4140 accetectgt ttaacateet ggggggatgg gtggeegeec aacttgetee teecageget 4200 gettetgett tegtaggege eggeateget ggageggetg ttggcageat aggeettggg 4260 aaggtgettg tggatatttt ggeaggttat ggageagggg tggeaggege getegtggee 4320 tttaaggtca tgagcggcga gatgccctcc accgaggacc tggttaacct actccctgct 4380 atcetetece etggegeeet agtegteggg gtegtgtgeg cagegatact gegteggeae 4440 gtgggcccag gggaggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500 ggtaaccacg tetececcac geactatgtg cetgagageg acgetgeage acgtgteact 4560 cagatectet etagtettae cateacteag etgetgaaga ggetteacea gtggateaac 4620 gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680 acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740 gtccccttct tctcatgtca acgtgggtac aagggagtct ggcggggcga cggcatcatg 4800 caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860 atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 4920 accaegggee cetgeacgee etceeeggeg ceaaattatt etagggeget gtggeggtt 4980 gctgctgagg agtacgtgga ggttacgcgg gtgggggatt tccactacgt gacgggcatg 5040 accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100 gatggggtgc ggttgcacag gtacgctcca gcgtgcaaac ccctcctacg ggaggaggtc 5160 acattectgg tegggeteaa teaatacetg gttgggteac ageteecatg egageecgaa 5220 coggacgtag cagtgctcac ttccatgctc accgacccct cccacattac ggcggagacg 5280 gctaagcgta ggctggccag gggatctccc ccctccttgg ccagctcatc agctatccag 5340 ctgtctgcgc cttccttgaa ggcaacatgc actacccgtc atgactcccc ggacgctgac 5400 ctcatcgagg ccaacctcct gtggcggcag gagatgggcg ggaacatcac ccgcgtggag 5460 tcagaaaata aggtagtaat tttggactct ttcgagccgc tccaagcgga ggaggatgag 5520 agggaagtat ccgttccggc ggagatcctg cggaggtcca ggaaattccc tcgagcgatg 5580 cccatatggg cacgeeegga ttacaaceet ccactgttag agteetggaa ggaceeggae 5640 tacgtecete cagtggtaca egggtgteca ttgcegeetg ccaaggeece tecgatacea 5700 cctccacgga ggaagaggac ggttgtcctg tcagaatcta ccgtgtcttc tgccttggcg 5760 gagetegeca caaagacett eggeagetee gaategtegg eegtegacag eggeaeggea 5820 acggcctctc ctgaccagcc ctccgacgac ggcgacgcgg gatccgacgt tgagtcgtac 5880 tectecatge ecceettga gggggageeg ggggateeeg ateteagega egggtettgg 5940 tctaccgtaa gcgaggaggc tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg 6000 acaggegece tgateacgec atgegetgeg gaggaaacca agetgeecat caatgeactg 6060 agcaactett tgeteegtea ceacaacttg gtetatgeta caacateteg cagegeaage 6120 ctgcqqcaga agaaggtcac ctttgacaga ctgcaggtcc tggacgacca ctaccgggac 6180 gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaacttct atccgtggag 6240 gaageetgta agetgaegee eccaeatteg geeagateta aatttggeta tggggcaaag 6300 gacgtccgga acctatccag caaggccgtt aaccacatcc gctccgtgtg gaaggacttg 6360 ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420 gtccaaccag agaagggggg ccgcaagcca gctcgcctta tcgtattccc agatttgggg 6480 gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccaccctccc tcaggccgtg 6540 atgggctctt catacggatt ccaatactct cctggacagc gggtcgagtt cctggtgaat 6600 gcctggaaag cgaagaaatg ccctatgggc ttcgcatatg acacccgctg ttttgactca 6660 acggtcactg agaatgacat ccgtgttgag gagtcaatct accaatgttg tgacttggcc 6720 cccgaagcca gacaggccat aaggtcgctc acagagcggc tttacatcgg gggcccctg 6780 actaattota aagggcagaa ctgcggctat cgccggtgcc gcgcgagcgg tgtactgacg 6840 accagetgeg gtaataceet cacatgttae ttgaaggeeg etgeggeetg tegagetgeg 6900 aageteeagg aetgeaegat getegtatge ggagaegaee ttgtegttat etgtgaaage 6960 geggggaece aagaggaega ggegageeta egggeettea eggaggetat gaetagatae 7020 tetgecece etggggacee geceaaeca gaataegaet tggagttgat aacateatge 7080 tectecaatg tgteagtege geacgatgea tetggeaaaa gggtgtaeta teteaccegt 7140 gaccccacca cccccttgc gcgggctgcg tgggagacag ctagacacac tccagtcaat 7200 tectggetag geaacateat catgtatgeg eccaecttgt gggeaaggat gateetgatg 7260 acteattet tetecateet tetageteag gaacaacttg aaaaageeet agattgteag 7320 atctacgggg cctgttactc cattgagcca cttgacctac ctcagatcat tcaacgactc 7380 catggeetta gegeatttte acteeatagt taeteteeag gtgagateaa tagggtgget 7440 tcatgcctca ggaaacttgg ggtaccgccc ttgcgagtct ggagacatcg ggccagaagt 7500 gtccgcgcta ggctactgtc ccaggggggg agggctgcca cttgtggcaa gtacctcttc 7560 aactgggcag taaggaccaa gctcaaactc actccaatcc cggctgcgtc ccagttggat 7620 ttatccagct ggttcgttgc tggttacagc gggggagaca tatatcacag cctgtctcgt 7680 gcccgacccc gctggttcat gtggtgccta ctcctacttt ctgtaggggt aggcatctat 7740 ctactcccca accgatgaac ggggagctaa acactccagg ccaataggcc atcctgtttt 7800 tttcctcttt ttttcctttt ctttcctttg gtggctccat cttagcccta gtcacggcta 7920 gctgtgaaag gtccgtgagc cgcttgactg cagagagtgc tgatactggc ctctctgcag 7980 atcaagt

<210> 14

<211> 400

<212> PRT

<213> Hepatitis C virus

<400> 14

Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu 1 5 10

Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro 20 25 30

Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg
35 40 45

Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr 50 55 60

Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys
65 70 75 80

Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly 85 90 95

Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg 100 105 110 Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His 115 120 125

Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val 130 135 140

Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg 145 150 155 160

Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu 165 170 175

Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro 180 185 190

Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His 195 200 205

Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro 210 215 220

Ser Leu Ala Ser Ser Ser Ala Ser Gln Leu Tyr Ser Phe Glu Pro Leu 225 230 235 240

Gln Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu 245 250 255

Arg Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro 260 265 270

Asp Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val 275 280 285

Pro Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro 290 295 300

Ile Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr 305 310 315 320

Val Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser 325 330 335

Glu Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln 340 345 350

Pro Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser 355 360 365

Met Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly 370 375 380

Ser Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys 385 390 395 400

<210> 15

<211> 1985

<212> PRT

<213> Hepatitis C virus

<400> 15

Met Ala Pro Ile Thr Ala Tyr Ser Gln Gln Thr Arg Gly Leu Leu Gly
1 5 10 15

Cys Ile Ile Thr Ser Leu Thr Gly Arg Asp Arg Asn Gln Val Glu Gly Glu Val Gln Val Val Ser Thr Ala Thr Gln Ser Phe Leu Ala Thr Cys Val Asn Gly Val Cys Trp Thr Val Tyr His Gly Ala Gly Ser Lys Thr Leu Ala Gly Pro Lys Gly Pro Ile Thr Gln Met Tyr Thr Asn Val Asp Gln Asp Leu Val Gly Trp Arg Ala Pro Pro Gly Ala Arg Ser Leu Thr Pro Cys Thr Cys Gly Ser Ser Asp Leu Tyr Leu Val Thr Arg His Ala Asp Val Ile Pro Val Arg Arg Arg Gly Asp Ser Arg Gly Ser Leu Leu Ser Pro Arg Pro Val Ser Tyr Leu Lys Gly Ser Ser Gly Gly Pro Leu Leu Cys Pro Ser Gly His Ala Val Gly Ile Phe Arg Ala Ala Val Cys 150 Thr Arg Gly Val Ala Lys Ala Val Asp Phe Val Pro Val Glu Ser Met 170 Glu Thr Thr Met Arg Ser Pro Val Phe Thr Asp Asn Ser Ser Pro Pro Ala Val Pro Gln Thr Phe Gln Val Ala His Leu His Ala Pro Thr Gly 200 Ser Gly Lys Ser Thr Lys Val Pro Ala Ala Tyr Ala Ala Gln Gly Tyr 215 Lys Val Leu Val Leu Asn Pro Ser Val Ala Ala Thr Leu Gly Phe Gly Ala Tyr Met Ser Lys Ala His Gly Ile Asp Pro Asn Ile Arg Thr Gly 250 Val Arg Thr Ile Thr Thr Gly Ala Pro Ile Thr Tyr Ser Thr Tyr Gly Lys Phe Leu Ala Asp Gly Gly Cys Ser Gly Gly Ala Tyr Asp Ile Ile Ile Cys Asp Glu Cys His Ser Thr Asp Ser Thr Thr Ile Leu Gly Ile 295 Gly Thr Val Leu Asp Gln Ala Glu Thr Ala Gly Ala Arg Leu Val Val Leu Ala Thr Ala Thr Pro Pro Gly Ser Val Thr Val Pro His Pro Asn Ile Glu Glu Val Ala Leu Ser Ser Thr Gly Glu Ile Pro Phe Tyr Gly 345 Lys Ala Ile Pro Ile Glu Thr Ile Lys Gly Gly Arg His Leu Ile Phe

360

365

Cys His Ser Lys Lys Lys Cys Asp Glu Leu Ala Ala Lys Leu Ser Gly 370 375 380

Leu Gly Leu Asn Ala Val Ala Tyr Tyr Arg Gly Leu Asp Val Ser Val 385 390 395 400

Ile Pro Thr Ser Gly Asp Val Ile Val Val Ala Thr Asp Ala Leu Met
405 410 415

Thr Gly Phe Thr Gly Asp Phe Asp Ser Val Ile Asp Cys Asn Thr Cys 420 425 430

Val Thr Gln Thr Val Asp Phe Ser Leu Asp Pro Thr Phe Thr Ile Glu 435 440 445

Thr Thr Thr Val Pro Gln Asp Ala Val Ser Arg Ser Gln Arg Arg Gly
450 455 460

Arg Thr Gly Arg Gly Arg Met Gly Ile Tyr Arg Phe Val Thr Pro Gly 465 470 475 480

Glu Arg Pro Ser Gly Met Phe Asp Ser Ser Val Leu Cys Glu Cys Tyr
485 490 495

Asp Ala Gly Cys Ala Trp Tyr Glu Leu Thr Pro Ala Glu Thr Ser Val 500 505 510

Arg Leu Arg Ala Tyr Leu Asn Thr Pro Gly Leu Pro Val Cys Gln Asp 515. 520 525

His Leu Glu Phe Trp Glu Ser Val Phe Thr Gly Leu Thr His Ile Asp 530 535 540

Ala His Phe Leu Ser Gln Thr Lys Gln Ala Gly Asp Asn Phe Pro Tyr 545 550 555 560

Leu Val Ala Tyr Gln Ala Thr Val Cys Ala Arg Ala Gln Ala Pro Pro 565 570 575

Pro Ser Trp Asp Gln Met Trp Lys Cys Leu Ile Arg Leu Lys Pro Thr 580 585 590

Leu His Gly Pro Thr Pro Leu Leu Tyr Arg Leu Gly Ala Val Gln Asn 595 600 605

Glu Val Thr Thr His Pro Ile Thr Lys Tyr Ile Met Ala Cys Met 610 615 620

Ser Ala Asp Leu Glu Val Val Thr Ser Thr Trp Val Leu Val Gly Gly 625 630 635 640

Val Leu Ala Ala Leu Ala Ala Tyr Cys Leu Thr Thr Gly Ser Val Val 645 650 655

Ile Val Gly Arg Ile Ile Leu Ser Gly Lys Pro Ala Ile Ile Pro Asp 660 665 670

Arg Glu Val Leu Tyr Arg Glu Phe Asp Glu Met Glu Glu Cys Ala Ser 675 680 685

His Leu Pro Tyr Ile Glu Gln Gly Met Gln Leu Ala Glu Gln Phe Lys 690 695 700

Gln Lys Ala Ile Gly Leu Leu Gln Thr Ala Thr Lys Gln Ala Glu Ala 705 710 715 720 Ala Ala Pro Val Val Glu Ser Lys Trp Arg Thr Leu Glu Ala Phe Trp
725 730 735

Ala Lys His Met Trp Asn Phe Ile Ser Gly Ile Gln Tyr Leu Ala Gly 740 745 750

Leu Ser Thr Leu Pro Gly Asn Pro Ala Ile Ala Ser Leu Met Ala Phe 755 760 765

Thr Ala Ser Ile Thr Ser Pro Leu Thr Thr Gln His Thr Leu Leu Phe 770 780

Asn Ile Leu Gly Gly Trp Val Ala Ala Gln Leu Ala Pro Pro Ser Ala 785 790 795 800

Ala Ser Ala Phe Val Gly Ala Gly Ile Ala Gly Ala Ala Val Gly Ser 805 810 815

Ile Gly Leu Gly Lys Val Leu Val Asp Ile Leu Ala Gly Tyr Gly Ala 820 825 830

Gly Val Ala Gly Ala Leu Val Ala Phe Lys Val Met Ser Gly Glu Met 835 840 845

Pro Ser Thr Glu Asp Leu Val Asn Leu Leu Pro Ala Ile Leu Ser Pro 850 855 860

Gly Ala Leu Val Val Gly Val Val Cys Ala Ala Ile Leu Arg Arg His 865 870 875 880

Val Gly Pro Gly Glu Gly Ala Val Gln Trp Met Asn Arg Leu Ile Ala 885 . 890 895

Phe Ala Ser Arg Gly Asn His Val Ser Pro Thr His Tyr Val Pro Glu 900 905 910

Ser Asp Ala Ala Arg Val Thr Gln Ile Leu Ser Ser Leu Thr Ile 915 920 925

Thr Gln Leu Leu Lys Arg Leu His Gln Trp Ile Asn Glu Asp Cys Ser 930 935 940

Thr Pro Cys Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys 945 950 955 960

Thr Val Leu Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro 965 970 975

Arg Leu Pro Gly Val Pro Phe Phe Ser Cys.Gln Arg Gly Tyr Lys Gly 980 985 990

Val Trp Arg Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala 995 1000 1005

Gln Ile Thr Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro 1010 1015 1020

Arg Thr Cys Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr 1025 1030 1035 1040

Thr Thr Gly Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala 1045 1050 1055

Leu Trp Arg Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly
1060 1065 1070

- Asp Phe His Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro 1075 1080 1085
- Cys Gln Val Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg 1090 1095 1100
- Leu His Arg Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val 1105 1110 1115 1120
- Thr Phe Leu Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro 1125 1130 1135
- Cys Glu Pro Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp 1140 1145 1150
- Pro Ser His Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly
 1155 1160 1165
- Ser Pro Pro Ser Leu Ala Ser Ser Ser Ala Ile Gln Leu Ser Ala Pro 1170 1175 1180
- Ser Leu Lys Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp 1185 1190 1195 1200
- Leu Ile Glu Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile 1205 1210 1215
- Thr Arg Val Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu 1220 1225 1230
- Pro Leu Gln Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu 1235 1240 1245
- Ile Leu Arg Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala 1250 1255 1260
- Arg Pro Asp Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp 1265 1270 1275 1280
- Tyr Val Pro Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala 1285 1290 1295
- Pro Pro Ile Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu
 1300 1305 1310
- Ser Thr Val Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly
 1315 1320 1325
- Ser Ser Glu Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro 1330 1335 1340
- Asp Gln Pro Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr 1345 1350 1355 1360
- Ser Ser Met Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser 1365 1370 1375
- Asp Gly Ser Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val 1380 1385 1390
- Cys Cys Ser Met Ser Tyr Thr Trp Thr Gly Ala Leu Ile Thr Pro Cys 1395 1400 1405
- Ala Ala Glu Glu Thr Lys Leu Pro Ile Asn Ala Leu Ser Asn Ser Leu 1410 1415 1420

- Leu Arg His His Asn Leu Val Tyr Ala Thr Thr Ser Arg Ser Ala Ser 1425 1430 1435 1440
- Leu Arg Gln Lys Lys Val Thr Phe Asp Arg Leu Gln Val Leu Asp Asp 1445 1450 1455
- His Tyr Arg Asp Val Leu Lys Glu Met Lys Ala Lys Ala Ser Thr Val 1460 1465 1470
- Lys Ala Lys Leu Leu Ser Val Glu Glu Ala Cys Lys Leu Thr Pro Pro 1475 1480 1485
- His Ser Ala Arg Ser Lys Phe Gly Tyr Gly Ala Lys Asp Val Arg Asn 1490 1495 1500
- Leu Ser Ser Lys Ala Val Asn His Ile Arg Ser Val Trp Lys Asp Leu 1505 1510 1515 1520
- Leu Glu Asp Thr Glu Thr Pro Ile Asp Thr Thr Ile Met Ala Lys Asn 1525 1530 1535
- Glu Val Phe Cys Val Gln Pro Glu Lys Gly Gly Arg Lys Pro Ala Arg 1540 1545 1550
- Leu Ile Val Phe Pro Asp Leu Gly Val Arg Val Cys Glu Lys Met Ala 1555 1560 1565
- Leu Tyr Asp Val Val Ser Thr Leu Pro Gln Ala Val Met Gly Ser Ser 1570 1575 1580
- Tyr Gly Phe Gln Tyr Ser Pro Gly Gln Arg Val Glu Phe Leu Val Asn 1585 1590 1595 1600
- Ala Trp Lys Ala Lys Lys Cys Pro Met Gly Phe Ala Tyr Asp Thr Arg 1605 1610 1615
- Cys Phe Asp Ser Thr Val Thr Glu Asn Asp Ile Arg Val Glu Ser 1620 1625 1630
- Ile Tyr Gln Cys Cys Asp Leu Ala Pro Glu Ala Arg Gln Ala Ile Arg 1635 1640 1645
- Ser Leu Thr Glu Arg Leu Tyr Ile Gly Gly Pro Leu Thr Asn Ser Lys 1650 1655 1660
- Gly Gln Asn Cys Gly Tyr Arg Arg Cys Arg Ala Ser Gly Val Leu Thr 1665 1670 1675 1680
- Thr Ser Cys Gly Asn Thr Leu Thr Cys Tyr Leu Lys Ala Ala Ala Ala 1685 1690 1695
- Cys Arg Ala Ala Lys Leu Gln Asp Cys Thr Met Leu Val Cys Gly Asp 1700 1705 1710
- Asp Leu Val Val Ile Cys Glu Ser Ala Gly Thr Gln Glu Asp Glu Ala 1715 1720 1725
- Ser Leu Arg Ala Phe Thr Glu Ala Met Thr Arg Tyr Ser Ala Pro Pro 1730 1735 1740
- Gly Asp Pro Pro Lys Pro Glu Tyr Asp Leu Glu Leu Ile Thr Ser Cys 1745 1750 1755 1760
- Ser Ser Asn Val Ser Val Ala His Asp Ala Ser Gly Lys Arg Val Tyr 1765 1770 1775

Tyr Leu Thr Arg Asp Pro Thr Thr Pro Leu Ala Arg Ala Ala Trp Glu 1780 1785 1790

Thr Ala Arg His Thr Pro Val Asn Ser Trp Leu Gly Asn Ile Ile Met 1795 1800 1805

Tyr Ala Pro Thr Leu Trp Ala Arg Met Ile Leu Met Thr His Phe Phe 1810 1815 1820

Ser Ile Leu Leu Ala Gln Glu Gln Leu Glu Lys Ala Leu Asp Cys Gln 1825 1830 1835 1840

Ile Tyr Gly Ala Cys Tyr Ser Ile Glu Pro Leu Asp Leu Pro Gln Ile 1845 1850 1855

Ile Gln Arg Leu His Gly Leu Ser Ala Phe Ser Leu His Ser Tyr Ser 1860 1865 1870

Pro Gly Glu Ile Asn Arg Val Ala Ser Cys Leu Arg Lys Leu Gly Val 1875 1880 1885

Pro Pro Leu Arg Val Trp Arg His Arg Ala Arg Ser Val Arg Ala Arg 1890 1895 1900

Leu Leu Ser Gln Gly Gly Arg Ala Ala Thr Cys Gly Lys Tyr Leu Phe 1905 1910 1915 1920

Asn Trp Ala Val Arg Thr Lys Leu Lys Leu Thr Pro Ile Pro Ala Ala 1925 1930 1935

Ser Gln Leu Asp Leu Ser Ser Trp Phe Val Ala Gly Tyr Ser Gly Gly 1940 1945 1950

Asp Ile Tyr His Ser Leu Ser Arg Ala Arg Pro Arg Trp Phe Met Trp 1955 1960 1965

Cys Leu Leu Leu Ser Val Gly Val Gly Ile Tyr Leu Leu Pro Asn 1970 1975 1980

Arg 1985

<210> 16

<211> 447

<212> PRT

<213> Hepatitis C virus

<400> 16

Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu 1 5 10 15

Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro 20 25 30

Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg
35 40 45

Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr 50 60

Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys 65 70 75 80

Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg 105 Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His 120 Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg 155 Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu 165 Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro 185 Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His 200 Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro Ser Leu Ala Ser Ser Ser Ala Ile Gln Leu Ser Ala Pro Ser Leu Lys Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp Leu Ile Glu 245 Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile Thr Arg Val 265 Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu Pro Leu Gln Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg 295 Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro Asp Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val Pro 330 Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro Ile Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr Val Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser Glu 375 Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln Pro Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met 410 Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser

Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys 435 440 445

<210> 17

<211> 1985

<212> PRT

<213> Hepatitis C virus

<400> 17

Met Ala Pro Ile Thr Ala Tyr Ser Gln Gln Thr Arg Gly Leu Leu Gly
1 5 10 15

Cys Ile Ile Thr Ser Leu Thr Gly Arg Asp Arg Asn Gln Val Glu Gly
20 25 30

Glu Val Gln Val Val Ser Thr Ala Thr Gln Ser Phe Leu Ala Thr Cys 35 40 45

Val Asn Gly Val Cys Trp Thr Val Tyr His Gly Ala Gly Ser Lys Thr 50 55 60

Leu Ala Gly Pro Lys Gly Pro Ile Thr Gln Met Tyr Thr Asn Val Asp 65 70 75 80

Gln Asp Leu Val Gly Trp Gln Ala Pro Pro Gly Ala Arg Ser Leu Thr 85 90 95

Pro Cys Thr Cys Gly Ser Ser Asp Leu Tyr Leu Val Thr Arg His Ala 100 105 110

Asp Val Ile Pro Val Arg Arg Arg Gly Asp Ser Arg Gly Ser Leu Leu 115 120 125

Ser Pro Arg Pro Val Ser Tyr Leu Lys Gly Ser Ser Gly Gly Pro Leu 130 135 140

Leu Cys Pro Ser Gly His Ala Val Gly Ile Phe Arg Ala Ala Val Cys 145 150 155 160

Thr Arg Gly Val Ala Lys Ala Val Asp Phe Val Pro Val Glu Ser Met
165 170 175

Glu Thr Thr Met Arg Ser Pro Val Phe Thr Asp Asn Ser Ser Pro Pro 180 185 190

Ala Val Pro Gln Thr Phe Gln Val Ala His Leu His Ala Pro Thr Gly
195 200 205

Ser Gly Lys Ser Thr Lys Val Pro Ala Ala Tyr Ala Ala Gln Gly Tyr 210 215 220

Lys Val Leu Val Leu Asn Pro Ser Val Ala Ala Thr Leu Gly Phe Gly 225 230 235 240

Ala Tyr Met Ser Lys Ala His Gly Ile Asp Pro Asn Ile Arg Thr Gly
245 250 255

Val Arg Thr Ile Thr Thr Gly Ala Pro Ile Thr Tyr Ser Thr Tyr Gly 260 265 270

Lys Phe Leu Ala Asp Gly Gly Cys Ser Gly Gly Ala Tyr Asp Ile Ile

Ile Cys Asp Glu Cys His Ser Thr Asp Ser Thr Thr Ile Leu Gly Ile 290 295 300

G1; 30		Thr	Val	Leu	Asp	Gln 310	Ala	Glu	Thr	Ala	Gly 315	Ala	Arg	Leu	Val	Val 320
Le	u :	Ala	Thr	Ala	Thr 325	Pro	Pro	Gly	Ser	Val 330	Thr	Val	Pro	His	Pro 335	Asn
11	e	Glu	Glu	Val 340	Ala	Leu	Ser	Ser	Thr 345	Gly	Glu	Ile	Pro	Phe 350	Tyr	Gly
Ъу	s.	Ala	Ile 355	Pro	Ile	Glu	Thr	Ile 360	Lys	Gly	Gly	Arg	His 365	Leu	Ile	Phe
Су		His 370	Ser	Lys	Lys	ГÃЗ	Cys 375	Asp	Glu	Leu	Ala	Ala 380	Lys	Leu	Ser	Gly
Le 38		Gly	Leu	Asn	Ala	Val 390	Ala	Tyr	Tyr	Arg	Gly 395	Leu	Asp	Val	Ser	Val 400
11	e	Pro	Thr	Ser	Gly 405	Asp	Val	Ile	Val	Val 410	Ala	Thr	Asp	Ala	Leu 415	Met
Th	r	Gly	Phe	Thr 420	Gly	Asp	Phe	Asp	Ser 425	Val	Ile	Asp	Суз	Asn 430	Thr	Суз
Va	1	Thr	Gln 435	Thr	Val	Asp	Phe	Ser 440	Leu	Asp	Pro	Thr	Phe 445	Thr	Ile	Glu
Th	r	Thr 450	Thr	Val	Pro	Gln	Asp 455	Ala	Val	Ser	Arg	Ser 460	Gln	Arg	Arg	Gly
Ar 46		Thr	Gly	Arg	Gly	Arg 470	Met	Gly	Ile	Tyr	Arg 475	Phe	Val	Thr	Pro	Gly 480
G1	.u	Arg	Pro	Ser	Gly 485	Met	Phe	Asp	Ser	Ser 490		Leu	Суз	Glu	Cys 495	Tyr
As	q	Ala	Gly	Суя 500	Ala	Trp	Tyr	Glu	Leu 505		Pro	Ala	Glu	Thr 510	Ser	Val
Aı	g	Leu	Arg 515	Ala	Tyr	Leu	Asn	Thr 520		Gly	Leu	Pro	Val 525	_	Gln	Asp
ні	İs	Leu 530	Glu	Phe	Trp	Glu	Ser 535		Phe	Thr	: Gly	Leu 540		His	Ile	Asp
A1 54		His	Phe	Leu	Ser	Gln 550		Lys	Glr	n Ala	Gly 555		Asn	Phe	Pro	Туг 560
Le	eu	Val	Ala	Tyr	Gln 565		Thr	· Val	. Cys	570	-	, Ala	Glr	Ala	575	Pro
Pi	ro	Ser	Trp	Asp 580		Met	Trp	Glu	Cys 585		ı Ile	e Arg	J Let	Lys 590		Thr
L	eu	His	G1 <u>y</u> 595		Thr	Pro	Leu	1 Let 600		r Ar	g Let	ı Gly	Ala 609		Glr	. Asn
G:	lu	Val 610		Thr	Thr	His	615		Th:	r Ly:	з Ту	11e 620		t Ala	а Суз	Met
	er 25		Asp	Lev	Glu	Va] 630		l Thi	Se:	r Th	r Trj 63		l Le	ı Val	l Gly	Gly 640
V	al	Lev	Ala	a Ala	Lev 645		a Ala	а Ту	r Cy.	s Le		r Th	r Gl	y Se	r Val	l Val

Ile Val Gly Arg Ile Ile Leu Ser Gly Lys Pro Ala Ile Ile Pro Asp
660 665 670

Arg Glu Val Leu Tyr Arg Glu Phe Asp Glu Met Glu Glu Cys Ala Ser 675 680 685

His Leu Pro Tyr Ile Glu Gln Gly Met Gln Leu Ala Glu Gln Phe Lys 690 695 700

Gln Lys Ala Ile Gly Leu Leu Gln Thr Ala Thr Lys Gln Ala Glu Ala 705 710 715 720

Ala Ala Pro Val Val Glu Ser Lys Trp Arg Thr Leu Glu Ala Phe Trp
725 730 735

Ala Lys His Met Trp Asn Phe Ile Ser Gly Ile Gln Tyr Leu Ala Gly 740 745 750

Leu Ser Thr Leu Pro Gly Asn Pro Ala Ile Ala Ser Leu Met Ala Phe 755 . 760 . 765

Thr Ala Ser Ile Thr Ser Pro Leu Thr Thr Gln His Thr Leu Leu Phe
770 780

Asn Ile Leu Gly Gly Trp Val Ala Ala Gln Leu Ala Pro Pro Ser Ala 785 790 795 800

Ala Ser Ala Phe Val Gly Ala Gly Ile Ala Gly Ala Ala Val Gly Ser 805 810 815

Ile Gly Leu Gly Lys Val Leu Val Asp Ile Leu Ala Gly Tyr Gly Ala 820 825 830

Gly Val Ala Gly Ala Leu Val Ala Phe Lys Val Met Ser Gly Glu Met 835 840 845

Pro Ser Thr Glu Asp Leu Val Asn Leu Leu Pro Ala Ile Leu Ser Pro 850 855 860

Gly Ala Leu Val Val Gly Val Val Cys Ala Ala Ile Leu Arg Arg His 865 870 875 880

Val Gly Pro Gly Glu Gly Ala Val Gln Trp Met Asn Arg Leu Ile Ala 885 890 895

Phe Ala Ser Arg Gly Asn His Val Ser Pro Thr His Tyr Val Pro Glu 900 905 910

Ser Asp Ala Ala Ala Arg Val Thr Gln Ile Leu Ser Gly Leu Thr Ile 915 920 925

Thr Gln Leu Leu Lys Arg Leu His Gln Trp Ile Asn Glu Asp Cys Ser 930 935 940

Thr Pro Cys Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys 945 950 955 960

Thr Val Leu Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro 965 970 975

Arg Leu Pro Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly 980 985 990

Val Trp Arg Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala 995 1000 1005

- Gln Ile Thr Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro 1010 1015 1020
- Arg Thr Cys Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr 1025 1030 1035 1040
- Thr Thr Gly Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala 1045 1050 1055
- Leu Trp Arg Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly
 1060 1065 1070
- Asp Phe His Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro 1075 1080 1085
- Cys Gln Val Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg 1090 1095 1100 .
- Leu His Arg Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val 1105 1110 1115 1120
- Thr Phe Leu Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro 1125 1130 1135
- Cys Glu Pro Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp 1140 1145 1150
- Pro Ser His Ile Thr Ala Glu Thr Ala Lys Arg Gly Leu Ala Arg Gly 1155 1160 1165
- Ser Pro Pro Ser Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro 1170 1180
- Ser Leu Lys Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp 1185 1190 1195 1200
- Leu Ile Glu Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile 1205 1210 1215
- Thr Arg Val Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu 1220 1225 1230
- Pro Leu Gln Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu 1235 1240 1245
- Ile Leu Arg Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala 1250 1255 1260
- Arg Pro Asp Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp 1265 1270 1275 1280
- Tyr Val Pro Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala 1285 1290 1295
- Pro Pro Ile Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu 1300 1305 1310
- Ser Thr Val Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly 1315 1320 1325
- Ser Ser Glu Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro 1330 1335 1340
- Asp Gln Pro Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr 1345 1350 1355 1360

Ser Ser Met Pro Pro Leu Glu Glu Pro Gly Asp Pro Asp Leu Ser 1365 1370 1375

Asp Gly Ser Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val 1380 1385 1390

Cys Cys Ser Met Ser Tyr Thr Trp Thr Gly Ala Leu Ile Thr Pro Cys 1395 1400 1405

Ala Ala Glu Glu Thr Lys Leu Pro Ile Asn Ala Leu Ser Asn Ser Leu 1410 1415 1420

Leu Arg His His Asn Leu Val Tyr Ala Thr Thr Ser Arg Ser Ala Ser 1425 1430 1435 1440

Leu Arg Gln Lys Lys Val Thr Phe Asp Arg Leu Gln Val Leu Asp Asp 1445 1450 1455

His Tyr Arg Asp Val Leu Lys Glu Met Lys Ala Lys Ala Ser Thr Val 1460 1465 1470

Lys Ala Lys Leu Leu Ser Val Glu Glu Ala Cys Lys Leu Thr Pro Pro 1475 1480 1485

His Ser Ala Arg Ser Lys Phe Gly Tyr Gly Ala Lys Asp Val Arg Asn 1490 1495 1500

Leu Ser Ser Lys Ala Val Asn His Ile Arg Ser Val Trp Lys Asp Leu 1505 1510 1515 1520

Leu Glu Asp Thr Glu Thr Pro Ile Asp Thr Thr Ile Met Ala Lys Asn 1525 1530 1535

Glu Val Phe Cys Val Gln Pro Glu Lys Gly Gly Arg Lys Pro Ala Arg 1540 1545 1550

Leu Ile Val Phe Pro Asp Leu Gly Val Arg Val Cys Glu Lys Met Ala 1555 1560 1565

Leu Tyr Asp Val Val Ser Thr Leu Pro Gln Ala Val Met Gly Ser Ser 1570 1575 1580

Tyr Gly Phe Gln Tyr Ser Pro Gly Gln Arg Val Glu Phe Leu Val Asn 1585 1590 1595 1600

Ala Trp Lys Ala Lys Lys Cys Pro Met Gly Phe Ala Tyr Asp Thr Arg 1605 1610 1615

Cys Phe Asp Ser Thr Val Thr Glu Asn Asp Ile Arg Val Glu Ser 1620 1625 1630

Ile Tyr Gln Cys Cys Asp Leu Ala Pro Glu Ala Arg Gln Ala Ile Arg 1635 1640 1645

Ser Leu Thr Glu Arg Leu Tyr Ile Gly Gly Pro Leu Thr Asn Ser Lys

Gly Gln Asn Cys Gly Tyr Arg Arg Cys Arg Ala Ser Gly Val Leu Thr 1665 1670 1675 1680

Thr Ser Cys Gly Asn Thr Leu Thr Cys Tyr Leu Lys Ala Ala Ala Ala 1695

Cys Arg Ala Ala Lys Leu Gln Asp Cys Thr Met Leu Val Cys Gly Asp 1700 1705 1710 Asp Leu Val Val Ile Cys Glu Ser Ala Gly Thr Gln Glu Asp Glu Ala 1715 1720 1725

Ser Leu Arg Ala Phe Thr Glu Ala Met Thr Arg Tyr Ser Ala Pro Pro 1730 1735 1740

Gly Asp Pro Pro Lys Pro Glu Tyr Asp Leu Glu Leu Ile Thr Ser Cys 1745 1750 1755 1760

Ser Ser Asn Val Ser Val Ala His Asp Ala Ser Gly Lys Arg Val Tyr 1765 1770 1775

Tyr Leu Thr Arg Asp Pro Thr Thr Pro Leu Ala Arg Ala Ala Trp Glu 1780 1785 1790

Thr Ala Arg His Thr Pro Val Asn Ser Trp Leu Gly Asn Ile Ile Met 1795 1800 1805

Tyr Ala Pro Thr Leu Trp Ala Arg Met Ile Leu Met Thr His Phe Phe 1810 1815 1820

Ser Ile Leu Leu Ala Gln Glu Gln Leu Glu Lys Ala Leu Asp Cys Gln 1825 . 1830 . 1835 . 1840

Ile Tyr Gly Ala Cys Tyr Ser Ile Glu Pro Leu Asp Leu Pro Gln Ile 1845 1850 1855

Ile Gln Arg Leu His Gly Leu Ser Ala Phe Ser Leu His Ser Tyr Ser 1860 1865 1870

Pro Gly Glu Ile Asn Arg Val Ala Ser Cys Leu Arg Lys Leu Gly Val 1875 1880 1885

Pro Pro Leu Arg Val Trp Arg His Arg Ala Arg Ser Val Arg Ala Arg 1890 1895 1900

Leu Leu Ser Gln Gly Gly Arg Ala Ala Thr Cys Gly Lys Tyr Leu Phe 1905 1910 1915 1920

Asn Trp Ala Val Arg Thr Lys Leu Lys Leu Thr Pro Ile Pro Ala Ala 1925 1930 1935

Ser Gln Leu Asp Leu Ser Ser Trp Phe Val Ala Gly Tyr Ser Gly Gly 1940 1945 1950

Asp Ile Tyr His Ser Leu Ser Arg Ala Arg Pro Arg Trp Phe Met Trp 1955 1960 1965

Cys Leu Leu Leu Ser Val Gly Val Gly Ile Tyr Leu Leu Pro Asn 1970 1975 1980

Arg 1985

<210> 18

<211> 447

<212> PRT

<213> Hepatitis C virus

<400> 18

Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu 1 5 10 15

Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg 105 Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg 150 Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His Ile Thr Ala Glu Thr Ala Lys Arg Gly Leu Ala Arg Gly Ser Pro Pro Ser Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro Ser Leu Lys 230 235 Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp Leu Ile Glu Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile Thr Arg Val Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu Pro Leu Gln 280 Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro Asp Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val Pro Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro Ile Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr Val

360

365

Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser Glu 370 375 380

Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln Pro 385 390 395 400

Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met
405 410 415

Pro Pro Leu Glu Glu Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser 420 425 430

Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys 435 440 445

<210> 19

<211> 447

<212> PRT

<213> Hepatitis C virus

<400> 19

Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu 1 5 10

Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Pro Arg Leu Pro 20 25 30

Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg
35 40 45

Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr 50 55 60

Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys 65 70 75 80

Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly 85 90 95

Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg 100 105 110

Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His 115 120 125

Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val 130 135 140

Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg 145 150 155 160

Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu 165 170 175

Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro 180 185 190

Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His 195 200 205

Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro 210 215 220

Ser Leu Ser Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro Ser Leu Lys 225 230 240 Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp Leu Ile Glu 245 250 255

Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile Thr Arg Val 260 265 270

Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu Pro Leu Gln 275 280 285

Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg 290 295 300

Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro Asp 305 310 315 320

Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val Pro 325 330 335

Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro Ile 340 345 350

Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr Val 355 360 365

Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser Glu 370 375 380

Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln Pro 385 390 395 400

Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met
405 410 415

Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser 420 425 430

Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys 435 440 445

<210> 20

<211> 447

<212> PRT

<213> Hepatitis C virus

<400> 20

Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu 1 5 10 15

Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro 20 25 30

Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg 35 40 45

Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr 50 55 60

Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys 65 70 75 80

Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly
85 90 95

Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg
100 105 110

Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His 115 120 125

Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val 130 135 140

Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg 145 150 155 160

Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu 165 170 175

Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro 180 185 190

Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His
195 200 205

Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro 210 215 220

Cys Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro Ser Leu Lys 225 230 235 240

Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp Leu Ile Glu 245 250 255

Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile Thr Arg Val 260 265 270

Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu Pro Leu Gln 275 280 285

Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg 290 295 300

Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro Asp 305 310 315 320

Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val Pro 325 330 335

Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro Ile 340 345 350

Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr Val
355 360 365

Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser Glu 370 375 380

Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln Pro 385 390 395 400

Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met 405 410 415

Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser 420 425 430

Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys
435 440 445

<210> 21 <211> 447 <212> PRT <213> Hepatitis C virus

<400> 21

Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu 1 5 10 15

Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro 20 25 30

Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg 35 40 45

Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr 50 55 60

Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys 65 70 75 80

Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly 85 90 95

Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg
100 105 110

Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His 115 120 125

Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val 130 135 140

Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg 145 150 155 160

Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu 165 170 175

Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro 180 185 190

Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His 195 200 205

Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro 210 215 220

Pro Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro Ser Leu Lys 225 230 235 240

Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp Leu Ile Glu 245 250 255

Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile Thr Arg Val 260 265 270

Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu Pro Leu Gln 275 280 285

Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg 290 295 300

Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro Asp 305 310 315 320

```
Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val Pro
                325
                                    330
Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro Ile
                                345
Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr Val
                            360
Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser Glu
Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln Pro
                    390
Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met
                405
Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser
                                425
Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys
                            440
<210> 22
<211> 7789
<212> DNA
<213> Hepatitis C virus
<400> 22
gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tetteacgea gaaagegtet agecatggeg ttagtatgag tgtegtgeag cetecaggae 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg tcctttcttg gatcaacccg ctcaatgcct ggagatttgg gcgtgcccc 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
```

gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac cagaccacaa cggtttccct 360 ctagegggat caatteegee ecteteecte ecceecet aacgttactg geegaageeg 420 cttggaataa ggccggtgtg cgtttgtcta tatgttattt tccaccatat tgccgtcttt 480 tggcaatgtg agggcccgga aacctggccc tgtcttcttg acgagcattc ctaggggtct 540 ttcccctctc gccaaaggaa tgcaaggtct gttgaatgtc gtgaaggaag cagttcctct 600 ggaagettet tgaagacaaa caacgtetgt agegaceett tgcaggcage ggaaceece 660 acctggcgac aggtgcctct gcggccaaaa gccacgtgta taagatacac ctgcaaaggc 720 ggcacaaccc cagtgccacg ttgtgagttg gatagttgtg gaaagagtca aatggctctc 780 ctcaagcgta ttcaacaagg ggctgaagga tgcccagaag gtaccccatt gtatgggatc 840 tgatctgggg cctcggtgca catgctttac atgtgtttag tcgaggttaa aaaacgtcta 900 ggccccccga accacgggga cgtggttttc ctttgaaaaa cacgataata ccatggaccg 960 ggagatggca gcatcgtgcg gaggcgcggt tttcgtaggt ctgatactct tgaccttgtc 1020 accgcactat aagctgttcc tcgctaggct catatggtgg ttacaatatt ttatcaccag 1080 ggccgaggca cacttgcaag tgtggatccc cccctcaac gttcgggggg gccgcgatgc 1140 cgtcatcctc ctcacgtgcg cgatccaccc agagctaatc tttaccatca ccaaaatctt 1200 getegecata eteggtecae teatggtget ecaggetggt ataaccaaag tgeegtaett 1260 cgtgcgcgca cacgggctca ttcgtgcatg catgctggtg cggaaggttg ctgggggtca 1320 ttatgtccaa atggctctca tgaagttggc cgcactgaca ggtacgtacg tttatgacca 1380 teteacecea etgegggaet gggeceaege gggectaega gaeettgegg tggeagttga 1440 gecegtegte ttetetgata tggagaceaa ggttateace tggggggcag acacegegge 1500 gtgtggggac atcatcttgg gcctgcccgt ctccgcccgc agggggaggg agatacatct 1560 gggaccggca gacagccttg aagggcaggg gtggcgactc ctcgcgccta ttacggccta 1620 ctcccaacag acgcgaggcc tacttggctg catcatcact agcctcacag gccgggacag 1680 gaaccaggtc gaggggagg tccaagtggt ctccaccgca acacaatctt tcctggcgac 1740 ctgcgtcaat ggcgtgtgtt ggactgtcta tcatggtgcc ggctcaaaga cccttgccgg 1800 cccaaagggc ccaatcaccc aaatgtacac caatgtggac caggacctcg tcggctggca 1860 agegeeecc ggggegegtt cettgacace atgeacetge ggeagetegg acetttaett 1920 ggtcacgagg catgccgatg tcattccggt gcgccggcgg ggcgacagca gggggagcct 1980 actetecece aggecegtet cetacttgaa gggetetteg ggeggteeac tgetetgeec 2040 WO 01/089364 PCT/US01/16822

ctcggggcac gctgtgggca tctttcgggc tgccgtgtgc acccgagggg ttgcgaaggc 2100 ggtggacttt gtacccgtcg agtctatgga aaccactatg cggtccccgg tcttcacgga 2160 caactcgtcc cctccggccg taccgcagac attccaggtg gcccatctac acgcccctac 2220 tggtagcggc aagagcacta aggtgccggc tgcgtatgca gcccaagggt ataaggtgct 2280 tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg gcgtatatgt ctaaggcaca 2340 tggtatcgac cctaacatca gaaccggggt aaggaccatc accacgggtg cccccatcac 2400 gtactccacc tatggcaagt ttcttgccga cggtggttgc tctgggggcg cctatgacat 2460 cataatatgt gatgagtgcc actcaactga ctcgaccact atcctgggca tcggcacagt 2520 cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg ctcgccaccg ctacgcctcc 2580 gggatcggtc accgtgccac atccaaacat cgaggaggtg gctctgtcca gcactggaga 2640 aatccccttt tatggcaaag ccatccccat cgagaccatc aaggggggga ggcacctcat 2700 tttctgccat tccaagaaga aatgtgatga gctcgccgcg aagctgtccg gcctcggact 2760 caatqctqta qcatattacc ggggccttga tgtatccgtc ataccaacta gcggagacgt 2820 cattgtcgta gcaacggacg ctctaatgac gggctttacc ggcgatttcg actcagtgat 2880 cgactgcaat acatgtgtca cccagacagt cgacttcagc ctggacccga ccttcaccat 2940 tgagacgacg accgtgccac aagacgcggt gtcacgctcg cagcggcgag gcaggactgg 3000 taggggcagg atgggcattt acaggtttgt gactccagga gaacggccct cgggcatgtt 3060 cgattcctcg gttctgtgcg agtgctatga cgcgggctgt gcttggtacg agctcacgcc 3120 cgccgagacc tcagttaggt tgcgggctta cctaaacaca ccagggttgc ccgtctgcca 3180 ggaccatctg gagttctggg agagcgtctt tacaggcctc acccacatag acgcccattt 3240 cttgtcccag actaagcagg caggagacaa cttcccctac ctggtagcat accaggctac 3300 ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac caaatgtgga agtgtctcat 3360 acqqctaaaq cctacqctqc acqqqccaac gccctqctq tataqqctqq qaqccqttca 3420 aaacgaggtt actaccacac accccataac caaatacatc atggcatgca tgtcggctga 3480 cctggaggtc gtcacgagca cctgggtgct ggtaggcgga gtcctagcag ctctggccgc 3540 gtattgcctg acaacaggca gcgtggtcat tgtgggcagg atcatcttgt ccggaaagcc 3600 ggccatcatt cccgacaggg aagtccttta ccgggagttc gatgagatgg aagagtgcgc 3660 ctcacacctc ccttacatcq aacagggaat gcagctcqcc gaacaattca aacagaaggc 3720 aatcgggttg ctgcaaacag ccaccaagca agcggaggct gctgctcccg tggtggaatc 3780 caagtggcgg accetegaag cettetggge gaagcatatg tggaatttca teagegggat 3840 acaatattta gcaggettgt ccactetgce tggcaaceee gcgatageat cactgatgge 3900 atteacagee tetateacea geoegeteac cacceaacat accetectgt ttaacatect 3960 qqqqqqatqq gtqqccqccc aacttqctcc tcccaqcqct gcttctqctt tcgtaqqcqc 4020 cggcatcgct ggagcggctg ttggcagcat aggccttggg aaggtgcttg tggatatttt 4080 ggcaggttat ggagcagggg tggcaggcgc gctcgtggcc tttaaggtca tgagcggcga 4140 gatgccctcc accgaggacc tggttaacct actccctgct atcctctccc ctggcgccct 4200 agtcqtcqgg gtcqtgtgcg cagcgatact gcqtcggcac gtgggcccag gggagggggc 4260 tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg ggtaaccacg tctccccac 4320 gcactatgtg cctgagagcg acgctgcagc acgtgtcact cagatcctct ctagtcttac 4380 catcactcaq ctqctqaaqa qqcttcacca gtqqatcaac gaggactqct ccacqccatg 4440 ctccggctcg tggctaagag atgtttggga ttggatatgc acggtgttga ctgatttcaa 4500 gacetggete cagtecaage teetgeegeg attgeeggga gteeeettet teteatgtea 4560 acgtgggtac aagggagtct ggcggggcga cggcatcatg caaaccacct gcccatgtgg 4620 agcacagatc accggacatg tgaaaaacgg ttccatgagg atcgtggggc ctaggacctg 4680 tagtaacacg tggcatggaa cattccccat taacgcgtac accacgggcc cctgcacgcc 4740 ctccccggcg ccaaattatt ctagggcgct gtggcgggtg gctgctgagg agtacgtgga 4800 qqttacqcqq qtqqqqqatt tccactacqt gacqqqcatq accactgaca acqtaaaqtq 4860 cccgtgtcag gttccggccc ccgaattctt cacagaagtg gatggggtgc ggttgcacag 4920 gtacgctcca gcgtgcaaac ccctcctacg ggaggaggtc acattcctgg tcgggctcaa 4980 tcaatacctg gttgggtcac agctcccatg cgagcccgaa ccggacgtag cagtgctcac 5040 ttccatgctc accgaccct cccacattac ggcggagacg gctaagcgta ggctggccag 5100 gggatetece eceteettgg ceageteate agetatecag etgtetgege etteettgaa 5160 ggcaacatgc actacccgtc atgactcccc ggacgctgac ctcatcgagg ccaacctcct 5220 gtggcggcag gagatgggcg ggaacatcac ccgcgtggag tcagaaaata aggtagtaat 5280 tttggactct ttcgagccgc tccaagcgga ggaggatgag agggaagtat ccgttccggc 5340 ggagatcctg cggaggtcca ggaaattccc tcgagcgatg cccatatggg cacgcccgga 5400 ttacaaccct ccactgttag agtcctggaa ggacccggac tacgtccctc cagtggtaca 5460 cgggtgtcca ttgccgcctg ccaaggcccc tccgatacca cctccacgga ggaagaggac 5520 ggttgtcctg tcagaatcta ccgtgtcttc tgccttggcg gagctcgcca caaagacctt 5580 ctccgacgac ggcgacgcgg gatccgacgt tgagtcgtac tcctccatgc cccccttga 5700 qqqqqaqccq qqqqatcccq atctcaqcqa cqqqtcttqq tctaccqtaa qcqagqagqc 5760 tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg acaggcgccc tgatcacgcc 5820 atgcgctgcg gaggaaacca agctgcccat caatgcactg agcaactctt tgctccgtca 5880 ccacaacttg gtctatgcta caacatctcg cagcgcaagc ctgcggcaga agaaggtcac 5940 ctttgacaga ctgcaggtcc tggacgacca ctaccgggac gtgctcaagg agatgaaggc 6000

```
gaaggcgtcc acagttaagg ctaaacttct atccgtggag gaagcctgta agctgacgcc 6060
cccacattcg gccagatcta aatttggcta tggggcaaag gacgtccgga acctatccag 6120 caaggccgtt aaccacatcc gctccgtgtg gaaggacttg ctggaagaca ctgagacacc 6180
aattgacacc accatcatgg caaaaaatga ggttttctgc gtccaaccag agaaggggg 6240
ccgcaagcca gctcgcctta tcgtattccc agatttgggg gttcgtgtgt gcgagaaaat 6300
ggccctttac gatgtggtct ccaccctccc tcaggccgtg atgggctctt catacggatt 6360
ccaatactct cctggacagc gggtcgagtt cctggtgaat gcctggaaag cgaagaaatg 6420
ccctatgggc ttcgcatatg acacccgctg ttttgactca acggtcactg agaatgacat 6480
ccgtgttgag gagtcaatct accaatgttg tgacttggcc cccgaagcca gacaggccat 6540
aaggtcgctc acagagcggc tttacatcgg gggccccctg actaattcta aagggcagaa 6600
ctgcggctat cgccggtgcc gcgcgagcgg tgtactgacg accagctgcg gtaataccct 6660
cacatgttac ttgaaggccg ctgcggcctg tcgagctgcg aagctccagg actgcacgat 6720
gctcgtatgc ggagacgacc ttgtcgttat ctgtgaaagc gcggggaccc aagaggacga 6780
ggcgagccta cgggccttca cggaggctat gactagatac tctgcccccc ctggggaccc 6840
gcccaaacca gaatacgact tggagttgat aacatcatgc tcctccaatg tgtcagtcgc 6900
gcacgatgca tctggcaaaa gggtgtacta tctcacccgt gaccccacca cccccttgc 6960
gegggetgeg tgggagacag ctagacacac tecagteaat teetggetag geaacateat 7020
catgtatgcg cccaccttgt gggcaaggat gatcctgatg actcatttct tctccatcct 7080
tctagctcag gaacaacttg aaaaagccct agattgtcag atctacgggg cctgttactc 7140
cattgagcca cttgacctac ctcagatcat tcaacgactc catggcctta gcgcattttc 7200
actccatagt tactctccag gtgagatcaa tagggtggct tcatgcctca ggaaacttgg 7260
ggtaccgccc ttgcgagtct ggagacatcg ggccagaagt gtccgcgcta ggctactgtc 7320
ccaggggggg agggctgcca cttgtggcaa gtacctcttc aactgggcag taaqqaccaa 7380
gctcaaactc actccaatcc cggctgcgtc ccagttggat ttatccagct ggttcgttgc 7440
tggttacagc gggggagaca tatatcacag cctgtctcgt gcccgacccc gctggttcat 7500
gtggtgccta ctcctacttt ctgtaggggt aggcatctat ctactcccca accgatgaac 7560
ggggacctaa acactccagg ccaataggcc atcctgtttt tttccctttt ttttttctt 7620
ttttttttt tttttttt tttttttt ttctccttt tttttcctct tttttcctt 7680
ttctttcctt tggtggctcc atcttagccc tagtcacggc tagctgtgaa aggtccgtga 7740
gccgcttgac tgcagagagt gctgatactg gcctctctgc agatcaagt
```

<210> 23 <211> 11062 <212> DNA <213> Hepatitis C virus

<400> 23

gccagcccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60 tetteacgea gaaagegtet agceatggeg ttagtatgag tgtegtgeag cetecaggae 120 ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180 gacgaccggg teettettg gateaacccg etcaatgeet ggagatttgg gegtgeecce 240 gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctqataqq 300 gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360 ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttete 420 cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480 ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc ggttcttttt gtcaagaccg 540 acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600 cqacgggcgt tccttgcgca gctgtgctcg acgttgtcac tgaagcggga agggactggc 660 tgctattggg cgaagtgccg gggcaggatc tcctgtcatc tcaccttgct cctgccqaga 720 aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780 cattegacca ccaagegaaa categcateg agegageaeg tacteggatg gaageeggte 840 ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900 ccaggetcaa ggcgcgcatg cccgacggcg aggatetcgt cgtgacccat ggcgatgcet 960 gcttgccgaa tatcatggtg gaaaatggcc gcttttctgg attcatcgac tgtggccggc 1020 tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080 ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 1140 agcgcatcgc cttctatcgc cttcttgacg agttcttctg agtttaaaca gaccacaacg 1200 gtttccctct agcgggatca attccgcccc tctccctccc cccccctaa cgttactggc 1260 cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320 ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380 aggggtcttt cccctctcgc caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca 1440 gttcctctgg aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg 1500 aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560 gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga tagttgtqa aaqagtcaaa 1620 tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggt accccattgt 1680 atgggatetg atetggggee teggtgeaca tgetttacat gtgtttagte gaggttaaaa 1740 aacgtctagg ccccccgaac cacggggacg tggttttcct ttgaaaaaca cgataataat 1800 gagcacgaat cctaaacctc aaagaaaaac caaacgtaac accaaccgcc gcccacagga 1860 cgtcaagttc ccgggcggtg gtcagatcgt cggtggagtt tacctgttgc cgcgcagggg 1920 ccccaggttg ggtgtgcgcg cgactaggaa gacttccgag cggtcgcaac ctcgtggaag 1980 gcgacaacct atccccaagg ctcgccagcc cgagggtagg gcctgggctc agcccgggta 2040 cccctggccc ctctatggca atgagggctt ggggtgggca ggatggctcc tgtcaccccg 2100 tggctctcgg cctagttggg gccccacgga cccccggcgt aggtcgcgca atttgggtaa 2160 ggtcatcgat accetcacgt geggettege egateteatg gggtacatte egetegtegg 2220 cgcccccta gggggcgctg ccagggcct ggcgcatggc gtccgggttc tggaggacgg 2280 cgtgaactat gcaacaggga atctgcccgg ttgctccttt tctatcttcc ttttggcttt 2340 gctgtcctgt ttgaccatcc cagcttccgc ttatgaagtg cgcaacgtat ccggagtgta 2400 ccatqtcacq aacqactgct ccaacqcaaq cattqtqtat gagqcaqcqq acatqatcat 2460 gcataccccc gggtgcgtgc cctgcgttcg ggagaacaac tcctcccgct gctgggtagc 2520 geteactece acgetegegg ceaggaacge tagegteece actaegacga taegacgeca 2580 tgtcgatttg ctcgttgggg cggctgctct ctgctccgct atgtacgtgg gagatctctg 2640 cqqatctqtt tteetegteg cecagetqtt cacetteteg eetegeegge acgagacagt 2700 acaggactgc aattgctcaa tatatcccgg ccacgtgaca ggtcaccgta tggcttggga 2760 tatgatgatg aactggtcac ctacagcagc cctagtggta tcgcagttac tccggatccc 2820 acaagctgtc gtggatatgg tggcgggggc ccattgggga gtcctagcgg gccttgccta 2880 ctattccatg gtggggaact gggctaaggt tctgattgtg atgctactct ttgccggcgt 2940 tgacggggga acctatgtga caggggggac gatggccaaa aacaccctcg ggattacgtc 3000 cctcttttca cccgggtcat cccagaaaat ccagcttgta aacaccaacg gcagctggca 3060 catcaacagg actgccctga actgcaatga ctccctcaac actgggttcc ttgctgcgct 3120 gttctacgtg cacaagttca actcatctgg atgcccagag cgcatggcca gctgcagccc 3180 catcgacgcg ttcgctcagg ggtgggggcc catcacttac aatgagtcac acagctcgga 3240 ccagaggcct tattgttggc actacgcacc ccggccgtgc ggtatcgtac ccgcggcgca 3300 qqtqtqtqt ccaqtqtact gcttcacccc aagccctqtc gtggtgggga cgaccgaccg 3360 gttcggcgtc cctacgtaca gttgggggga gaatgagacg gacgtgctgc ttcttaacaa 3420 cacgeggeeg eegeaaggea actggtttgg etgtacatgg atgaatagea etgggtteae 3480 caagacgtgc gggggccccc cgtgtaacat cggggggatc ggcaataaaa ccttgacctg 3540 ccccacggac tgcttccgga agcaccccga ggccacttac accaagtgtg gttcggggcc 3600 ttggttgaca cccagatgct tggtccacta cccatacagg ctttggcact acccctgcac 3660 tgtcaacttt accatcttca aggttaggat gtacgtgggg ggagtggagc acaggctcga 3720 agecgcatgc aattggactc gaggagagcg ttgtaacctg gaggacaggg acagatcaga 3780 gcttagcccg ctgctgctgt ctacaacgga gtggcaggta ttgccctgtt ccttcaccac 3840 cctaccggct ctgtccactg gtttgatcca tctccatcag aacgtcgtgg acgtacaata 3900 cctgtacggt atagggtcgg cggttgtctc ctttgcaatc aaatgggagt atgtcctgtt 3960 gctcttcctt cttctggcgg acgcgcgcgt ctgtgcctgc ttgtggatga tgctgctgat 4020 agctcaagct gaggccgccc tagagaacct ggtggtcctc aacgcggcat ccgtggccgg 4080 ggcgcatggc attetetet teetegtgtt ettetgtget geetggtaca teaagggcag 4140 gctggtccct ggggcggcat atgccctcta cggcgtatgg ccgctactcc tgctcctgct 4200 ggcgttacca ccacgagcat acgccatgga ccgggagatg gcagcatcgt gcggaggcgc 4260 ggttttcgta ggtctgatac tcttgacctt gtcaccgcac tataagctgt tcctcgctag 4320 gctcatatgg tggttacaat attttatcac cagggccgag gcacacttgc aagtgtggat 4380 ccccccctc aacgttcggg ggggccgcga tgccgtcatc ctcctcacgt gcgcgatcca 4440 cccagageta atetttacca tcaccaaaat cttgctcgcc atactcggtc cactcatggt 4500 gctccaggct ggtataacca aagtgccgta cttcgtgcgc gcacacgggc tcattcgtgc 4560 atgcatgctg gtgcggaagg ttgctggggg tcattatgtc caaatggctc tcatgaagtt 4620 ggccgcactg acaggtacgt acgtttatga ccatctcacc ccactgcggg actgggccca 4680 cgcgggccta cgagaccttg cggtggcagt tgagcccgtc gtcttctctg atatggagac 4740 caaggttatc acctgggggg cagacaccgc ggcgtgtggg gacatcatct tgggcctgcc 4800 cgtctccgcc cgcaggggga gggagataca tctgggaccg gcagacagcc ttgaagggca 4860 ggggtggcga ctcctcgcgc ctattacggc ctactcccaa cagacgcgag gcctacttgg 4920 ctgcatcatc actagcctca caggccggga caggaaccag gtcgaggggg aggtccaagt 4980 ggtctccacc gcaacacaat ctttcctggc gacctgcgtc aatggcgtgt gttggactgt 5040 ctatcatggt geeggeteaa agaccettge eggeecaaag ggeecaatea eecaaatgta 5100 caccaatgtg gaccaggacc tcgtcggctg gcaagcgccc cccggggcgc gttccttgac 5160 accatgcacc tgcggcagct cggaccttta cttggtcacg aggcatgccg atgtcattcc 5220 ggtgcgccgg cggggcgaca gcagggggag cctactctcc cccaggcccg tctcctactt 5280 gaagggetet tegggeggte eactgetetg eccetegggg caegetgtgg geatettteg 5340 ggctgccgtg tgcacccgag gggttgcgaa ggcggtggac tttgtacccg tcgagtctat 5400 ggaaaccact atgcggtccc cggtcttcac ggacaactcg tcccctccgg ccgtaccgca 5460 gacattccag gtggcccatc tacacgcccc tactggtagc ggcaagagca ctaaggtgcc 5520 ggctgcgtat gcagcccaag ggtataaggt gcttgtcctg aacccgtccg tcgccgccac 5580 cctaggtttc ggggcgtata tgtctaaggc acatggtatc gaccctaaca tcagaaccgg 5640 ggtaaggacc atcaccacgg gtgcccccat cacgtactcc acctatggca agtttcttgc 5700 cgacggtggt tgctctgggg gcgcctatga catcataata tgtgatgagt gccactcaac 5760 tgactcgacc actatcctgg gcatcggcac agtcctggac caagcggaga cggctggagc 5820 gcgactcgtc gtgctcgcca ccgctacgcc tccgggatcg gtcaccgtgc cacatccaaa 5880 catcgaggag gtggctctgt ccagcactgg agaaatcccc ttttatggca aagccatccc 5940 catcgagacc atcaaggggg ggaggcacct cattttctgc cattccaaga agaaatgtga 6000 tgagctcgcc gcgaagctgt ccggcctcgg actcaatgct gtagcatatt accggggcct 6060 tgatgtatcc gtcataccaa ctageggaga cgtcattgtc gtagcaacgg acgctctaat 6120 gacgggcttt accggcgatt tcgactcagt gatcgactgc aatacatgtg tcacccagac 6180 agtcgacttc agcctggacc cgaccttcac cattgagacg acgaccgtgc cacaagacgc 6240 ggtgtcacgc tcgcagcggc gaggcaggac tggtaggggc aggatgggca tttacaggtt 6300 tgtgactcca ggagaacggc cctcgggcat gttcgattcc tcggttctgt gcgagtgcta 6360 tgacgcgggc tgtgcttggt acgagctcac gcccgccgag acctcagtta ggttgcgggc 6420 ttacctaaac acaccagggt tgcccgtctg ccaggaccat ctggagttct gggagagcgt 6480 ctttacaggc ctcacccaca tagacgccca tttcttgtcc cagactaagc aggcaggaga 6540 caacttcccc tacctggtag cataccaggc tacggtgtgc gccagggctc aggctccacc 6600 tccatcgtgg gaccaaatgt ggaagtgtct catacggcta aagcctacgc tgcacgggcc 6660 aacgcccctg ctgtataggc tgggagccgt tcaaaacgag gttactacca cacaccccat 6720 aaccaaatac atcatggcat gcatgtcggc tgacctggag gtcgtcacga gcacctgggt 6780 gctggtaggc ggagtcctag cagctctggc cgcgtattgc ctgacaacag gcagcgtggt 6840 cattgtgggc aggatcatct tgtccggaaa gccggccatc attcccgaca gggaagtcct 6900 ttaccgggag ttcgatgaga tggaagagtg cgcctcacac ctcccttaca tcgaacaggg 6960 aatgcagctc gccgaacaat tcaaacagaa ggcaatcggg ttgctgcaaa cagccaccaa 7020 gcaageggag getgetgete cegtggtgga atccaagtgg eggaceeteg aageettetg 7080 ggcgaagcat atgtggaatt tcatcagcgg gatacaatat ttagcaggct tgtccactct 7140 gcctggcaac cccgcgatag catcactgat ggcattcaca gcctctatca ccagcccgct 7200 caccacccaa cataccctcc tgtttaacat cctgggggga tgggtggccg cccaacttgc 7260 tcctcccagc gctgcttctg ctttcgtagg cgccggcatc gctggagcgg ctgttggcag 7320 cataggeett gggaaggtge ttgtggatat tttggcaggt tatggagcag gggtggcagg 7380 cgcgctcgtg gcctttaagg tcatgagcgg cgagatgccc tccaccgagg acctggttaa 7440 cctactccct gctatcctct cccctggcgc cctagtcgtc ggggtcgtgt gcgcaqcgat 7500 actgcgtcgg cacgtgggcc caggggaggg ggctgtgcag tggatgaacc ggctgatagc 7560 gttegetteg eggggtaacc aegteteecc caegcactat gtgeetgaga gegaegetge 7620 agcacgtgtc actcagatcc tetetagtct taccatcact cagetgetga agaggettca 7680 ccagtggate aacgaggact gctccacgcc atgctccggc tcgtggctaa gagatgtttg 7740 ggattggata tgcacggtgt tgactgattt caagacctgg ctccagtcca agctcctgcc 7800 gcgattgccg ggagtcccct tcttctcatg tcaacgtggg tacaagggag tctggcgggg 7860 cgacggcatc atgcaaacca cctgcccatg tggagcacag atcaccqqac atgtqaaaaa 7920 cggttccatg aggatcgtgg ggcctaggac ctgtagtaac acgtggcatg gaacattccc 7980 cattaacgcg tacaccacgg gcccctgcac gccctccccg gcgccaaatt attctagggc 8040 gctgtggcgg gtggctgctg aggagtacgt ggaggttacg cgggtggggg atttccacta 8100 cgtgacgggc atgaccactg acaacgtaaa gtgcccgtgt caggttccgg cccccgaatt 8160 cttcacagaa gtggatgggg tgcggttgca caggtacgct ccagcgtqca aacccctcct 8220 acgggaggag gtcacattcc tggtcgggct caatcaatac ctggttgggt cacagctccc 8280 atgcgagccc gaaccggacg tagcagtgct cacttccatg ctcaccgacc cctcccacat 8340 tacggcggag acggctaagc gtaggctggc caggggatct ccccctcct tggccagctc 8400 atcagctatc cagctgtctg cgccttcctt gaaggcaaca tgcactaccc gtcatgactc 8460 cccggacgct gacctcatcg aggccaacct cctgtggcgg caggagatgg gcgggaacat 8520 caccogcgtg gagtcagaaa ataaggtagt aattttggac tctttcgagc cgctccaagc 8580 ggaggaggat gagagggaag tatccqttcc ggcqqaqatc ctqcqqaqqt ccaqqaaatt 8640 ccctcgagcg atgcccatat gggcacgccc ggattacaac cctccactgt tagagtcctg 8700 gaaggacccg gactacgtcc ctccagtggt acacgggtgt ccattgccgc ctgccaaggc 8760 ccctccgata ccacctccac ggaggaagag gacggttgtc ctgtcagaat ctaccgtgtc 8820 ttetgeettg geggageteg ccacaaagac etteggeage teegaategt eggeegtega 8880 cageggeacg geaacggeet etectgacea geeeteegac gaeggegaeg egggateega 8940 cgttgagtcg tactcctcca tgcccccct tgagggggag ccgggggatc ccgatctcag 9000 cgacgggtct tggtctaccg taagcgagga ggctagtgag gacgtcgtct gctgctcgat 9060 gtcctacaca tggacaggcg ccctgatcac gccatgcgct gcggaggaaa ccaagctgcc 9120 catcaatgca ctgagcaact ctttgctccg tcaccacaac ttggtctatg ctacaacatc 9180 tegeagegea ageetgegge agaagaaggt cacetttgac agaetgeagg teetggacga 9240 ccactaccgg gacgtgctca aggagatgaa ggcgaaggcg tccacagtta aggctaaact 9300 totatocgtg gaggaagoot gtaagotgac goccocacat toggocaqat otaaatttqq 9360 ctatggggca aaggacgtcc ggaacctatc cagcaaggcc gttaaccaca tccgctccgt 9420 gtggaaggac ttgctggaag acactgagac accaattgac accaccatca tggcaaaaaa 9480 tgaggttttc tgcgtccaac cagagaaggg gggccgcaag ccagctcgcc ttatcgtatt 9540 cccagatttg ggggttcgtg tgtgcgagaa aatggccctt tacgatgtgg tctccaccct 9600 ccctcaggcc gtgatgggct cttcatacgg attccaatac tctcctqqac aqcgqqtcqa 9660

```
gttcctggtg aatgcctgga aagcgaagaa atgccctatg ggcttcgcat atgacacccg 9720
ctgttttgac tcaacggtca ctgagaatga catccgtgtt gaggagtcaa tctaccaatg 9780
ttgtgacttg gcccccgaag ccagacaggc cataaggtcg ctcacagagc ggctttacat 9840
cgggggcccc ctgactaatt ctaaagggca gaactgcggc tatcgccggt gccgcgcgag 9900
cggtgtactg acgaccaget geggtaatac ceteacatgt tacttgaagg cegetgegge 9960
ctgtcgagct gcgaagctcc aggactgcac gatgctcgta tgcggagacg accttgtcgt 10020
tatctgtgaa agcgcgggga cccaagagga cgaggcgagc ctacgggcct tcacggaggc 10080
tatgactaga tactctgccc cccctgggga cccgcccaaa ccagaatacg acttggagtt 10140
gataacatca tgctcctcca atgtgtcagt cgcgcacgat gcatctggca aaagggtgta 10200
ctatctcacc cgtgacccca ccaccccct tgcgcgggct gcgtgggaga cagctagaca 10260
cactccagtc aattcctggc taggcaacat catcatgtat gcgcccacct tgtgggcaag 10320
gatgatcctg atgactcatt tettetecat cettetaget caggaacaac ttgaaaaage 10380
cctagattgt cagatctacg gggcctgtta ctccattgag ccacttgacc tacctcagat 10440
cattcaacga ctccatggcc ttagcgcatt ttcactccat agttactctc caggtgagat 10500
caatagggtg gcttcatgcc tcaggaaact tggggtaccg cccttgcgag tctggagaca 10560
tegggecaga agtgteegeg ctaggetact gteecagggg gggagggetg ccaettgtgg 10620
caagtacctc ttcaactggg cagtaaggac caagctcaaa ctcactccaa tcccggctgc 10680
gtcccagttg gatttatcca gctggttcgt tgctggttac agcgggggag acatatatca 10740
cagcctgtct cgtgcccgac cccgctggtt catgtggtgc ctactcctac tttctgtagg 10800
ggtaggcatc tatctactcc ccaaccgatg aacggggacc taaacactcc aggccaataq 10860
ccctagtcac ggctagctgt gaaaggtccg tgagccgctt gactgcagag agtgctgata 11040
ctggcctctc tgcagatcaa gt
                                                               11062
<210> 24
<211> 9605
<212> DNA
<213> Hepatitis C virus
gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tetteacgea gaaagegtet agecatggeg ttagtatgag tgtegtgeag cetecaggae 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg tcctttcttg gatcaacccg ctcaatgcct ggagatttgg gcgtgcccc 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaacgt aacaccaacc gccgcccaca ggacgtcaag ttcccgggcg 420
gtggtcagat cgtcggtgga gtttacctgt tgccgcgcag gggccccagg ttgggtgtgc 480
gegegactag gaagacttee gageggtege aacetegtgg aaggegacaa cetateecca 540
aggetegeea geeegagggt agggeetggg eteageeegg gtaceeetgg eccetetatg 600
gcaatgaggg cttggggtgg gcaggatggc tcctgtcacc ccgtggctct cggcctagtt 660
ggggccccac ggacccccgg cgtaggtcgc gcaatttggg taaggtcatc gataccctca 720
cgtgcggctt cgccgatctc atggggtaca ttccgctcgt cggcgcccc ctagggggcg 780
ctgccagggc cctggcgcat ggcgtccggg ttctggagga cggcgtgaac tatgcaacag 840
ggaatctgcc cggttgctcc ttttctatct tccttttggc tttgctgtcc tgtttgacca 900
tcccagcttc cgcttatgaa gtgcgcaacg tatccggagt gtaccatgtc acgaacgact 960
getecaacge aagcattgtg tatgaggeag eggacatgat catgeatace eeegggtgeg 1020
tgccctgcgt tcgggagaac aactcctccc gctgctgggt agcgctcact cccacgctcg 1080
cggccaggaa cgctagcgtc cccactacga cgatacgacg ccatgtcgat ttgctcgttg 1140
gggcggctgc tctctgctcc gctatgtacg tgggagatct ctgcggatct gttttcctcg 1200
tegeceaget gtteacette tegectegee ggeacgagae agtacaggae tgeaattget 1260
caatatatcc cggccacgtg acaggtcacc gtatggcttg ggatatgatg atgaactggt 1320
cacctacage agreetagtg gtategeagt tacteeggat eccacaaget gtegtggata 1380
tggtggcggg ggcccattgg ggagtcctag cgggccttgc ctactattcc atggtgggga 1440
actgggctaa ggttctgatt gtgatgctac tctttgccgg cgttgacggg ggaacctatg 1500
tgacaggggg gacgatggcc aaaaacaccc tcgggattac gtccctcttt tcacccgggt 1560
catcccagaa aatccagctt gtaaacacca acggcagctg gcacatcaac aggactgccc 1620
tgaactgcaa tgactccctc aacactgggt tccttgctgc gctgttctac gtgcacaagt 1680
tcaactcatc tggatgccca gagcgcatgg ccagctgcag ccccatcgac gcgttcgctc 1740
aggggtgggg gcccatcact tacaatgagt cacacagctc ggaccagagg ccttattgtt 1800
ggcactacgc acceeggeeg tgeggtateg taccegegge geaggtgtgt ggtecagtgt 1860
actgcttcac cccaagccct gtcgtggtgg ggacgaccga ccggttcggc gtccctacgt 1920
acagttgggg ggagaatgag acggacgtgc tgcttcttaa caacacgcgg ccgccgcaag 1980
gcaactggtt tggctgtaca tggatgaata gcactgggtt caccaagacg tgcgggggcc 2040
ccccgtgtaa catcgggggg atcggcaata aaaccttgac ctgccccacg gactgcttcc 2100
```

ggaagcaccc cgaggccact tacaccaagt gtggttcggg gccttggttg acacccagat 2160 gettggteca etacecatae aggetttgge actacecetg caetgteaac tttaceatet 2220 tcaaggttag gatgtacgtg gggggagtgg agcacaggct cgaagccgca tgcaattgga 2280 ctcgaggaga gcgttgtaac ctggaggaca gggacagatc agagcttagc ccgctgctgc 2340 tgtctacaac ggagtggcag gtattgccct gttccttcac caccctaccg gctctgtcca 2400 ctggtttgat ccatctccat cagaacgtcg tggacgtaca atacctgtac ggtatagggt 2460 cggcggttgt ctcctttgca atcaaatggg agtatgtcct gttgctcttc cttcttctgg 2520 eggacgegeg egtetgtgee tgettgtgga tgatgetget gatageteaa getgaggeeg 2580 ccctagagaa cctggtggtc ctcaacgcgg catccgtggc cggggcgcat ggcattctct 2640 cetteetegt gttettetgt getgeetggt acateaaggg caggetggte cetggggegg 2700 catatgccct ctacggcgta tggccgctac tcctgctcct gctggcgtta ccaccacgag 2760 catacgccat ggaccgggag atggcagcat cgtgcggagg cgcggttttc gtaggtctga 2820 tactettgae ettgteaceg cactataage tgtteetege taggeteata tggtggttae 2880 aatattttat caccagggcc gaggcacact tgcaagtgtg gatcccccc ctcaacgttc 2940 gggggggccg cgatgccgtc atcctcctca cgtgcgcgat ccacccagag ctaatcttta 3000 ccatcaccaa aatcttgctc gccatactcg gtccactcat ggtgctccag gctggtataa 3060 ccaaagtgcc gtacttcgtg cgcgcacacg ggctcattcg tgcatgcatg ctggtgcgga 3120 aggttgctgg gggtcattat gtccaaatgg ctctcatgaa gttggccgca ctgacaggta 3180 cgtacgttta tgaccatctc accccactgc gggactgggc ccacgcgggc ctacgagacc 3240 ttgcggtggc agttgagccc gtcgtcttct ctgatatgga gaccaaggtt atcacctggg 3300 gggcagacac cgcggcgtgt ggggacatca tcttgggcct gcccgtctcc gcccgcaggg 3360 ggagggagat acatctggga ccggcagaca gccttgaagg gcaggggtgg cgactcctcg 3420 cgcctattac ggcctactcc caacagacgc gaggcctact tggctgcatc atcactagcc 3480 tcacaggccg ggacaggaac caggtcgagg gggaggtcca agtggtctcc accgcaacac 3540 aatettteet ggegacetge gteaatggeg tgtgttggac tgtetateat ggtgeegget 3600 caaagaccct tgccggccca aagggcccaa tcacccaaat gtacaccaat gtggaccagg 3660 acctcgtcgg ctggcaagcg cccccgggg cgcgttcctt gacaccatgc acctgcggca 3720 gctcggacct ttacttggtc acgaggcatg ccgatgtcat tccggtgcgc cggcggggcg 3780 acagcagggg gagcctactc tcccccaggc ccgtctccta cttgaagggc tcttcgggcg 3840 gtecactget etgececteg gggcacgetg tgggcatett tegggetgee gtgtgcacce 3900 gaggggttgc gaaggcggtg gactttgtac ccgtcgagtc tatggaaacc actatgcggt 3960 ecceggtett caeggacaac tegteceete eggeegtace geagacatte caggtggeec 4020 atctacacgc ccctactggt agcggcaaga gcactaaggt gccggctgcg tatgcagccc 4080 aagggtataa ggtgcttgtc ctgaacccgt ccgtcgccgc caccctaggt ttcggggcgt 4140 atatgtctaa ggcacatggt atcgacceta acatcagaac eggggtaagg accatcacca 4200 cgggtgcccc catcacgtac tccacctatg gcaagtttct tgccgacggt ggttgctctg 4260 ggggcgccta tgacatcata atatgtgatg agtgccactc aactgactcg accactatcc 4320 tgggcatcgg cacagtcctg gaccaagcgg agacggctgg agcgcgactc gtcgtgctcg 4380 ccaccgctac gcctccggga tcggtcaccg tgccacatcc aaacatcgag gaggtggctc 4440 tgtccagcac tggagaaatc cccttttatg gcaaagccat ccccatcgag accatcaagg 4500 gggggaggca cctcattttc tgccattcca agaagaaatg tgatgagctc gccgcgaagc 4560 tgtccggcct cggactcaat gctgtagcat attaccgggg ccttgatgta tccgtcatac 4620 caactagegg agaegteatt gregrageaa eggaegetet aargaeggge traceggeg 4680 atttcgactc agtgatcgac tgcaatacat gtgtcaccca gacagtcgac ttcagcctgg 4740 accegacett caccattgag acgacgaceg tgccacaaga cgcggtgtca cgctcgcage 4800 ggcgaggcag gactggtagg ggcaggatgg gcatttacag gtttgtgact ccaggagaac 4860 ggccctcggg catgttcgat tcctcggttc tgtgcgagtg ctatgacgcg ggctgtgctt 4920 ggtacgaget cacgecegee gagaceteag ttaggttgeg ggettaceta aacacaccag 4980 ggttgcccgt etgccaggac catctggagt tctgggagag cgtctttaca ggcctcaccc 5040 acatagacge ceattlettg teccagacta ageaggeagg agacaactte cectacetgg 5100 tagcatacca ggctacggtg tgcgccaggg ctcaggctcc acctccatcg tgggaccaaa 5160 tgtggaagtg tctcatacgg ctaaagccta cgctgcacgg gccaacgccc ctgctgtata 5220 ggctgggagc cgttcaaaac gaggttacta ccacacaccc cataaccaaa tacatcatgg 5280 catgcatgtc ggctgacctg gaggtcgtca cgagcacctg ggtgctggta ggcggagtcc 5340 tagcagetet ggcegegtat tgcctgacaa caggcagegt ggtcattgtg ggcaggatca 5400 tettgteegg aaageeggee ateatteeeg acagggaagt cetttacegg gagttegatg 5460 agatggaaga gtgcgcctca cacctccctt acatcgaaca gggaatgcag ctcgccgaac 5520 aattcaaaca gaaggcaatc gggttgctgc aaacagccac caagcaagcg gaggctgctg 5580 ctcccgtggt ggaatccaag tggcggaccc tcgaagcctt ctgggcgaag catatgtgga 5640 atttcatcag cgggatacaa tatttagcag gcttgtccac tctgcctggc aaccccgcga 5700 tagcatcact gatggcattc acagceteta teaccagece geteaceace caacatacec 5760 tectgtttaa cateetgggg ggatgggtgg cegeccaact tgeteeteee agegetgett 5820 ctgctttcgt aggcgccggc atcgctggag cggctgttgg cagcataggc cttgggaagg 5880 tgcttgtgga tattttggca ggttatggag caggggtggc aggcgcgctc gtggccttta 5940 aggtcatgag cggcgagatg ccctccaccg aggacctggt taacctactc cctgctatcc 6000 tetecectgg egecetagte gteggggteg tgtgegeage gatactgegt eggeaegtgg 6060

gcccagggga	gggggctgtg	cagtggatga	accggctgat	agcgttcgct	tegeggggta	6120
-			auauccarcar		~-~~	C = 0 0
aaaataaggt	agtaattttg	gactctttcg	agccactcca	accaccege	grggagrcag	7080
aagtatccgt	tccggcggag	atcctgcgga	autccauraa	ageggaggag	gatgagaggg	7140
tatgggcacg	cccggattac	aaccctccac	tattagagta	ctacasacas	gcgatgccca	7200
	yy cacacqqq	LULCCALLOC	CCCCCCCCAA	AAAAAAA		
cacggaggaa	gaggacggtt	gtcctgtcag	aatctaccat	gtetteteeg	ataccacctc	7320
tcgccacaaa	gaccttcggc	agctccgaat	catcaaccat	caacacacac	ttggcggagc	7380
cctctcctga	ccagccctcc	gacgacggcg	acacagaete	cgacagegge	acggcaacgg	7440
ccatgccccc	ccttgagggg	gagccggggg	atccccatct	caccacacac	tegtactect	7500
ccgtaagcga	ggaggctagt	gaggacgtcg	tetactacta	cagegaeggg	tcttggtcta	7560
gcgccctgat	cacqccatqc	gctgcggagg	aaaccaacct	gargreetae	acatggacag	7620
actctttgct	ccgtcaccac	aacttggtct	atactacase	gcccaccaat	gcactgagca	7680
ggcagaagaa	ggtcaccttt	gacagactgc	argulacado	acctcgcage	gcaagcctgc	7740
tcaaggagat	gaaggcgaag	gcgtccacag	ttaaggetsa	cyaccactac	cgggacgtgc	7800
cctgtaagct	gacgccccca	catteggeca	catataaatt	tonatatee	gtggaggaag	7860
tccggaacct	atccagcaag	gccgttaacc	acatoggata	rggctatggg	gcaaaggacg	7920
aagacactga	gacaccaatt	gacaccacca	tcatcccgccc	cgcgcggaag	gacttgctgg	7980
aaccagagaa	dadadaccac	aagccagctc	accttatest	adatgaggtt	ttctgcgtcc	B040
gtgtgtgcga	gaaaatggcc	ctttacgatg	tagteteese	actoccagat	ttgggggttc	8100
gctcttcata	cogattccaa	tactctcctg	ggtctccac	coccectcag	gccgtgatgg	8160
ggaaagcgaa	gaaatgccct	atgggcttcg	Catatagaga	cgagttcctg	gtgaatgcct	8220
tcactgagaa	tgacatccgt	attanagent	catatgacac	ccgctgttt	gactcaacgg	8280
aaqccaqaca	ggccataagg	gttgaggagt	agggggttta	atgttgtgac	ttggcccccg	8340
attctaaagg	gcagaactgc	tcgctcacag	ageggeetta	caccgggggc	cccctgacta	8400
gctgcggtaa	tacceteaca	ggctatcgcc	ggtgeegege	gagcggtgta	ctgacgacca	8460
tccaggactg	cacgatgete	tgttacttga	aggeegetge	ggcctgtcga	gctgcgaagc	8520
ggacccaaga	adacdadaca	gtatgcggag	acyacetege	cgttatctgt	gaaagcgcgg	8580
cccccctaa	adacccaccc	agcctacggg	ccccaegga	ggctatgact	agatactctg	8640
ccaatgtgtc	agtogogoac	aaaccagaat	acquettgga	gttgataaca	tcatgctcct	8700
CCACCACCCC	ccttacacaa	gatgcatctg	gcaaaagggt	gractatete	acccgtgacc	8760
ggctaggcaa	catcatcata	gctgcgtggg	agacagetag	acacactcca	gtcaattcct	8820
atttcttctc	catcetteta	tatgcgccca	220th as a se	aaggatgatc	ctgatgactc	8880
acqqqqcctq	ttactccatt	gctcaggaac	aactcgaaaa	agccctagat	tgtcagatct	8940
gccttagcgc	attttcactc	gagccacttg	acctacctca	gatcattcaa	cgactccatg	9000
gcctcaggaa	acttggggta	catagttact	cccaggcga	gatcaatagg	gtggcttcat	9060
gcgctaggct	actotoccao	ccgcccttgc	gagicitggag	acategggce	agaagtgtcc	9120
3-3	accy ccccay	uuuuuaaaa	CLOCCACTIO	TOOCSSOFSO	~+~++~	0100
ccagctggtt	cattactaat	aaactcactc	caalcccggc	rgcgtcccag	ttggatttat	9240
gaccccgctg	attestatas	tacagcgggg	yagacatata	tcacagcctg	tctcgtgccc	9300
gadaaagaag	gullalquq	Lucctactcc	TACTTTCTCT	20000012000		0000
cctttttt+	+++c+++++	acctaaacac	Lucaggecaa	taggccatcc	tgttttttc	9420
		LLCCLLEGGT	OCCTCC ATCT	Tarrantart		05 40
tgtgaaaggt caagt	grgageeg	cciyactgca	gagagtgctg	atactggcct	ctctgcagat	9600
						9605

Table 1. Relative G418 transduction efficiencies of HCV replicons after transfection into interferon-treated cell clones

	Tra	Transfected replicon	con
Cell line	BartMan	. I	ИΛ
narental Huh-7	0.0005%	0.15%	9%
IFN-treated I	0.005%	5%	30%
IFN-treated II	0.001%	1.3%	11%

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/16822

A. CLA	SSIFICATION OF SUBJECT MATTER						
IPC(7)	: C07H 21/02, 21/04; C12N 5/10, 5/22, 15/00	•					
US CL: 536/23.72; 435/370, 372, 372.2, 372.3, 320.1 According to International Patent Classification (IPC) or to both national classification and IPC							
B. FIEI	D International Patent Classification (IPC) or to both	national classification and IPC					
Minimum documentation searched (classification system followed by classification symbols) U.S.: 536/23.72; 435/370, 372, 372.2, 372.3, 320.1							
9.50. 1.556.25.72, 4357570, 372, 372.2, 372.3, 320.1							
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched							
- Documentary	ion scarched other than minimum documentation to the	he extent that such documents are include	d in the fields searched				
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) Please See Continuation Sheet							
Please See Continuation Sheet							
C POCKING CONTROL CONT							
C. DOCUMENTS CONSIDERED TO BE RELEVANT							
Category *	Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to claim No.				
X,P	BLIGHT et al. Efficient Initiation of HCV RNA F	Replication in Cell Culture. Science.	1, 3-17, 29, 61-63, 69-				
	08 December 2000, Vol. 290, pages 1972-1974, se	e entire document.	70, and 72-75				
		•					
		İ					
j	,						
ļ.							
			j				
í							
ł							
			\				
}			1				
Further	documents are listed in the continuation of Box C.	See patent family annex.					
• Sp	pecial entegories of cited documents:	"T" later document published after the inte	mational filing date or priority				
"A" document	defining the general state of the art which is not considered to be	date and not in conflict with the applic principle or theory underlying the inve	ation but cited to understand the				
	lar relevance						
"E" earlier app	plication or patent published on or after the international filing date	considered novel or cannot be consider	red to involve an inventive step				
"L" document	which may throw doubts on priority claim(s) or which is cited to	when the document is taken alone					
establish ti specified)	he publication date of another citation or other special reason (as	"Y" document of particular relevance; the	claimed invention cannot be				
considered to involve an inventive step when the document is combined with one or more other such documents, such combined							
being obvious to a perron skilled in the art							
"P" document published prior to the international filing date but later than the "&" document member of the same patent family							
Date of the ac	ctual completion of the international search	Data of malling of the last	-,				
		Date of mailing of the international sear	Chreport				
	002 (08.01.2002)	O 9 JOE ZONY					
	iling address of the ISA/US nissioner of Patents and Trademarks	Authorized officer Janui Ford					
Box F	PCT	Brenda Brumback					
	ington, D.C. 20231 (703)305-3230	F701					
	acsimile No. (703)305-3230 Telephone No. 703-308-0196						

Form PCT/ISA/210 (second sheet) (July 1998)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/16822

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. Claim Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
Claim Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. Claim Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows: Please See Continuation Sheet
As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2 As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1, 3-17, 29, 61-62, 69-70, and 72-75.
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet(1)) (July 1998)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/16822

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING

This application contains the following inventions or groups of inventions which are not so linked as to form a single inventive concept under PCT Rule 13.1. In order for all inventions to be searched, the appropriate additional search fees must be paid.

Group I, claim(s)1, 3-17, 29, 61-62, 69-70, and 72-75, drawn to polynucleotides comprising a non-naturally occurring HCV sequence that is capable of productive replication in a host cell which comprises an NSSA gene mutation

Group II, claims 1, 18-24, 41-44, and 63-68 drawn to polynucleotides comprising a non-naturally occurring HCV sequence that is capable of productive replication in a host cell which comprises and IRES/foreign gene.

The inventions listed as Groups I-V do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

An international and a national stage application shall relate to one invention only or to a group of inventions so linked as to form a single general inventive concept ("requirement of unity of invention"). Where a group of inventions is claimed in an application, the requirement of unity of invention shall be fulfilled only when there is a technical relationship among those inventions involving one or more of the same or corresponding special technical features. The expression "special technical features" shall mean those technical features that define a contribution which each of the claimed inventions, considered as a whole, makes over the prior art. In the present case the technical feature of Group I, which is drawn to polynucleotides comprising an NS%A gene mutation, is different from the technical feature of Group II, which is drawn to polynucleotides comprising a foreign IRES/gene. The polynucleotides of Group II have a different and distinct structure from the polynucleotides of Group I. Thus, the groups do not share the same special technical feature.

Continuation of B. FIELDS SEARCHED Item 3:

DIALOG: Medline, BIOTECH, Conference Papers, PATENTS, EAST (USPat, PGPub) search terms: hepatitis c virus, hcv, productive, infectious, 3' non translated region, 3' NTR, adapt(ive) mutation, HeLa, NS5A, inventors' names